

Product Catalog



GUANGZHOU IDEALPLUSING INFORMATION TECHNOLOGY CO., LTD

Website: www.idealplusing.com

Factory #1 ADD: 7/F,Block A,Canbo Tec.park,North of HuaFa Road,Gongming,Guangming new Dis. ,SZ,China.

Factory #2 ADD: 3/F,Building C, HengTongFa Industrial Area, TangTou Industrial Park ShiYan Street, Baoan Area,SZ,China.

Address: Building 1, NO.38 Gaopu Road, Tianhe, Guangzhou, Guangdong Province, China. 510520.

Sales Team

Name	Email	Tell&Whatsapp
Charis Liu	inverter@idealplusing.com	+86-158-7657-0341
KimHan	charger@idealplusing.com	+86-150-1190-3450
Victoria Liu	converter@idealplusing.com	+86-159-1864-6947
Wen He	powersupply@idealplusing.com	+86-159-1439-6312
Sue Yo	susan@idealplusing.com	+86-159-8913-2799
Hui Li	power@idealplusing.com	+86-158-7656-4829

Charis Liu

Photo	Wechat Code	Whatsapp Code
 A portrait photograph of a young man with short dark hair, wearing a white dress shirt and a dark tie, set against a solid blue background.	 A square QR code with a black and white pixelated pattern, used for connecting via Wechat.	 A square QR code with a black and white pixelated pattern, used for connecting via Whatsapp.

KimHan

Photo



Wechat Code



Whatsapp Code



Victoria Liu

Photo



Wechat Code




Whatsapp Code



Wen He

Photo



Wechat Code



Whatsapp Code



Sue Yo

Photo



Wechat Code



Whatsapp Code



Hui Li

Photo



Wechat Code



Whatsapp Code



Main Products

- 1. DC-DC Converter**
- 2. AC-DC Power Supply**
- 3. Pure Sine Wave inverter**

1. DC-DC Converter


Completely encapsulated: waterproof, shockproof, and ignition protected Water, oil, or dirt will not damage the Orion IP67 DC-DC Converter.

The casing is made of cast aluminum/Plastic and the electronics are molded in resin.

Type 1 Non-Isolate-Step Down

Type 2 Non-Isolate-Boost-Step Up

Type 3 Non-Isolate-Boost & Step Down

Picture Reference				
#A01-46*27*14(MM)	#A02-46*32*18(MM)	#A03-44*24.5*20(MM)	#A04-44*24.5*20(MM)	#A05-75*42*18(MM)
				
#A06-58*40*22(MM)	#A07-66*57*22(MM)	#A08-74*74*32(MM)	#A09-100*80*39(MM)	#A10-125*105*52(MM)
				
#A11-41*21*15(MM)	#A12-41*21*15(MM)	#A13-50*52*15(MM)	#A14-100*52*15(MM)	#A15-50*52*20(MM)
				
#B01-150*127*63(MM)	#B02-180*127*63(MM)	#B03-220*127*63(MM)	#B04-300*127*63(MM)	#B05-300*195*63(MM)
				

#B06-100*113*35(MM) 	#B07-100*113*35(MM) 	#B08-118*80*28(MM) 	#B09-78*56*22(MM) 	#B10-150*130*50(MM) 
#C01-160*113*35(MM) 	#C02-220*130*50(MM) 	#C03-220*156*65(MM) 	#C04-300*198*80MM 	#C05-300*195*90MM 
#C06-280*150*65(MM) 	#C07-320*150*65(MM) 	#C08-180*118*39(MM) 	#C0-9300*195*63MM 	#C10-1300*127*63(MM) 

Type 1 Non-Isolate-Step Down

NO	Series NO	Place	NO	Series NO	Place
1	12VDC-24VDC-5VDC(1~100A)	Page	20	60VDC-24VDC(1~25A)	Page
2	24VDC-12VDC(1~200A)	Page	21	60VDC-36VDC(1~15A)	Page
3	24VDC-13.8VDC(1~120A)	Page	22	72VDC-5VDC(1~20A)	Page
4	24VDC-15VDC(1~35A)	Page	23	72VDC-12VDC(1~50A)	Page
5	24VDC-16VDC(1~35A)	Page	24	72VDC-13.8VDC(1~20A)	Page
6	24VDC-18VDC(1~35A)	Page	25	72VDC-24VDC(1~40A)	Page
7	24VDC-19VDC(1~50A)	Page	26	72VDC-36VDC(1~10A)	Page
8	36VDC-5VDC(1~30A)	Page	27	72VDC-48VDC(1~30A)	Page
9	36VDC-12VDC(1~150A)	Page	28	84VDC-5VDC(1~25A)	Page
10	36VDC-19VDC(1~30A)	Page	29	84VDC-12VDC(1~25A)	Page
11	36VDC-24VDC(1~30A)	Page	30	84VDC-24VDC(1~25A)	Page
12	48VDC-5VDC(1~30A)	Page	31	84VDC-36VDC(1~10A)	Page
13	48VDC-12VDC(1~150A)	Page	32	96VDC-5VDC(1~20A)	Page
14	48VDC-13.8VDC(1~150A)	Page	33	96VDC-12VDC(1~20A)	Page
15	48VDC-24VDC(1~125A)	Page	34	96VDC-24VDC(1~20A)	Page
16	48VDC-36VDC(1~15A)	Page	35	96VDC-36VDC(1~10A)	Page
17	60VDC-5VDC(1~25A)	Page	36	108VDC-12VDC(1~20A)	Page
18	60VDC-13.8VDC(1~25A)	Page	37	108VDC-24VDC(1~20A)	Page
19	60VDC-19VDC(1~25A)	Page	38	Others	/

Non-Isolate-Step Down 12VDC/24VDC-5VDC(1~100A)

Item No	Picture No	RF NO	Specification	Input Voltage VDC Range	Output Volt VDC	DC Output Current AMP	Max Power WATT	Size (MM) L*H*W	NW/GW (G)
4	#A01	Y1	12V-5V 1A	8-23VDC	5VDC	1A	5W	46*27*14	35G/50G
5	#A01	Y1	12V-5V 2A	8-23VDC	5VDC	2A	10W	46*27*14	35G/50G
6	#A01	Y1	12V-5V 3A	8-23VDC	5VDC	3A	15W	46*27*14	35G/50G
7	#A01	Y2	12V/24V-5V 1A	8-30VDC	5VDC	1A	5W	46*27*14	35G/50G
8	#A11	Y35	12V/24V-5V 1A	8-30VDC	5VDC	1A	5W	41*21*15	35G/50G
9	#A02	Y5	12V/24V-5V 1A	8-40VDC	5VDC	1A	5W	46*32*18	45G/55G
10	#A03	Y33	12V/24V-5V 1A	8-40VDC	5VDC	1A	5W	44*24.5*20	45G/55G
11	#A04	Y30	12V/24V-5V 1A	8-40VDC	5VDC	1A	5W	44*24.5*20	45G/55G
12	#A01	Y2	12V/24V-5V 2A	8-30VDC	5VDC	2A	10W	46*27*14	35G/50G
13	#A11	Y35	12V/24V-5V 2A	8-40VDC	5VDC	2A	10W	41*21*15	35G/50G
14	#A02	Y5	12V/24V-5V 2A	8-40VDC	5VDC	2A	10W	46*32*18	45G/55G
15	#A03	Y33	12V/24V-5V 2A	8-40VDC	5VDC	2A	10W	44*24.5*20	45G/55G
16	#A04	Y30	12V/24V-5V 2A	8-40VDC	5VDC	2A	10W	44*24.5*20	45G/55G
17	#A01	Y2	12V/24V-5V 3A	8-30VDC	5VDC	3A	15W	46*27*14	35G/50G
18	#A02	Y5	12V/24V-5V 3A	8-40VDC	5VDC	3A	15W	46*32*18	45G/55G
19	#A11	Y35	12V/24V-5V 3A	8-40VDC	5VDC	3A	15W	41*21*15	35G/50G
20	#A03	Y33	12V/24V-5V 3A	8-40VDC	5VDC	3A	15W	44*24.5*20	45G/55G
21	#A04	Y30	12V/24V-5V 3A	8-40VDC	5VDC	3A	15W	44*24.5*20	45G/55G
22	#A07	D1	12V/24V-5V 3A	8-32VDC	5VDC	3A	15W	66*57*22	100G/125G

Non-Isolate-Step Down 12VDC/24VDC-5VDC(1~100A)

23	#A02	Y3	12V/24V-5V 4A	8-40VDC	5VDC	4A	20W	46*32*18	45G/55G
24	#A03	Y34	12V/24V-5V 4A	8-40VDC	5VDC	4A	20W	44*24.5*20	45G/55G
25	#A02	Y6	12V/24V-5V 5A	8-40VDC	5VDC	5A	25W	46*32*18	45G/55G
26	#A03	Y34	12V/24V-5V 5A	8-40VDC	5VDC	5A	25W	44*24.5*20	45G/55G
27	#A07	D2	12V/24V-5V 5A	8-32VDC	5VDC	5A	25W	66*57*22	100G/125G
28	#A13	Y37	12V/24V-5V 5A	8-40VDC	5VDC	5A	25W	50*52*15	45G/55G
29	#A08	Y68	12V/24V-5V 5A	8-40VDC	5VDC	5A	25W	74*74*32	300G/330G
30	#A02	Y7	12V/24V-5V 6A	8-40VDC	5VDC	6A	30W	46*32*18	50G/60G
31	#A13	Y37	12V/24V-5V 6A	9-40VDC	5VDC	6A	30W	50*52*15	45G/55G
32	#A05	D3	12V/24V-5V 6A	8-32VDC	5VDC	6A	30W	75*42*18	45G/55G
33	#A07	D4	12V/24V-5V 6A	8-32VDC	5VDC	6A	30W	66*57*22	100G/125G
34	#A08	Y68	12V/24V-5V 6A	8-40VDC	5VDC	6A	30W	74*74*32	300G/330G
35	#A02	Y7	12V/24V-5V 8A	8-40VDC	5VDC	8A	40W	46*32*18	50G/60G
36	#A13	Y37	12V/24V-5V 8A	9-40VDC	5VDC	8A	40W	50*52*15	45G/55G
37	#A05	D3	12V/24V-5V 8A	8-32VDC	5VDC	8A	40W	75*42*18	45G/55G
38	#A07	D4	12V/24V-5V 8A	8-32VDC	5VDC	8A	40W	66*57*22	100G/125G
39	#A08	Y68	12V/24V-5V 8A	8-40VDC	5VDC	8A	40W	74*74*32	300G/330G
40	#A05	D3	12V/24V-5V 10A	8-32VDC	5VDC	10A	50W	75*42*18	50G/60G
41	#A07	D4	12V/24V-5V 10A	8-32VDC	5VDC	10A	50W	66*57*22	100G/125G
42	#A08	Y68	12V/24V-5V 10A	8-40VDC	5VDC	10A	50W	74*74*32	300G/330G

Non-Isolate-Step Down 24VDC-12VDC(1~200A)

Item No	Picture No	RF NO	Specification	Input Voltage VDC Range	Output Volt VDC	DC Output Current AMP	Max Power WATT	Size (MM) L*H*W	NW/GW (G)
53	#A02	Y5	24VDC-12VDC 1A	15-40VDC	12VDC	1A	12W	46*32*18	45G/55G
54	#A03	Y33	24VDC-12VDC 1A	15-40VDC	12VDC	1A	12W	44*24.5*20	45G/55G
55	#A04	Y30	24VDC-12VDC 1A	15-40VDC	12VDC	1A	12W	44*24.5*20	45G/55G
56	#A02	Y5	24VDC-12VDC 2A	15-40VDC	12VDC	2A	24W	46*32*18	45G/55G
57	#A03	Y33	24VDC-12VDC 2A	15-40VDC	12VDC	2A	24W	44*24.5*20	45G/55G
58	#A04	Y30	24VDC-12VDC 2A	15-40VDC	12VDC	2A	24W	44*24.5*20	45G/55G
59	#A02	Y5	24VDC-12VDC 3A	15-40VDC	12VDC	3A	36W	46*32*18	45G/55G
60	#A03	Y33	24VDC-12VDC 3A	15-40VDC	12VDC	3A	36W	44*24.5*20	45G/55G
61	#A04	Y30	24VDC-12VDC 3A	15-40VDC	12VDC	3A	36W	44*24.5*20	45G/55G
62	#A02	Y5	24VDC-12VDC 4A	15-40VDC	12VDC	4A	48W	46*32*18	45G/55G
63	#A03	Y33	24VDC-12VDC 4A	15-40VDC	12VDC	4A	48W	44*24.5*20	45G/55G
64	#A04	Y30	24VDC-12VDC 4A	15-40VDC	12VDC	4A	48W	44*24.5*20	45G/55G
65	#A02	Y7	24VDC-12VDC 5A	15-40VDC	12VDC	5A	60W	46*32*18	45G/55G
66	#A03	Y34	24VDC-12VDC 5A	15-40VDC	12VDC	5A	60W	44*24.5*20	45G/55G
67	#A04	Y30	24VDC-12VDC 5A	15-40VDC	12VDC	5A	60W	44*24.5*20	45G/55G
68	#A07	D15	24VDC-12VDC 5A	15-40VDC	12VDC	5A	60W	66*57*22	100G/125G
69	#A13	Y37	24VDC-12VDC 5A	15-40VDC	12VDC	5A	60W	50*52*15	45G/55G
70	#A05	D17	24VDC-12VDC 10A	18~32VDC	12VDC	10A	120W	75*42*18	45G/55G
71	#A02	Y37	24VDC-12VDC 10A	15-40VDC	12VDC	10A	120W	50*52*15	45G/55G

Non-Isolate-Step Down 24VDC-12VDC(1~200A)

72	#A07	D16	24VDC-12VDC 10A	18~32VDC	12VDC	10A	120W	66*57*22	100G/125G
73	#A08	D18	24VDC-12VDC 10A	18~32VDC	12VDC	10A	120W	74*74*32	300G/330G
74	#A08	D19	24VDC-12VDC 12A	18~32VDC	12VDC	12A	144W	74*74*32	300G/330G
75	#A08	D19	24VDC-12VDC 15A	18~32VDC	12VDC	15A	180W	74*74*32	300G/330G
76	#A08	D20	24VDC-12VDC 18A	18~32VDC	12VDC	18A	216W	74*74*32	300G/330G
77	#A08	D20	24VDC-12VDC 20A	18~32VDC	12VDC	20A	240W	74*74*32	300G/330G
78	#A08	D21	24VDC-12VDC 22A	15-40VDC	12VDC	22A	264W	74*74*32	300G/330G
79	#A08	D21	24VDC-12VDC 25A	15-40VDC	12VDC	25A	300W	74*74*32	300G/330G
80	#A08	D21	24VDC-12VDC 28A	15-40VDC	12VDC	28A	336W	74*74*32	300G/330G
81	#A08	D21	24VDC-12VDC 30A	15-40VDC	12VDC	30A	360W	74*74*32	300G/330G
82	#A09	Y93	24VDC-12VDC 30A	15-30VDC	12VDC	30A	360W	100*80*39	500G/550G
83	/	D23	24VDC-12VDC 30A	18~32VDC	12VDC	30A	360W	108*80*45	700G/900G
84	#A09	D24	24VDC-12VDC 40A	18~32VDC	12VDC	40A	480W	100*80*39	500G/550G
85	/	D25	24VDC-12VDC 40A	18~32VDC	12VDC	40A	480W	108*80*45	700G/900G
86	#B01	D26	24VDC-12VDC 50A	18~32VDC	12VDC	50A	600W	150*127*63	1600G/1800G
87	#B01	D27	24VDC-12VDC 60A	18~32VDC	12VDC	60A	720W	150*127*63	1600G/1800G
88	/	D28	24VDC-12VDC 60A	18~32VDC	12VDC	60A	720W	160*113*35	1600G/1800G
89	#B03	D29	24VDC-12VDC 85A	18~32VDC	12VDC	85A	1020W	220*127*63	2500G/3000G
90	#B03	D30	24VDC-12VDC 100A	18~32VDC	12VDC	100A	1200W	220*127*63	2500G/3000G
91	#B04	D31	24VDC-12VDC 120A	18~32VDC	12VDC	120A	1440W	300*127*63	3500G/4000G
92	#B05	D32	24VDC-12VDC 150A	18~32VDC	12VDC	150A	1800W	300*195*90	7000G/8000G
93	#B05	D33	24VDC-12VDC 150A	18~32VDC	12VDC	165A	1980W	300*195*90	7000G/8000G
94	#C02	D34	24VDC-12VDC 200A	18~32VDC	12VDC	200A	2400W	280*156*65	3700G/4500G

Non-Isolate-Step Down 24VDC-13.8VDC(1~120A)

Item No	Picture No	RF NO	Specification	Input Voltage VDC Range	Output Volt VDC	DC Output Current AMP	Max Power WATT	Size (MM) L*H*W	NW/GW (G)
97	#A02	Y5	24VDC-13.8VDC 1A	15-40VDC	13.8VDC	1A	13.8W	46*32*18	45G/55G
98	#A03	Y33	24VDC-13.8VDC 1A	15-40VDC	13.8VDC	1A	12W	44*24.5*20	45G/55G
99	#A04	Y30	24VDC-13.8VDC 1A	15-40VDC	13.8VDC	1A	13.8W	44*24.5*20	45G/55G
100	#A02	Y5	24VDC-13.8VDC 2A	15-40VDC	13.8VDC	2A	27.6W	46*32*18	45G/55G
101	#A03	Y33	24VDC-13.8VDC 2A	15-40VDC	13.8VDC	2A	27.6W	44*24.5*20	45G/55G
102	#A04	Y30	24VDC-13.8VDC 2A	15-40VDC	13.8VDC	2A	27.6W	44*24.5*20	45G/55G
103	#A02	Y5	24VDC-13.8VDC 3A	15-40VDC	13.8VDC	3A	41.4W	46*32*18	45G/55G
104	#A03	Y33	24VDC-13.8VDC 3A	15-40VDC	13.8VDC	3A	41.4W	44*24.5*20	45G/55G
105	#A04	Y30	24VDC-13.8VDC 3A	15-40VDC	13.8VDC	3A	41.4W	44*24.5*20	45G/55G
106	#A02	Y5	24VDC-13.8VDC 4A	15-40VDC	13.8VDC	4A	55.2W	46*32*18	45G/55G
107	#A03	Y33	24VDC-13.8VDC 4A	15-40VDC	13.8VDC	4A	55.2W	44*24.5*20	45G/55G
108	#A04	Y30	24VDC-13.8VDC 4A	15-40VDC	13.8VDC	4A	55.2W	44*24.5*20	45G/55G
109	#A02	Y7	24VDC-13.8VDC 5A	15-40VDC	13.8VDC	5A	69W	46*32*18	45G/55G
110	#A03	Y34	24VDC-13.8VDC 5A	15-40VDC	13.8VDC	5A	69W	44*24.5*20	45G/55G
111	#A04	Y30	24VDC-13.8VDC 5A	15-40VDC	13.8VDC	5A	69W	44*24.5*20	45G/55G
112	#A07	D35	24VDC-13.8VDC 5A	18~32VDC	13.8VDC	5A	69W	66*57*22	100G/125G
113	#A08	Y68	24VDC-13.8VDC 10A	15-40VDC	13.8VDC	10A	138W	74*74*32	300G/330G
114	#A08	Y69	24VDC-13.8VDC 15A	15-40VDC	13.8VDC	15A	207W	74*74*32	300G/330G
115	#A08	Y69	24VDC-13.8VDC 20A	15-40VDC	13.8VDC	20A	276W	74*74*32	300G/330G

Non-Isolate-Step Down 24VDC-13.8VDC(1~120A)

116	#A08	Y70	24VDC-13.8VDC 25A	15-40VDC	13.8VDC	25A	345W	74*74*32	300G/330G
117	#A09	Y93	24VDC-13.8VDC 30A	15-40VDC	13.8VDC	30A	414W	100*80*39	500G/550G
118	#A09	Y93	24VDC-13.8VDC 35A	15-40VDC	13.8VDC	35A	483W	100*80*39	500G/550G
119	#A09	D41	24VDC-13.8VDC 40A	18~32VDC	13.8VDC	40A	552W	100*80*39	500G/550G
120	#B01	D42	24VDC-13.8VDC 50A	18~32VDC	13.8VDC	50A	690W	150*127*63	1600G/1800G
121	#B01	D43	24VDC-13.8VDC 60A	18~32VDC	13.8VDC	60A	1112W	150*127*63	1600G/1800G
122	#B03	D44	24VDC-13.8VDC 80A	18~32VDC	13.8VDC	80A	1104W	220*127*63	2500G/3000G
123	#B03	D45	24VDC-13.8VDC 100A	18~32VDC	13.8VDC	100A	1380W	220*127*63	2500G/3000G
124	#B04	D46	24VDC-13.8VDC 120A	18~32VDC	13.8VDC	120A	1656W	300*127*63	3500G/4000G

Non-Isolate-Step Down 24VDC-15VDC(1~35A)

Item No	Picture No	RF NO	Specification	Input Voltage VDC Range	Output Volts VDC	DC Output Current AMP	Max Power WATT	Size (MM) L*H*W	NW/GW (G)
127	#A02	Y5	24VDC-15VDC 1A	18~40VDC	15VDC	1A	15W	46*32*18	45G/55G
128	#A03	Y33	24VDC-15VDC 1A	18~40VDC	15VDC	1A	15W	44*24.5*20	45G/55G
129	#A04	Y30	24VDC-15VDC 1A	18~40VDC	15VDC	1A	15W	44*24.5*20	45G/55G
130	#A02	Y5	24VDC-15VDC 2A	18~40VDC	15VDC	2A	30W	46*32*18	45G/55G
131	#A03	Y33	24VDC-15VDC 2A	18~40VDC	15VDC	2A	30W	44*24.5*20	45G/55G
132	#A04	Y30	24VDC-15VDC 2A	18~40VDC	15VDC	2A	30W	44*24.5*20	45G/55G
133	#A02	Y5	24VDC-15VDC 3A	18~40VDC	15VDC	3A	45W	46*32*18	45G/55G
134	#A03	Y33	24VDC-15VDC 3A	18~40VDC	15VDC	3A	45W	44*24.5*20	45G/55G
135	#A04	Y30	24VDC-15VDC 3A	18~40VDC	15VDC	3A	45W	44*24.5*20	45G/55G
136	#A02	Y5	24VDC-15VDC 4A	18~40VDC	15VDC	4A	60W	46*32*18	45G/55G
137	#A03	Y33	24VDC-15VDC 4A	18~40VDC	15VDC	4A	60W	44*24.5*20	45G/55G
138	#A04	Y30	24VDC-15VDC 4A	18~40VDC	15VDC	4A	60W	44*24.5*20	45G/55G
139	#A02	Y7	24VDC-15VDC 5A	18~40VDC	15VDC	5A	75W	46*32*18	45G/55G
140	#A03	Y34	24VDC-15VDC 5A	18~40VDC	15VDC	5A	75W	44*24.5*20	45G/55G
141	#A04	Y30	24VDC-15VDC 5A	18~40VDC	15VDC	5A	75W	44*24.5*20	45G/55G
142	#A08	Y68	24VDC-15VDC 10A	18~40VDC	15VDC	10A	150W	74*74*32	300G/330G
143	#A08	Y69	24VDC-15VDC 15A	18~40VDC	15VDC	15A	225W	74*74*32	300G/330G
144	#A08	Y69	24VDC-15VDC 20A	18~40VDC	15VDC	20A	300W	74*74*32	300G/330G
145	#A08	Y70	24VDC-15VDC 25A	18~40VDC	15VDC	25A	375W	74*74*32	300G/330G
146	#A09	Y93	24VDC-15VDC 30A	18~40VDC	15VDC	30A	450W	100*80*39	500G/550G
147	#A09	Y93	24VDC-15VDC 35A	18~40VDC	15VDC	35A	525W	100*80*39	500G/550G

Non-Isolate-Step Down 24VDC-16VDC(1~35A)

Item No	Picture No	RF NO	Specification	Input Voltage VDC Range	Output Volts VDC	DC Output Current AMP	Max Power WATT	Size (MM) L*H*W	NW/GW (G)
150	#A02	Y5	24VDC-16VDC 1A	19~40VDC	16VDC	1A	16W	46*32*18	45G/55G
151	#A03	Y33	24VDC-16VDC 1A	19~40VDC	16VDC	1A	16W	44*24.5*20	45G/55G
152	#A04	Y30	24VDC-16VDC 1A	19~40VDC	16VDC	1A	16W	44*24.5*20	45G/55G
153	#A02	Y5	24VDC-16VDC 2A	19~40VDC	16VDC	2A	32W	46*32*18	45G/55G
154	#A03	Y33	24VDC-16VDC 2A	19~40VDC	16VDC	2A	32W	44*24.5*20	45G/55G
155	#A04	Y30	24VDC-16VDC 2A	19~40VDC	16VDC	2A	32W	44*24.5*20	45G/55G
156	#A02	Y5	24VDC-16VDC 3A	19~40VDC	16VDC	3A	48W	46*32*18	45G/55G
157	#A03	Y33	24VDC-16VDC 3A	19~40VDC	16VDC	3A	48W	44*24.5*20	45G/55G
158	#A04	Y30	24VDC-16VDC 3A	19~40VDC	16VDC	3A	48W	44*24.5*20	45G/55G
159	#A02	Y5	24VDC-16VDC 4A	19~40VDC	16VDC	4A	64W	46*32*18	45G/55G
160	#A03	Y33	24VDC-16VDC 4A	19~40VDC	16VDC	4A	64W	44*24.5*20	45G/55G
161	#A04	Y30	24VDC-16VDC 4A	19~40VDC	16VDC	4A	64W	44*24.5*20	45G/55G
162	#A02	Y7	24VDC-16VDC 5A	19~40VDC	16VDC	5A	80W	46*32*18	45G/55G
163	#A03	Y34	24VDC-16VDC 5A	19~40VDC	16VDC	5A	80W	44*24.5*20	45G/55G
164	#A04	Y30	24VDC-16VDC 5A	19~40VDC	16VDC	5A	80W	44*24.5*20	45G/55G
165	#A08	Y68	24VDC-16VDC 10A	19~40VDC	16VDC	10A	160W	74*74*32	300G/330G
166	#A08	Y69	24VDC-16VDC 15A	19~40VDC	16VDC	15A	240W	74*74*32	300G/330G
167	#A08	Y69	24VDC-16VDC 20A	19~40VDC	16VDC	20A	320W	74*74*32	300G/330G
168	#A08	Y70	24VDC-16VDC 25A	19~40VDC	16VDC	25A	400W	74*74*32	300G/330G
169	#A09	Y93	24VDC-16VDC 30A	19~40VDC	16VDC	30A	480W	100*80*39	500G/550G
170	#A09	Y93	24VDC-16VDC 35A	19~40VDC	16VDC	35A	560W	100*80*39	500G/550G

Non-Isolate-Step Down 24VDC-18VDC(1~35A)

Item No	Picture No	RF NO	Specification	Input Voltage VDC Range	Output Volts VDC	DC Output Current AMP	Max Power WATT	Size (MM) L*H*W	NW/GW (G)
173	#A02	Y5	24VDC-18VDC 1A	21-40VDC	18VDC	1A	18W	46*32*18	45G/55G
174	#A03	Y33	24VDC-18VDC 1A	21-40VDC	18VDC	1A	18W	44*24.5*20	45G/55G
175	#A04	Y30	24VDC-18VDC 1A	21-40VDC	18VDC	1A	18W	44*24.5*20	45G/55G
176	#A02	Y5	24VDC-18VDC 2A	21-40VDC	18VDC	2A	36W	46*32*18	45G/55G
177	#A03	Y33	24VDC-18VDC 2A	21-40VDC	18VDC	2A	36W	44*24.5*20	45G/55G
178	#A04	Y30	24VDC-18VDC 2A	21-40VDC	18VDC	2A	36W	44*24.5*20	45G/55G
179	#A02	Y5	24VDC-18VDC 3A	21-40VDC	18VDC	3A	54W	46*32*18	45G/55G
180	#A03	Y33	24VDC-18VDC 3A	21-40VDC	18VDC	3A	54W	44*24.5*20	45G/55G
181	#A04	Y30	24VDC-18VDC 3A	21-40VDC	18VDC	3A	54W	44*24.5*20	45G/55G
182	#A02	Y5	24VDC-18VDC 4A	21-40VDC	18VDC	4A	72W	46*32*18	45G/55G
183	#A03	Y33	24VDC-18VDC 4A	21-40VDC	18VDC	4A	72W	44*24.5*20	45G/55G
184	#A04	Y30	24VDC-18VDC 4A	21-40VDC	18VDC	4A	72W	44*24.5*20	45G/55G
185	#A02	Y7	24VDC-18VDC 5A	21-40VDC	18VDC	5A	90W	46*32*18	45G/55G
186	#A03	Y34	24VDC-18VDC 5A	21-40VDC	18VDC	5A	90W	44*24.5*20	45G/55G
187	#A04	Y30	24VDC-18VDC 5A	21-40VDC	18VDC	5A	90W	44*24.5*20	45G/55G
188	#A08	Y68	24VDC-18VDC 10A	21-40VDC	18VDC	10A	180W	74*74*32	300G/330G
189	#A08	Y69	24VDC-18VDC 15A	21-40VDC	18VDC	15A	270W	74*74*32	300G/330G
190	#A08	Y69	24VDC-18VDC 20A	21-40VDC	18VDC	20A	360W	74*74*32	300G/330G
191	#A08	Y70	24VDC-18VDC 25A	21-40VDC	18VDC	25A	450W	74*74*32	300G/330G
192	#A09	Y93	24VDC-18VDC 30A	21-40VDC	18VDC	30A	540W	100*80*39	500G/550G

Non-Isolate-Step Down 24VDC-19VDC(1~50A)

Item No	Picture No	RF NO	Specification	Input Voltage VDC Range	Output Volts VDC	DC Output Current AMP	Max Power WATT	Size (MM) L*H*W	NW/GW (G)
196	#A02	Y5	24VDC-19VDC 1A	22-40VDC	19VDC	1A	19W	46*32*18	45G/55G
197	#A03	Y33	24VDC-19VDC 1A	22-40VDC	19VDC	1A	19W	44*24.5*20	45G/55G
198	#A04	Y30	24VDC-19VDC 1A	22-40VDC	19VDC	1A	19W	44*24.5*20	45G/55G
199	#A02	Y5	24VDC-19VDC 2A	22-40VDC	19VDC	2A	38W	46*32*18	45G/55G
200	#A03	Y33	24VDC-19VDC 2A	22-40VDC	19VDC	2A	38W	44*24.5*20	45G/55G
201	#A04	Y30	24VDC-19VDC 2A	22-40VDC	19VDC	2A	38W	44*24.5*20	45G/55G
202	#A02	Y5	24VDC-19VDC 3A	22-40VDC	19VDC	3A	57W	46*32*18	45G/55G
203	#A03	Y33	24VDC-19VDC 3A	22-40VDC	19VDC	3A	57W	44*24.5*20	45G/55G
204	#A04	Y30	24VDC-19VDC 3A	22-40VDC	19VDC	3A	57W	44*24.5*20	45G/55G
205	#A02	Y5	24VDC-19VDC 4A	22-40VDC	19VDC	4A	76W	46*32*18	45G/55G
206	#A03	Y33	24VDC-19VDC 4A	22-40VDC	19VDC	4A	76W	44*24.5*20	45G/55G
207	#A04	Y30	24VDC-19VDC 4A	22-40VDC	19VDC	4A	76W	44*24.5*20	45G/55G
208	#A02	Y7	24VDC-19VDC 5A	22-40VDC	19VDC	5A	94W	46*32*18	45G/55G
209	#A03	Y34	24VDC-19VDC 5A	22-40VDC	19VDC	5A	94W	44*24.5*20	45G/55G
210	#A04	Y30	24VDC-19VDC 5A	22-40VDC	19VDC	5A	94W	44*24.5*20	45G/55G
211	#A08	Y68	24VDC-19VDC 10A	22-40VDC	19VDC	10A	190W	74*74*32	300G/330G
212	#A08	Y69	24VDC-19VDC 15A	22-40VDC	19VDC	15A	285W	74*74*32	300G/330G
213	#A08	Y69	24VDC-19VDC 20A	22-40VDC	19VDC	20A	380W	74*74*32	300G/330G
214	#A08	Y70	24VDC-19VDC 25A	22-40VDC	19VDC	25A	475W	74*74*32	300G/330G
215	#A09	Y93	24VDC-19VDC 30A	22-40VDC	19VDC	30A	570W	100*80*39	500G/550G
216	#A09	Y93	24VDC-19VDC 35A	22-40VDC	19VDC	35A	665W	100*80*39	500G/550G

Non-Isolate-Step Down 36VDC-5VDC(1~30A)

Item No	Picture No	RF NO	Specification	Input Voltage VDC Range	Output Volts VDC	DC Output Current AMP	Max Power WATT	Size (MM) L*H*W	NW/GW (G)
219	#A02	Y9	36VDC-5VDC 1A	8-58VDC	5VDC	1A	5W	46*32*18	45G/55G
220	#A13	Y38	36VDC-5VDC 1A	20-60VDC	5VDC	1A	5W	50*52*15	70G/85G
221	#A04	Y31	36VDC-5VDC 1A	20-60VDC	5VDC	1A	5W	44*24.5*20	45G/55G
222	#A06	Y21	36VDC-5VDC 1A	20-60VDC	5VDC	1A	5W	58*40*22	97G/110G
223	#A07	Y41	36VDC-5VDC 1A	20-60VDC	5VDC	1A	5W	66*57*22	100G/125G
224	#A13	Y38	36VDC-5VDC 2A	20-60VDC	5VDC	2A	10W	50*52*15	70G/85G
225	#A02	Y9	36VDC-5VDC 2A	8-58VDC	5VDC	2A	10W	46*32*18	45G/55G
226	#A04	Y31	36VDC-5VDC 2A	20-60VDC	5VDC	2A	10W	44*24.5*20	45G/55G
227	#A06	Y21	36VDC-5VDC 2A	20-60VDC	5VDC	2A	10W	58*40*22	97G/110G
228	#A07	Y41	36VDC-5VDC 2A	20-60VDC	5VDC	2A	10W	66*57*22	100G/125G
229	#A02	Y9	36VDC-5VDC 3A	8-58VDC	5VDC	3A	15W	46*32*18	45G/55G
230	#A13	Y38	36VDC-5VDC 3A	20-60VDC	5VDC	3A	15W	50*52*15	70G/85G
231	#A04	Y31	36VDC-5VDC 3A	20-60VDC	5VDC	3A	15W	44*24.5*20	45G/55G
232	#A06	Y21	36VDC-5VDC 3A	20-60VDC	5VDC	3A	15W	58*40*22	97G/110G
233	#A07	Y41	36VDC-5VDC 3A	20-60VDC	5VDC	3A	15W	66*57*22	100G/125G
234	#A04	Y31	36VDC-5VDC 4A	20-60VDC	5VDC	4A	20W	44*24.5*20	45G/55G
235	#A06	Y21	36VDC-5VDC 4A	20-60VDC	5VDC	4A	20W	58*40*22	97G/110G
236	#A07	Y41	36VDC-5VDC 4A	20-60VDC	5VDC	4A	20W	66*57*22	100G/125G
237	#A04	Y31	36VDC-5VDC 5A	20-60VDC	5VDC	5A	25W	44*24.5*20	45G/55G
238	#A06	Y21	36VDC-5VDC 5A	20-60VDC	5VDC	5A	25W	58*40*22	97G/110G
239	#A07	Y41	36VDC-5VDC 5A	20-60VDC	5VDC	5A	25W	66*57*22	100G/125G

Non-Isolate-Step Down 36VDC-5VDC(1~30A)

240	#A06	Y21	36VDC-5VDC 6A	20-60VDC	5VDC	6A	30W	58*40*22	97G/110G
241	#A07	Y41	36VDC-5VDC 6A	20-60VDC	5VDC	6A	30W	66*57*22	100G/125G
242	#A06	Y21	36VDC-5VDC 7A	20-60VDC	5VDC	7A	35W	58*40*22	97G/110G
243	#A07	Y41	36VDC-5VDC 7A	20-60VDC	5VDC	7A	35W	66*57*22	100G/125G
244	#A06	Y21	36VDC-5VDC 8A	20-60VDC	5VDC	8A	40W	58*40*22	97G/110G
245	#A07	Y41	36VDC-5VDC 8A	20-60VDC	5VDC	8A	40W	66*57*22	100G/125G
246	#A06	Y21	36VDC-5VDC 9A	20-60VDC	5VDC	9A	45W	58*40*22	97G/110G
247	#A07	Y41	36VDC-5VDC 9A	20-60VDC	5VDC	9A	45W	66*57*22	100G/125G
248	#A06	Y21	36VDC-5VDC 10A	20-60VDC	5VDC	10A	50W	58*40*22	97G/110G
249	#A07	Y41	36VDC-5VDC 10A	20-60VDC	5VDC	10A	50W	66*57*22	100G/125G
250	#A08	Y71	36VDC-5VDC 10A	20-60VDC	5VDC	10A	50W	74*74*32	300G/330G
251	#A08	Y71	36VDC-5VDC 12A	20-60VDC	5VDC	12A	60W	74*74*32	300G/330G
252	#A08	Y71	36VDC-5VDC 15A	20-60VDC	5VDC	15A	75W	74*74*32	300G/330G
253	#A08	Y71	36VDC-5VDC 20A	20-60VDC	5VDC	20A	100W	74*74*32	300G/330G
254	#A09	Y94	36VDC-5VDC 20A	30-60VDC	5VDC	20A	100W	100*80*39	500G/550G
255	#A09	Y94	36VDC-5VDC 25A	30-60VDC	5VDC	25A	125W	100*80*39	500G/550G
256	#A09	Y94	36VDC-5VDC 30A	30-60VDC	5VDC	30A	150W	100*80*39	500G/550G

Non-Isolate-Step Down 36VDC-12VDC(1~150A)

Item No	Picture No	RF NO	Specification	Input Voltage VDC Range	Output Volts VDC	DC Output Current AMP	Max Power WATT	Size (MM) L*H*W	NW/GW (G)
259	#A02	Y9	24/36/48VDC-12VDC 1A	20-60VDC	12VDC	1A	12W	46*32*18	45G/55G
260	#A13	Y38	24/36/48VDC-12VDC 1A	20-60VDC	12VDC	1A	12W	50*52*15	70G/85G
261	#A04	Y31	24/36/48VDC-12VDC 1A	20-58VDC	12VDC	1A	12W	44*24.5*20	45G/55G
262	#A02	Y9	24/36/48VDC-12VDC 2A	20-60VDC	12VDC	2A	24W	46*32*18	45G/55G
263	#A04	Y31	24/36/48VDC-12VDC 2A	20-58VDC	12VDC	2A	24W	44*24.5*20	45G/55G
264	#A02	Y9	24/36/48VDC-12VDC 3A	20-60VDC	12VDC	3A	36W	46*32*18	45G/55G
265	#A13	Y38	24/36/48VDC-12VDC 8A	20-60VDC	12VDC	3A	36W	50*52*15	70G/85G
266	#A04	Y31	24/36/48VDC-12VDC 3A	20-58VDC	12VDC	3A	36W	44*24.5*20	45G/55G
267	#A06	Y21	24/36/48VDC-12VDC 3A	20-60VDC	12VDC	3A	36W	58*40*22	97G/110G
268	#A13	Y38	24/36/48VDC-12VDC 8A	20-60VDC	12VDC	5A	60W	50*52*15	70G/85G
269	#A06	Y21	24/36/48VDC-12VDC 5A	20-60VDC	12VDC	5A	60W	58*40*22	97G/110G
270	#A06	Y21	24/36/48VDC-12VDC 6A	20-60VDC	12VDC	6A	72W	58*40*22	97G/110G
271	#A06	Y21	24/36/48VDC-12VDC 7A	20-60VDC	12VDC	7A	84W	58*40*22	97G/110G
272	#A06	Y21	24/36/48VDC-12VDC 8A	20-60VDC	12VDC	8A	96W	58*40*22	97G/110G
273	#A07	Y41	24/36/48VDC-12VDC 8A	20-60VDC	12VDC	8A	96W	66*57*22	100G/125G

Non-Isolate-Step Down 36VDC-12VDC(1~150A)

274	#A07	Y41	24/36/48VDC-12VDC 10A	20-60VDC	12VDC	10A	120W	66*57*22	100G/125G
275	#A08	Y74	24/36/48VDC-12VDC 10A	20-60VDC	12VDC	10A	120W	74*74*32	300G/330G
276	#A08	Y74	24/36/48VDC-12VDC 15A	20-60VDC	12VDC	15A	180W	74*74*32	300G/330G
277	#A08	Y74	24/36/48VDC-12VDC 20A	30-60VDC	12VDC	20A	240W	74*74*32	300G/330G
278	#A09	Y94	24/36/48VDC-12VDC 20A	30-60VDC	12VDC	20A	240W	100*80*39	500G/550G
279	#A09	Y94	24/36/48VDC-12VDC 25A	30-60VDC	12VDC	25A	300W	100*80*39	500G/550G
280	#A09	Y94	24/36/48VDC-12VDC 30A	30-60VDC	12VDC	30A	360W	100*80*39	500G/550G
281	#A09	D61	36/48VDC-12VDC 40A	30-60VDC	12VDC	40A	480W	100*113*35	700G/900G
282	#B06	D62	36/48VDC-12VDC 50A	30-60VDC	12VDC	50A	600W	150*127*63	1600G/1800G
283	#B06	D63	36/48VDC-12VDC 60A	30-60VDC	12VDC	60A	720W	150*127*63	1600G/1800G
284	#C02	D64	36/48VDC-12VDC 80A	30-60VDC	12VDC	80A	960W	220*130*50	2500G/3000G
285	#C02	D65	36/48VDC-12VDC 100A	30-60VDC	12VDC	100A	1200W	220*130*50	2500G/3000G
286	#C03	D66	36/48VDC-12VDC 150A	30-60VDC	12VDC	150A	1800W	220*156*65	3500G/4000G

Non-Isolate-Step Down 36VDC-19VDC(1~30A)

Item No	Picture No	RF NO	Specification	Input Voltage VDC Range	Output Volts VDC	DC Output Current AMP	Max Power WATT	Size (MM) L*H*W	NW/GW (G)
289	#A02	Y9	36/48VDC-19VDC 1A	22-58VDC	19VDC	1A	19W	46*32*18	45G/55G
290	#A13	Y38	36/48VDC-19VDC 1A	22-60VDC	19VDC	1A	19W	50*52*15	70G/85G
291	#A04	Y31	36/48VDC-19VDC 1A	22-60VDC	19VDC	1A	19W	44*24.5*20	45G/55G
292	#A06	Y21	36/48VDC-19VDC 1A	22-60VDC	19VDC	1A	19W	58*40*22	97G/110G
293	#A02	Y9	36/48VDC-19VDC 2A	22-58VDC	19VDC	2A	38W	46*32*18	45G/55G
294	#A13	Y38	36/48VDC-19VDC 2A	22-60VDC	19VDC	2A	38W	50*52*15	70G/85G
295	#A04	Y31	36/48VDC-19VDC 2A	22-60VDC	19VDC	2A	38W	44*24.5*20	45G/55G
296	#A06	Y21	36/48VDC-19VDC 2A	22-60VDC	19VDC	2A	38W	58*40*22	97G/110G
297	#A02	Y9	36/48VDC-19VDC 3A	22-58VDC	19VDC	3A	57W	46*32*18	45G/55G
298	#A13	Y38	36/48VDC-19VDC 3A	22-60VDC	19VDC	3A	57W	50*52*15	70G/85G
299	#A06	Y21	36/48VDC-19VDC 3A	22-60VDC	19VDC	3A	57W	58*40*22	97G/110G
300	#A06	Y21	36/48VDC-19VDC 5A	22-60VDC	19VDC	5A	95W	58*40*22	97G/110G
301	#A08	Y71	36/48VDC-19VDC 5A	22-60VDC	19VDC	5A	95W	74*74*32	300G/330G
302	#A06	Y21	36/48VDC-19VDC 6A	22-60VDC	19VDC	6A	114W	58*40*22	97G/110G
303	#A08	Y71	36/48VDC-19VDC 6A	22-60VDC	19VDC	6A	114W	74*74*32	300G/330G
304	#A06	Y21	36/48VDC-19VDC 7A	22-60VDC	19VDC	7A	133W	58*40*22	97G/110G
305	#A08	Y71	36/48VDC-19VDC 7A	22-60VDC	19VDC	7A	133W	74*74*32	300G/330G

Non-Isolate-Step Down 36VDC-19VDC(1~30A)

306	#A06	Y21	36/48VDC-19VDC 8A	22-60VDC	19VDC	8A	152W	58*40*22	97G/110G
307	#A07	Y41	36/48VDC-19VDC 8A	22-60VDC	19VDC	8A	152W	66*57*22	100G/125G
308	#A08	Y71	36/48VDC-19VDC 8A	22-60VDC	19VDC	8A	152W	74*74*32	300G/330G
309	#A08	Y71	36/48VDC-19VDC 9A	22-60VDC	19VDC	9A	171W	74*74*32	300G/330G
310	#A07	Y41	36/48VDC-19VDC 10A	22-60VDC	19VDC	10A	190W	66*57*22	100G/125G
311	#A08	Y71	36/48VDC-19VDC 10A	22-60VDC	19VDC	10A	190W	74*74*32	300G/330G
312	#A09	Y94	36/48VDC-19VDC 10A	30-60VDC	19VDC	10A	190W	100*80*39	500G/550G
313	#A09	Y94	36/48VDC-19VDC 12A	30-60VDC	19VDC	12A	228W	100*80*39	500G/550G
314	#A09	Y94	36/48VDC-19VDC 15A	30-60VDC	19VDC	15A	285W	100*80*39	500G/550G
315	#A08	Y74	36/48VDC-19VDC 20A	30-60VDC	19VDC	20A	285W	74*74*32	300G/330G
316	#A09	Y94	36/48VDC-19VDC 20A	30-60VDC	19VDC	20A	380W	100*80*39	500G/550G
317	#A09	Y94	36/48VDC-19VDC 30A	30-60VDC	19VDC	30A	570W	100*80*39	500G/550G

Non-Isolate-Step Down 36VDC-24VDC(1~30A)

Item No	Picture No		Specification	Input Voltage VDC Range	Output Volts VDC	DC Output Current AMP	Max Power WATT	Size (MM) L*H*W	NW/GW (G)
320	#A02	Y9	36VDC-24VDC1A	30-58VDC	24VDC	1A	24W	46*32*18	45G/55G
321	#A13	Y38	36VDC-24VDC1A	30-60VDC	24VDC	1A	24W	50*52*15	70G/85G
322	#A04	Y31	36VDC-24VDC1A	30-60VDC	24VDC	1A	24W	44*24.5*20	45G/55G
323	#A06	Y21	36VDC-24VDC1A	30-60VDC	24VDC	1A	24W	58*40*22	97G/110G
324	#A02	Y9	36VDC-24VDC2A	30-58VVDC	24VDC	2A	48W	46*32*18	45G/55G
325	#A13	Y38	36VDC-24VDC2A	30-60VDC	24VDC	2A	48W	50*52*15	70G/85G
326	#A04	Y31	36VDC-24VDC2A	30-60VDC	24VDC	2A	48W	44*24.5*20	45G/55G
327	#A06	Y21	36VDC-24VDC2A	30-60VDC	24VDC	2A	48W	58*40*22	97G/110G
328	#A02	Y9	36VDC-24VDC3A	30-58VVDC	24VDC	3A	72W	46*32*18	45G/55G
329	#A13	Y38	36VDC-24VDC3A	30-60VDC	24VDC	3A	72W	50*52*15	70G/85G
330	#A06	Y21	36VDC-24VDC3A	30-60VDC	24VDC	3A	72W	58*40*22	97G/110G
331	#A06	Y21	36VDC-24VDC5A	30-60VDC	24VDC	5A	120W	58*40*22	97G/110G
332	#A08	Y71	36VDC-24VDC5A	30-60VDC	24VDC	5A	120W	74*74*32	300G/330G
333	#A06	Y21	36VDC-24VDC6A	30-60VDC	24VDC	6A	144W	58*40*22	97G/110G
334	#A08	Y71	36VDC-24VDC6A	30-60VDC	24VDC	6A	144W	74*74*32	300G/330G
335	#A06	Y21	36VDC-24VDC7A	30-60VDC	24VDC	7A	168W	58*40*22	97G/110G

Non-Isolate-Step Down 36VDC-24VDC(1~30A)

336	#A08	Y71	36VDC-24VDC7A	30-60VDC	24VDC	7A	168W	74*74*32	300G/330G
337	#A06	Y21	36VDC-24VDC8A	30-60VDC	24VDC	8A	192W	58*40*22	97G/110G
338	#A07	Y41	36VDC-24VDC8A	30-60VDC	24VDC	8A	192W	66*57*22	100G/125G
339	#A08	Y71	36VDC-24VDC8A	30-60VDC	24VDC	8A	192W	74*74*32	300G/330G
340	#A08	Y71	36VDC-24VDC9A	30-60VDC	24VDC	9A	216W	74*74*32	300G/330G
341	#A07	Y41	36VDC-24VDC10A	30-60VDC	24VDC	10A	240W	66*57*22	100G/125G
342	#A08	Y71	36VDC-24VDC10A	30-60VDC	24VDC	10A	240W	74*74*32	300G/330G
343	#A09	Y94	36VDC-24VDC10A	30-60VDC	24VDC	10A	240W	100*80*39	500G/550G
344	#A09	Y94	36VDC-24VDC12A	30-60VDC	24VDC	12A	288W	100*80*39	500G/550G
345	#A09	Y94	36VDC-24VDC15A	30-60VDC	24VDC	15A	360W	100*80*39	500G/550G
346	#A08	Y74	36VDC-24VDC20A	30-60VDC	24VDC	20A	480W	74*74*32	300G/330G
347	#A09	Y94	36VDC-24VDC20A	30-60VDC	24VDC	20A	480W	100*80*39	500G/550G
348	#A09	Y94	36VDC-24VDC30A	30-60VDC	24VDC	30A	720W	100*80*39	500G/550G

Non-Isolate-Step Down 48VDC-5VDC(1~30A)

Item No	Picture No	RF NO	Specification	Input Voltage VDC Range	Output Volts VDC	DC Output Current AMP	Max Power WATT	Size (MM) L*H*W	NW/GW (G)
351	#A02	Y9	48VDC-5VDC1A	8-58VDC	5VDC	1A	5W	46*32*18	45G/55G
352	#A13	Y38	48VDC-5VDC1A	20-60VDC	5VDC	1A	5W	50*52*15	70G/85G
353	#A04	Y31	48VDC-5VDC1A	20-60VDC	5VDC	1A	5W	44*24.5*20	45G/55G
354	#A06	Y21	48VDC-5VDC1A	20-60VDC	5VDC	1A	5W	58*40*22	97G/110G
355	#A02	Y9	48VDC-5VDC2A	8-58VDC	5VDC	2A	10W	46*32*18	45G/55G
356	#A13	Y38	48VDC-5VDC2A	20-60VDC	5VDC	2A	10W	50*52*15	70G/85G
357	#A04	Y31	48VDC-5VDC2A	20-60VDC	5VDC	2A	10W	44*24.5*20	45G/55G
358	#A06	Y21	48VDC-5VDC2A	20-60VDC	5VDC	2A	10W	58*40*22	97G/110G
359	#A02	Y9	48VDC-5VDC3A	8-58VDC	5VDC	3A	15W	46*32*18	45G/55G
360	#A13	Y38	48VDC-5VDC3A	20-60VDC	5VDC	3A	15W	50*52*15	70G/85G
361	#A06	Y21	48VDC-5VDC3A	20-60VDC	5VDC	3A	15W	58*40*22	97G/110G
362	#A06	Y21	48VDC-5VDC5A	20-60VDC	5VDC	5A	25W	58*40*22	97G/110G
363	#A08	Y71	48VDC-5VDC5A	20-60VDC	5VDC	5A	25W	74*74*32	300G/330G
364	#A06	Y21	48VDC-5VDC6A	20-60VDC	5VDC	6A	36W	58*40*22	97G/110G
365	#A08	Y71	48VDC-5VDC6A	20-60VDC	5VDC	6A	36W	74*74*32	300G/330G
366	#A06	Y21	48VDC-5VDC7A	20-60VDC	5VDC	7A	35W	58*40*22	97G/110G

Non-Isolate-Step Down 48VDC-5VDC(1~30A)

367	#A08	Y71	48VDC-5VDC7A	20-60VDC	5VDC	7A	35W	74*74*32	300G/330G
368	#A06	Y21	48VDC-5VDC8A	20-60VDC	5VDC	8A	40W	58*40*22	97G/110G
369	#A07	Y41	48VDC-5VDC8A	20-60VDC	5VDC	8A	40W	66*57*22	100G/125G
370	#A08	Y71	48VDC-5VDC8A	20-60VDC	5VDC	8A	40W	74*74*32	300G/330G
371	#A08	Y71	48VDC-5VDC9A	20-60VDC	5VDC	9A	45W	74*74*32	300G/330G
372	#A07	Y41	48VDC-5VDC10A	20-60VDC	5VDC	10A	50W	66*57*22	100G/125G
373	#A07	D49	48VDC-5VDC10A	30-60VDC	5VDC	10A	50W	66*58*23	100G/125G
374	#A08	Y71	48VDC-5VDC10A	20-60VDC	5VDC	10A	50W	74*74*32	300G/330G
375	#A09	Y94	48VDC-5VDC10A	30-60VDC	5VDC	10A	50W	100*80*39	500G/550G
376	#A09	Y94	48VDC-5VDC12A	30-60VDC	5VDC	12A	60W	100*80*39	500G/550G
377	#A08	D50	48VDC-5VDC15A	30-60VDC	5VDC	15A	75W	74*74*32	300G/330G
378	#A09	Y94	48VDC-5VDC15A	30-60VDC	5VDC	15A	75W	100*80*39	500G/550G
379	#A08	D51	48VDC-5VDC20A	30-60VDC	5VDC	20A	100W	74*74*32	300G/330G
380	#A08	Y74	48VDC-5VDC20A	30-60VDC	5VDC	20A	100W	74*74*32	300G/330G
381	#A09	Y94	48VDC-5VDC20A	30-60VDC	5VDC	20A	100W	100*80*39	500G/550G
382	#A09	Y94	48VDC-5VDC30A	30-60VDC	5VDC	30A	150W	100*80*39	500G/550G

Non-Isolate-Step Down 48VDC-12VDC(1~150A)

Item No	Picture No	RF NO	Specification	Input Voltage VDC Range	Output Volts VDC	DC Output Current AMP	Max Power WATT	Size (MM) L*H*W	NW/GW (G)
385	#A02	Y9	48VDC-12VDC1A	20-58VDC	12VDC	1A	12W	46*32*18	45G/55G
386	#A13	Y38	48VDC-12VDC1A	20-60VDC	12VDC	1A	12W	50*52*15	70G/85G
387	#A04	Y31	48VDC-12VDC1A	20-60VDC	12VDC	1A	12W	44*24.5*20	45G/55G
388	#A06	Y21	48VDC-12VDC1A	20-60VDC	12VDC	1A	12W	58*40*22	97G/110G
389	#A02	Y9	48VDC-12VDC2A	20-58VDC	12VDC	2A	24W	46*32*18	45G/55G
390	#A13	Y38	48VDC-12VDC2A	20-60VDC	12VDC	2A	24W	50*52*15	70G/85G
391	#A04	Y31	48VDC-12VDC2A	20-60VDC	12VDC	2A	24W	44*24.5*20	45G/55G
392	#A06	Y21	48VDC-12VDC2A	20-60VDC	12VDC	2A	24W	58*40*22	97G/110G
393	#A02	Y9	48VDC-12VDC3A	20-58VDC	12VDC	3A	36W	46*32*18	45G/55G
394	#A13	Y38	48VDC-12VDC3A	20-60VDC	12VDC	3A	36W	50*52*15	70G/85G
395	#A06	Y21	48VDC-12VDC3A	20-60VDC	12VDC	3A	36W	58*40*22	97G/110G
396	#A07	D53	48VDC-12VDC5A	30-60VDC	12VDC	5A	60W	66*57*22	100G/125G
397	#A06	Y21	48VDC-12VDC5A	20-60VDC	12VDC	5A	60W	58*40*22	97G/110G
398	#A08	Y71	48VDC-12VDC5A	20-60VDC	12VDC	5A	60W	74*74*32	300G/330G
399	#A06	Y21	48VDC-12VDC6A	20-60VDC	12VDC	6A	72W	58*40*22	97G/110G
400	#A08	Y71	48VDC-12VDC6A	20-60VDC	12VDC	6A	72W	74*74*32	300G/330G
401	#A06	Y21	48VDC-12VDC7A	20-60VDC	12VDC	7A	84W	58*40*22	97G/110G
402	#A08	Y71	48VDC-12VDC7A	20-60VDC	12VDC	7A	84W	74*74*32	300G/330G
403	#A06	Y21	48VDC-12VDC8A	20-60VDC	12VDC	8A	96W	58*40*22	97G/110G
404	#A07	Y41	48VDC-12VDC8A	20-60VDC	12VDC	8A	96W	66*57*22	100G/125G
405	#A08	Y71	48VDC-12VDC8A	20-60VDC	12VDC	8A	96W	74*74*32	300G/330G
406	#A08	Y71	48VDC-12VDC9A	20-60VDC	12VDC	9A	108W	74*74*32	300G/330G

Non-Isolate-Step Down 48VDC-12VDC(1~150A)

407	#A07	Y41	48VDC-12VDC10A	20-60VDC	12VDC	10A	120W	66*57*22	100G/125G
408	#A08	D54	48VDC-12VDC10A	30-60VDC	12VDC	10A	120W	74*74*32	300G/330G
409	#A08	Y71	48VDC-12VDC10A	20-60VDC	12VDC	10A	120W	74*74*32	300G/330G
410	#A09	Y94	48VDC-12VDC10A	30-60VDC	12VDC	10A	120W	100*80*39	500G/550G
411	#A09	Y94	48VDC-12VDC12A	30-60VDC	12VDC	12A	144W	100*80*39	500G/550G
412	#A08	D55	48VDC-12VDC15A	30-60VDC	12VDC	15A	180W	74*74*32	300G/330G
413	#A09	Y94	48VDC-12VDC15A	30-60VDC	12VDC	15A	180W	100*80*39	500G/550G
414	#A08	D56	48VDC-12VDC20A	30-60VDC	12VDC	20A	240W	74*74*32	300G/330G
415	#A08	Y74	48VDC-12VDC20A	30-60VDC	12VDC	20A	240W	74*74*32	300G/330G
416	#A09	Y94	48VDC-12VDC20A	30-60VDC	12VDC	20A	240W	100*80*39	500G/550G
417	#A08	D57	48VDC-12VDC25A	30-60VDC	12VDC	25A	300W	74*74*32	300G/330G
418	#A09	Y94	48VDC-12VDC30A	30-60VDC	12VDC	30A	360W	100*80*39	500G/550G
419	#A09	D58	48VDC-12VDC30A	30-60VDC	12VDC	30A	360W	100*80*39	500G/550G
420	#A09	D59	48VDC-12VDC30A	30-60VDC	12VDC	30A	360W	108*80*45	500G/550G
421	#B08	D60	48VDC-12VDC35A	30-60VDC	12VDC	35A	420W	118*80*28	1500G/2000G
422	#B06	D61	48VDC-12VDC40A	30-60VDC	12VDC	40A	480W	100*113*35	700G/900G
423	#B01	D62	48VDC-12VDC50A	30-60VDC	12VDC	50A	600W	150*127*63	1600G/1800G
424	#B01	D63	48VDC-12VDC60A	30-60VDC	12VDC	60A	720W	150*127*63	1600G/1800G
425	#C02	D64	48VDC-12VDC80A	30-60VDC	12VDC	80A	960W	220*130*50	2500G/3000G
426	#C02	D65	48VDC-12VDC100A	30-60VDC	12VDC	100A	1200W	220*130*50	2500G/3000G
427	#C03	D66	48VDC-12VDC150A	30-60VDC	12VDC	150A	1800W	220*156*65	3700G/4500G

Non-Isolate-Step Down 48VDC-13.8VDC(1~150A)

Item No	Picture No	RF NO	Specification	Input Voltage VDC Range	Output Volts VDC	DC Output Current AMP	Max Power WATT	Size (MM) L*H*W	NW/GW (G)
430	#A02	Y9	48VDC-13.8VDC1A	20-58VDC	13.8VDC	1A	13.8W	46*32*18	45G/55G
431	#A13	Y38	48VDC-13.8VDC1A	20-60VDC	13.8VDC	1A	13.8W	50*52*15	70G/85G
432	#A04	Y31	48VDC-13.8VDC1A	20-60VDC	13.8VDC	1A	13.8W	44*24.5*20	45G/55G
433	#A02	Y13	48VDC-13.8VDC1A	20-58VDC	13.8VDC	1A	13.8W	46*32*18	45G/55G
434	#A06	Y21	48VDC-13.8VDC1A	20-60VDC	13.8VDC	1A	13.8W	58*40*22	97G/110G
435	#A02	Y9	48VDC-13.8VDC2A	20-58VDC	13.8VDC	2A	27.6W	46*32*18	45G/55G
436	#A13	Y38	48VDC-13.8VDC2A	20-60VDC	13.8VDC	2A	27.6W	50*52*15	70G/85G
437	#A04	Y31	48VDC-13.8VDC2A	20-60VDC	13.8VDC	2A	27.6W	44*24.5*20	45G/55G
438	#A06	Y21	48VDC-13.8VDC2A	20-60VDC	13.8VDC	2A	27.6W	58*40*22	97G/110G
439	#A02	Y9	48VDC-13.8VDC3A	20-58VDC	13.8VDC	3A	41.4W	46*32*18	45G/55G
440	#A13	Y38	48VDC-13.8VDC3A	20-60VDC	13.8VDC	3A	41.4W	50*52*15	70G/85G
441	#A06	Y21	48VDC-13.8VDC3A	20-60VDC	13.8VDC	3A	41.4W	58*40*22	97G/110G
442	#A02	Y13	48VDC-13.8VDC3A	20-58VDC	13.8VDC	5A	69W	46*32*18	45G/55G
443	#A06	Y21	48VDC-13.8VDC5A	20-60VDC	13.8VDC	5A	69W	58*40*22	97G/110G
444	#A07	D83	48VDC-13.8VDC5A	30-60VDC	13.8VDC	5A	69W	66*57*22	100G/125G
445	#A08	Y71	48VDC-13.8VDC5A	20-60VDC	13.8VDC	5A	69W	74*74*32	300G/330G
446	#A06	Y21	48VDC-13.8VDC6A	20-60VDC	13.8VDC	6A	82.8W	58*40*22	97G/110G
447	#A08	Y71	48VDC-13.8VDC6A	20-60VDC	13.8VDC	6A	82.8W	74*74*32	300G/330G
448	#A06	Y21	48VDC-13.8VDC7A	20-60VDC	13.8VDC	7A	96.6W	58*40*22	97G/110G
449	#A08	Y71	48VDC-13.8VDC7A	20-60VDC	13.8VDC	7A	96.6W	74*74*32	300G/330G
450	#A06	Y21	48VDC-13.8VDC8A	20-60VDC	13.8VDC	8A	110.4W	58*40*22	97G/110G

Non-Isolate-Step Down 48VDC-13.8VDC(1~150A)

451	#A07	Y41	48VDC-13.8VDC8A	20-60VDC	13.8VDC	8A	110.4W	66*57*22	100G/125G
452	#A08	Y71	48VDC-13.8VDC8A	20-60VDC	13.8VDC	8A	110.4W	74*74*32	300G/330G
453	#A08	Y71	48VDC-13.8VDC9A	20-60VDC	13.8VDC	9A	124.2W	74*74*32	300G/330G
454	#A07	Y41	48VDC-13.8VDC10A	20-60VDC	13.8VDC	10A	138W	66*57*22	100G/125G
455	#A08	D84	48VDC-13.8VDC10A	30-60VDC	13.8VDC	10A	138W	74*74*32	300G/330G
456	#A08	Y71	48VDC-13.8VDC10A	20-60VDC	13.8VDC	10A	138W	74*74*32	300G/330G
457	#A08	Y72	48VDC-13.8VDC10A	20-60VDC	13.8VDC	10A	138W	74*74*32	300G/330G
458	#A09	Y94	48VDC-13.8VDC10A	30-60VDC	13.8VDC	10A	138W	100*80*39	500G/550G
459	#A09	Y94	48VDC-13.8VDC12A	30-60VDC	13.8VDC	12A	165.6W	100*80*39	500G/550G
460	#A08	D85	48VDC-13.8VDC15A	30-60VDC	13.8VDC	15A	207W	74*74*32	300G/330G
461	#A09	Y94	48VDC-13.8VDC15A	30-60VDC	13.8VDC	15A	207W	100*80*39	500G/550G
462	#A08	D86	48VDC-13.8VDC20A	30-60VDC	13.8VDC	20A	276W	74*74*32	300G/330G
463	#A08	Y74	48VDC-13.8VDC20A	30-60VDC	13.8VDC	20A	276W	74*74*32	300G/330G
464	#A09	Y94	48VDC-13.8VDC20A	30-60VDC	13.8VDC	20A	276W	100*80*39	500G/550G
465	#A09	Y94	48VDC-13.8VDC30A	30-60VDC	13.8VDC	30A	414W	100*80*39	500G/550G
466	#A09	D87	48VDC-13.8VDC30A	30-60VDC	13.8VDC	30A	675W	100*80*39	500G/550G
467	#B01	D88	48VDC-13.8VDC50A	30-60VDC	13.8VDC	50A	600W	150*127*63	1600G/1800G
468	#B01	D90	48VDC-13.8VDC50A	30-60VDC	13.8VDC	60A	690W	150*127*63	1600G/1800G
469	#B10	D89	48VDC-13.8VDC60A	30-60VDC	13.8VDC	60A	690W	150*130*50	1600G/1800G
470	#C03	D94	48VDC-13.8VDC150A	30-60VDC	13.8VDC	150A	2070W	220*156*65	3700G/4500G

Non-Isolate-Step Down 48VDC-13.8VDC(1~150A)

Item No	Picture No	RF NO	Specification	Input Voltage VDC Range	Output Volts VDC	DC Output Current AMP	Max Power WATT	Size (MM) L*H*W	NW/GW (G)
430	#A02	Y9	48VDC-13.8VDC1A	20-58VDC	13.8VDC	1A	13.8W	46*32*18	45G/55G
431	#A13	Y38	48VDC-13.8VDC1A	20-60VDC	13.8VDC	1A	13.8W	50*52*15	70G/85G
432	#A04	Y31	48VDC-13.8VDC1A	20-60VDC	13.8VDC	1A	13.8W	44*24.5*20	45G/55G
433	#A02	Y13	48VDC-13.8VDC1A	20-58VDC	13.8VDC	1A	13.8W	46*32*18	45G/55G
434	#A06	Y21	48VDC-13.8VDC1A	20-60VDC	13.8VDC	1A	13.8W	58*40*22	97G/110G
435	#A02	Y9	48VDC-13.8VDC2A	20-58VDC	13.8VDC	2A	27.6W	46*32*18	45G/55G
436	#A13	Y38	48VDC-13.8VDC2A	20-60VDC	13.8VDC	2A	27.6W	50*52*15	70G/85G
437	#A04	Y31	48VDC-13.8VDC2A	20-60VDC	13.8VDC	2A	27.6W	44*24.5*20	45G/55G
438	#A06	Y21	48VDC-13.8VDC2A	20-60VDC	13.8VDC	2A	27.6W	58*40*22	97G/110G
439	#A02	Y9	48VDC-13.8VDC3A	20-58VDC	13.8VDC	3A	41.4W	46*32*18	45G/55G
440	#A13	Y38	48VDC-13.8VDC3A	20-60VDC	13.8VDC	3A	41.4W	50*52*15	70G/85G
441	#A06	Y21	48VDC-13.8VDC3A	20-60VDC	13.8VDC	3A	41.4W	58*40*22	97G/110G
442	#A02	Y13	48VDC-13.8VDC3A	20-58VDC	13.8VDC	5A	69W	46*32*18	45G/55G
443	#A06	Y21	48VDC-13.8VDC5A	20-60VDC	13.8VDC	5A	69W	58*40*22	97G/110G
444	#A07	D83	48VDC-13.8VDC5A	30-60VDC	13.8VDC	5A	69W	66*57*22	100G/125G

Non-Isolate-Step Down 48VDC-24VDC(1~125A)

Item No	Picture No	RF NO	Specification	Input Voltage VDC Range	Output Volts VDC	DC Output Current AMP	Max Power WATT	Size (MM) L*H*W	NW/GW (G)
473	#A02	Y9	48VDC-24VDC1A	30-58VDC	24VDC	1A	24W	46*32*18	45G/55G
474	#A13	Y38	48VDC-24VDC1A	30-60VDC	24VDC	1A	24W	50*52*15	70G/85G
475	#A04	Y31	48VDC-24VDC1A	30-60VDC	24VDC	1A	24W	44*24.5*20	45G/55G
476	#A02	Y13	48VDC-24VDC1A	30-58VDC	24VDC	1A	24W	46*32*18	45G/55G
477	#A06	Y21	48VDC-24VDC1A	30-60VDC	24VDC	1A	24W	58*40*22	97G/110G
478	#A02	Y9	48VDC-24VDC2A	30-58VDC	24VDC	2A	48W	46*32*18	45G/55G
479	#A13	Y38	48VDC-24VDC2A	30-60VDC	24VDC	2A	48W	50*52*15	70G/85G
480	#A04	Y31	48VDC-24VDC2A	30-60VDC	24VDC	2A	48W	44*24.5*20	45G/55G
481	#A06	Y21	48VDC-24VDC2A	30-60VDC	24VDC	2A	48W	58*40*22	97G/110G
482	#A02	Y9	48VDC-24VDC3A	30-58VDC	24VDC	3A	72W	46*32*18	45G/55G
483	#A13	Y38	48VDC-24VDC3A	30-60VDC	24VDC	3A	72W	50*52*15	70G/85G
484	#A06	Y21	48VDC-24VDC3A	30-60VDC	24VDC	3A	72W	58*40*22	97G/110G
485	#A07	D67	48VDC-24VDC3A	30-60VDC	24VDC	3A	72W	66*57*22	100G/125G
486	#A02	Y13	48VDC-24VDC5A	30-58VDC	24VDC	5A	120W	46*32*18	45G/55G
487	#A06	Y21	48VDC-24VDC5A	30-60VDC	24VDC	5A	120W	58*40*22	97G/110G

Non-Isolate-Step Down 48VDC-24VDC(1~125A)

506	#A09	D71	48VDC-24VDC15A	30-60VDC	24VDC	15A	360W	100*80*39	500G/550G
507	#A08	D72	48VDC-24VDC20A	30-60VDC	24VDC	20A	480W	74*74*32	300G/330G
508	#A08	Y74	48VDC-24VDC20A	30-60VDC	24VDC	20A	480W	74*74*32	300G/330G
509	#A09	Y94	48VDC-24VDC20A	30-60VDC	24VDC	20A	480W	100*80*39	500G/550G
510	#A09	D73	48VDC-24VDC20A	30-60VDC	24VDC	20A	480W	100*80*39	500G/550G
511	#A09	Y94	48VDC-24VDC30A	30-60VDC	24VDC	30A	720W	100*80*39	500G/550G
512	#A09	D74	48VDC-24VDC30A	30-60VDC	24VDC	30A	720W	100*80*39	500G/550G
513	#B01	D75	48VDC-24VDC40A	30-60VDC	24VDC	40A	960W	150*127*63	1600G/1800G
514	#B03	D76	48VDC-24VDC50A	30-60VDC	24VDC	50A	1200W	220*127*63	2500G/3000G
515	#B03	D77	48VDC-24VDC60A	30-60VDC	24VDC	60A	1440W	220*127*63	2500G/3000G
516	#C06	D78	48VDC-24VDC100A	30-60VDC	24VDC	100A	2400W	280*130*50	3000G/3200G
517	#C06	D79	48VDC-24VDC125A	30-60VDC	24VDC	125A	3000W	280*130*50	3000G/3200G
518	#C05	D80	48VDC-28VDC60A	30-60VDC	28VDC	60A	1680W	300*195*90	6000G/7000G

Non-Isolate-Step Down 48VDC-24VDC(1~125A)

488	#A08	D68	48VDC-24VDC5A	30-60VDC	24VDC	5A	120W	74*74*32	300G/330G
489	#A08	Y71	48VDC-24VDC5A	30-60VDC	24VDC	5A	120W	74*74*32	300G/330G
490	#A06	Y21	48VDC-24VDC6A	30-60VDC	24VDC	6A	144W	58*40*22	97G/110G
491	#A08	Y71	48VDC-24VDC6A	30-60VDC	24VDC	6A	144W	74*74*32	300G/330G
492	#A06	Y21	48VDC-24VDC7A	30-60VDC	24VDC	7A	168W	58*40*22	97G/110G
493	#A08	Y71	48VDC-24VDC7A	30-60VDC	24VDC	7A	168W	74*74*32	300G/330G
494	#A06	Y21	48VDC-24VDC8A	30-60VDC	24VDC	8A	192W	58*40*22	97G/110G
495	#A07	Y41	48VDC-24VDC8A	30-60VDC	24VDC	8A	192W	66*57*22	100G/125G
496	#A08	Y71	48VDC-24VDC8A	30-60VDC	24VDC	8A	192W	74*74*32	300G/330G
497	#A08	Y71	48VDC-24VDC9A	30-60VDC	24VDC	9A	216W	74*74*32	300G/330G
498	#A07	Y41	48VDC-24VDC10A	30-60VDC	24VDC	10A	240W	66*57*22	100G/125G
499	#A08	D69	48VDC-24VDC10A	30-60VDC	24VDC	10A	240W	74*74*32	300G/330G
500	#A08	Y71	48VDC-24VDC10A	30-60VDC	24VDC	10A	240W	74*74*32	300G/330G
501	#A08	Y72	48VDC-24VDC10A	30-60VDC	24VDC	10A	240W	74*74*32	300G/330G
502	#A09	Y94	48VDC-24VDC10A	30-60VDC	24VDC	10A	240W	100*80*39	500G/550G
503	#A09	Y94	48VDC-24VDC12A	30-60VDC	24VDC	12A	288W	100*80*39	500G/550G
504	#A08	D70	48VDC-24VDC15A	30-60VDC	24VDC	15A	360W	74*74*32	300G/330G
505	#A09	Y94	48VDC-24VDC15A	30-60VDC	24VDC	15A	360W	100*80*39	500G/550G

Non-Isolate-Step Down 48VDC-36VDC(1~15A)

Item No	Picture No	RF NO	Specification	Input Voltage VDC Range	Output Volts VDC	DC Output Current AMP	Max Power WATT	Size (MM) L*H*W	NW/GW (G)
521	#A08	Y75	48VDC-36VDC1A	40-60VDC	36VDC	1A	36W	74*74*32	300G/330G
522	#A08	Y75	48VDC-36VDC2A	40-60VDC	36VDC	2A	72W	74*74*32	300G/330G
523	#A08	Y75	48VDC-36VDC3A	40-60VDC	36VDC	3A	108W	74*74*32	300G/330G
524	#A08	Y75	48VDC-36VDC5A	40-60VDC	36VDC	5A	180W	74*74*32	300G/330G
525	#A08	Y76	48VDC-36VDC8A	40-60VDC	36VDC	8A	288W	74*74*32	300G/330G
526	#A08	Y76	48VDC-36VDC10A	40-60VDC	36VDC	10A	360W	74*74*32	300G/330G
527	#A09	Y95	48VDC-36VDC12A	40-60VDC	36VDC	12A	432W	100*80*39	500G/550G
528	#A09	Y95	48VDC-36VDC15A	40-60VDC	36VDC	15A	540W	100*80*39	500G/550G

Non-Isolate-Step Down 60VDC-5VDC(1~25A)

Non-Isolate-Step Down

Non-Isolate-Step Down

Non-Isolate-Step Down

Non-Isolate-Step Down 72VDC-5VDC(1~20A)

Item No	Picture No	RF NO	Specification	Input Voltage VDC Range	Output Volts VDC	DC Output Current AMP	Max Power WATT	Size (MM) L*H*W	NW/GW (G)
613	#A02	Y11	72VDC-5VDC1A	30-90VDC	5VDC	1A	5W	46*32*18	45G/55G
614	#A02	Y11	72VDC-5VDC2A	30-90VDC	5VDC	2A	10W	46*32*18	45G/55G
615	#A06	Y22	72VDC-5VDC5A	30-80VDC	5VDC	5A	25W	58*40*22	97G/110G
616	#A08	Y80	72VDC-5VDC5A	30-96VDC	5VDC	5A	25W	74*74*32	300G/330G
617	#A06	Y22	72VDC-5VDC8A	30-80VDC	5VDC	8A	40W	58*40*22	97G/110G
618	#A08	Y80	72VDC-5VDC8A	30-96VDC	5VDC	8A	40W	74*74*32	300G/330G
619	#A06	Y22	72VDC-5VDC10A	30-80VDC	5VDC	10A	50W	58*40*22	97G/110G
620	#A08	Y80	72VDC-5VDC10A	30-96VDC	5VDC	10A	50W	74*74*32	300G/330G
621	#A08	Y81	72VDC-5VDC12A	30-96VDC	5VDC	12A	60W	74*74*32	300G/330G
622	#A08	Y81	72VDC-5VDC15A	30-96VDC	5VDC	15A	75W	74*74*32	300G/330G
623	#A09	Y95	72VDC-5VDC20A	30-96VDC	5VDC	20A	100W	100*80*39	500G/550G

Non-Isolate-Step Down 48VDC-36VDC(1~15A)

Item No	Picture No	RF NO	Specification	Input Voltage VDC Range	Output Volts VDC	DC Output Current AMP	Max Power WATT	Size (MM) L*H*W	NW/GW (G)
521	#A08	Y75	48VDC-36VDC1A	40-60VDC	36VDC	1A	36W	74*74*32	300G/330G
522	#A08	Y75	48VDC-36VDC2A	40-60VDC	36VDC	2A	72W	74*74*32	300G/330G
523	#A08	Y75	48VDC-36VDC3A	40-60VDC	36VDC	3A	108W	74*74*32	300G/330G
524	#A08	Y75	48VDC-36VDC5A	40-60VDC	36VDC	5A	180W	74*74*32	300G/330G
525	#A08	Y76	48VDC-36VDC8A	40-60VDC	36VDC	8A	288W	74*74*32	300G/330G
526	#A08	Y76	48VDC-36VDC10A	40-60VDC	36VDC	10A	360W	74*74*32	300G/330G
527	#A09	Y95	48VDC-36VDC12A	40-60VDC	36VDC	12A	432W	100*80*39	500G/550G
528	#A09	Y95	48VDC-36VDC15A	40-60VDC	36VDC	15A	540W	100*80*39	500G/550G

Non-Isolate-Step Down 60VDC-5VDC(1~25A)

Item No	Picture No	RF NO	Specification	Input Voltage VDC Range	Output Volts VDC	DC Output Current AMP	Max Power WATT	Size (MM) L*H*W	NW/GW (G)
531	#A02	Y13	48/60VDC-5VDC1A	20-72VDC	5VDC	1A	5W	46*32*18	45G/55G
532	#A06	Y22	48/60VDC-5VDC1A	20-72VDC	5VDC	1A	5W	58*40*22	97G/110G
533	#A02	Y13	48/60VDC-5VDC2A	20-72VDC	5VDC	2A	10W	46*32*18	45G/55G
534	#A02	Y13	48/60VDC-5VDC3A	20-72VDC	5VDC	3A	15W	46*32*18	45G/55G
535	#A02	Y13	48/60VDC-5VDC5A	20-72VDC	5VDC	5A	25W	46*32*18	45G/55G
536	#A06	Y22	48/60VDC-5VDC5A	20-72VDC	5VDC	5A	25W	58*40*22	97G/110G
537	#A02	Y13	48/60VDC-5VDC6A	20-72VDC	5VDC	6A	30W	46*32*18	45G/55G
538	#A06	Y22	48/60VDC-5VDC6A	20-72VDC	5VDC	6A	30W	58*40*22	97G/110G
539	#A06	Y22	48/60VDC-5VDC8A	20-72VDC	5VDC	8A	40W	58*40*22	97G/110G
540	#A06	Y23	48/60VDC-5VDC8A	20-72VDC	5VDC	8A	40W	58*40*22	97G/110G
541	#A08	Y77	48/60VDC-5VDC8A	20-72VDC	5VDC	8A	40W	74*74*32	300G/330G
542	#A06	Y22	48/60VDC-5VDC10A	20-72VDC	5VDC	10A	50W	58*40*22	97G/110G
543	#A08	Y77	48/60VDC-5VDC10A	20-72VDC	5VDC	10A	50W	74*74*32	300G/330G
544	#A09	Y95	48/60VDC-5VDC10A	60-96VDC	5VDC	10A	50W	100*80*39	500G/550G
545	#A08	Y78	48/60VDC-5VDC12A	20-72VDC	5VDC	12A	60W	74*74*32	300G/330G
546	#A09	Y95	48/60VDC-5VDC12A	20-72VDC	5VDC	12A	60W	100*80*39	500G/550G
547	#A08	Y78	48/60VDC-5VDC15A	20-72VDC	5VDC	15A	75W	74*74*32	300G/330G
548	#A09	Y95	48/60VDC-5VDC15A	20-72VDC	5VDC	15A	75W	100*80*39	500G/550G
549	#A09	Y95	48/60VDC-5VDC20A	20-72VDC	5VDC	20A	100W	100*80*39	500G/550G
550	#A09	Y95	48/60VDC-5VDC25A	20-72VDC	5VDC	25A	125W	100*80*39	500G/550G

Non-Isolate-Step Down 72VDC-5VDC(1~20A)

Item No	Picture No	RF NO	Specification	Input Voltage VDC Range	Output Volts VDC	DC Output Current AMP	Max Power WATT	Size (MM) L*H*W	NW/GW (G)
613	#A02	Y11	72VDC-5VDC1A	30-90VDC	5VDC	1A	5W	46*32*18	45G/55G
614	#A02	Y11	72VDC-5VDC2A	30-90VDC	5VDC	2A	10W	46*32*18	45G/55G
615	#A06	Y22	72VDC-5VDC5A	30-80VDC	5VDC	5A	25W	58*40*22	97G/110G
616	#A08	Y80	72VDC-5VDC5A	30-96VDC	5VDC	5A	25W	74*74*32	300G/330G
617	#A06	Y22	72VDC-5VDC8A	30-80VDC	5VDC	8A	40W	58*40*22	97G/110G
618	#A08	Y80	72VDC-5VDC8A	30-96VDC	5VDC	8A	40W	74*74*32	300G/330G
619	#A06	Y22	72VDC-5VDC10A	30-80VDC	5VDC	10A	50W	58*40*22	97G/110G
620	#A08	Y80	72VDC-5VDC10A	30-96VDC	5VDC	10A	50W	74*74*32	300G/330G
621	#A08	Y81	72VDC-5VDC12A	30-96VDC	5VDC	12A	60W	74*74*32	300G/330G
622	#A08	Y81	72VDC-5VDC15A	30-96VDC	5VDC	15A	75W	74*74*32	300G/330G
623	#A09	Y95	72VDC-5VDC20A	30-96VDC	5VDC	20A	100W	100*80*39	500G/550G

Non-Isolate-Step Down 72VDC-12VDC(1~50A)

Item No	Picture No	RF NO	Specification	Input Voltage VDC Range	Output Volts VDC	DC Output Current AMP	Max Power WATT	Size (MM) L*H*W	NW/GW (G)
626	#A02	Y11	72VDC-12VDC1A	30-90VDC	12VDC	1A	12W	46*32*18	45G/55G
627	#A02	Y11	72VDC-12VDC2A	30-90VDC	12VDC	2A	24W	46*32*18	45G/55G
628	#A06	Y22	72VDC-12VDC5A	30-80VDC	12VDC	5A	60W	58*40*22	97G/110G
629	#A08	D95	72VDC-12VDC5A	30-90VDC	12VDC	5A	60W	74*74*32	300G/330G
630	#A08	Y80	72VDC-12VDC5A	30-96VDC	12VDC	5A	60W	74*74*32	300G/330G
631	#A06	Y22	72VDC-12VDC8A	30-80VDC	12VDC	8A	96W	58*40*22	97G/110G
632	#A08	Y80	72VDC-12VDC8A	30-96VDC	12VDC	8A	96W	74*74*32	300G/330G
633	#A06	Y22	72VDC-12VDC10A	30-80VDC	12VDC	10A	120W	58*40*22	97G/110G
634	#A08	D96	72VDC-12VDC10A	30-90VDC	12VDC	10A	120W	74*74*32	300G/330G
635	#A08	Y80	72VDC-12VDC10A	30-96VDC	12VDC	10A	120W	74*74*32	300G/330G
636	#A08	Y81	72VDC-12VDC12A	30-96VDC	12VDC	12A	144W	74*74*32	300G/330G
637	#A08	Y81	72VDC-12VDC15A	30-96VDC	12VDC	15A	180W	74*74*32	300G/330G
638	#A09	D97	72VDC-12VDC15A	30-90VDC	12VDC	15A	180W	100*80*39	500G/550G
639	#A09	D98	72VDC-12VDC20A	30-90VDC	12VDC	20A	240W	100*80*39	500G/550G
640	#A09	Y95	72VDC-12VDC20A	30-96VDC	12VDC	20A	240W	100*80*39	500G/550G
641	#B06	D99	72VDC-12VDC20A	30-90VDC	12VDC	20A	240W	100*113*35	700G/900G
642	#B06	D100	72VDC-12VDC30A	30-90VDC	12VDC	30A	360W	100*113*35	700G/900G
643	#C01	D101	72VDC-12VDC40A	30-90VDC	12VDC	40A	480W	160*113*35	1500G/2000G
644	#B10	D102	72VDC-12VDC50A	30-90VDC	12VDC	50A	600W	150*130*50	1600G/1800G

Non-Isolate-Step Down 72VDC-13.8VDC(1~20A)

Item No	Picture No		Specification	Input Voltage VDC Range	Output Volts VDC	DC Output Current AMP	Max Power WATT	Size (MM) L*H*W	NW/GW (G)
647	#A02	Y11	72VDC-13.8VDC1A	30-90VDC	13.8VDC	1A	5W	46*32*18	45G/55G
648	#A02	Y11	72VDC-13.8VDC2A	30-90VDC	13.8VDC	2A	10W	46*32*18	45G/55G
649	#A06	Y22	72VDC-13.8VDC5A	30-80VDC	13.8VDC	5A	25W	58*40*22	97G/110G
650	#A08	Y80	72VDC-13.8VDC5A	30-96VDC	13.8VDC	5A	25W	74*74*32	300G/330G
651	#A06	Y22	72VDC-13.8VDC8A	30-80VDC	13.8VDC	8A	40W	58*40*22	97G/110G
652	#A08	Y80	72VDC-13.8VDC8A	30-96VDC	13.8VDC	8A	40W	74*74*32	300G/330G
653	#A06	Y22	72VDC-13.8VDC10A	30-80VDC	13.8VDC	10A	50W	58*40*22	97G/110G
654	#A08	Y80	72VDC-13.8VDC10A	30-96VDC	13.8VDC	10A	50W	74*74*32	300G/330G
655	#A08	D103	72VDC-13.8VDC10A	40-90VDC	13.8VDC	10A	50W	74*74*32	300G/330G
656	#A08	Y81	72VDC-13.8VDC12A	30-96VDC	13.8VDC	12A	60W	74*74*32	300G/330G
657	#A08	Y81	72VDC-13.8VDC15A	30-96VDC	13.8VDC	15A	75W	74*74*32	300G/330G
658	#A09	Y95	72VDC-13.8VDC20A	30-96VDC	13.8VDC	20A	100W	100*80*39	500G/550G
659	#B06	D104	72VDC-13.8VDC20A	40-90VDC	13.8VDC	20A	100W	100*113*35	700G/900G

Non-Isolate-Step Down 72VDC-24VDC(1~40A)

Item No	Picture No	RF NO	Specification	Input Voltage VDC Range	Output Volts VDC	DC Output Current AMP	Max Power WATT	Size (MM) L*H*W	NW/GW (G)
662	#A02	Y11	72VDC-24VDC1A	30-96VDC	24VDC	1A	24W	46*32*18	45G/55G
663	#A06	Y22	72VDC-24VDC1A	30-96VDC	24VDC	1A	24W	58*40*22	97G/110G
664	#A06	Y22	72VDC-24VDC2A	30-96VDC	24VDC	2A	48W	58*40*22	97G/110G
665	#A06	Y22	72VDC-24VDC3A	30-96VDC	24VDC	3A	72W	58*40*22	97G/110G
666	#A06	Y22	72VDC-24VDC5A	30-96VDC	24VDC	5A	120W	58*40*22	97G/110G
667	#A08	D105	72VDC-24VDC5A	30-90VDC	24VDC	5A	120W	74*74*32	300G/330G
668	#A06	Y22	72VDC-24VDC8A	30-96VDC	24VDC	8A	192W	58*40*22	97G/110G
669	#A08	Y80	72VDC-24VDC8A	30-96VDC	24VDC	8A	192W	74*74*32	300G/330G
670	#A08	Y80	72VDC-24VDC10A	30-96VDC	24VDC	10A	240W	74*74*32	300G/330G
671	#A08	D106	72VDC-24VDC10A	30-90VDC	24VDC	10A	240W	74*74*32	300G/330G
672	#A08	Y81	72VDC-24VDC12A	30-96VDC	24VDC	12A	288W	74*74*32	300G/330G
673	#A08	Y81	72VDC-24VDC15A	30-96VDC	24VDC	15A	360W	74*74*32	300G/330G
674	#A09	Y95	72VDC-24VDC18A	30-96VDC	24VDC	18A	432W	100*80*39	500G/550G
675	#A09	Y95	72VDC-24VDC20A	30-96VDC	24VDC	20A	480W	100*80*39	500G/550G
676	#A09	D107	72VDC-24VDC20A	30-90VDC	24VDC	20A	480W	100*80*39	500G/550G
677	#C01	D108	72VDC-24VDC30A	30-90VDC	24VDC	30A	720W	160*113*35	1500G/2000G
678	#B10	D109	72VDC-24VDC40A	30-90VDC	24VDC	40A	960W	150*130*50	1600G/1800G

Non-Isolate-Step Down 84VDC-24VDC(1~25A)

Item No	Picture No	RF NO	Specification	Input Voltage VDC Range	Output Volts VDC	DC Output Current AMP	Max Power WATT	Size (MM) L*H*W	NW/GW (G)
720	#A02	Y11	84VDC-24VDC1A	30-96VDC	24VDC	1A	24W	46*32*18	45G/55G
721	#A06	Y23	84VDC-24VDC3A	30-96VDC	24VDC	3A	72W	58*40*22	97G/110G
722	#A06	Y23	84VDC-24VDC5A	30-96VDC	24VDC	5A	120W	58*40*22	97G/110G
723	#A06	Y23	84VDC-24VDC8A	30-96VDC	24VDC	8A	192W	58*40*22	97G/110G
724	#A08	Y80	84VDC-24VDC8A	30-96VDC	24VDC	8A	192W	74*74*32	300G/330G
725	#A08	Y80	84VDC-24VDC10A	30-96VDC	24VDC	10A	240W	74*74*32	300G/330G
726	#A08	Y81	84VDC-24VDC12A	30-96VDC	24VDC	12A	288W	74*74*32	300G/330G
727	#A08	Y81	84VDC-24VDC15A	30-96VDC	24VDC	15A	360W	74*74*32	300G/330G
728	#A09	Y95	84VDC-24VDC18A	60-96VDC	24VDC	18A	432W	100*80*39	500G/550G
729	#A09	Y95	84VDC-24VDC20A	60-96VDC	24VDC	20A	240W	100*80*39	500G/550G
730	#A09	Y95	84VDC-24VDC22A	60-96VDC	24VDC	22A	480W	100*80*39	500G/550G
731	#A09	Y95	84VDC-24VDC25A	60-96VDC	24VDC	25A	600W	100*80*39	500G/550G

Non-Isolate-Step Down 96VDC-5VDC(1~20A)

Item No	Picture No	RF NO	Specification	Input Voltage VDC Range	Output Volts VDC	DC Output Current AMP	Max Power WATT	Size (MM) L*H*W	NW/GW (G)
739	#A02	Y11	96VDC-5VDC1A	40-110VDC	5VDC	1A	5W	46*32*18	45G/55G
740	#A02	Y11	96VDC-5VDC2A	40-110VDC	5VDC	2A	10W	46*32*18	45G/55G
741	#A06	Y23	96VDC-5VDC3A	40-110VDC	5VDC	3A	15W	58*40*22	97G/110G
742	#A06	Y23	96VDC-5VDC5A	40-110VDC	5VDC	5A	25W	58*40*22	97G/110G
743	#A06	Y23	96VDC-5VDC8A	40-110VDC	5VDC	8A	40W	58*40*22	97G/110G
744	#A08	Y83	96VDC-5VDC8A	30-110VDC	5VDC	8A	40W	74*74*32	300G/330G
745	#A08	Y83	96VDC-5VDC10A	30-110VDC	5VDC	10A	50W	74*74*32	300G/330G
746	#A08	Y84	96VDC-5VDC12A	30-110VDC	5VDC	12A	60W	74*74*32	300G/330G
747	#A09	Y96	96VDC-5VDC15A	30-120VDC	5VDC	15A	75W	100*80*39	500G/550G
748	#A09	Y96	96VDC-5VDC18A	30-120VDC	5VDC	18A	90W	100*80*39	500G/550G
749	#A09	Y96	96VDC-5VDC20A	30-120VDC	5VDC	20A	100W	100*80*39	500G/550G

Non-Isolate-Step Down 96VDC-12VDC(1~20A)

Item No	Picture No	RF NO	Specification	Input Voltage VDC Range	Output Volts VDC	DC Output Current AMP	Max Power WATT	Size (MM) L*H*W	NW/GW (G)
752	#A06	Y23	96VDC-12VDC3A	40-110VDC	12VDC	3A	36W	58*40*22	97G/110G
753	#A06	Y23	96VDC-12VDC5A	40-110VDC	12VDC	5A	160W	58*40*22	97G/110G
754	#A06	Y23	96VDC-12VDC8A	40-110VDC	12VDC	8A	96W	58*40*22	97G/110G
755	#A08	Y83	96VDC-12VDC8A	30-110VDC	12VDC	8A	96W	74*74*32	300G/330G
756	#A08	Y83	96VDC-12VDC10A	30-110VDC	12VDC	10A	120W	74*74*32	300G/330G
757	#A08	Y84	96VDC-12VDC12A	30-110VDC	12VDC	12A	144W	74*74*32	300G/330G
758	#A09	Y96	96VDC-12VDC15A	30-120VDC	12VDC	15A	180W	100*80*39	500G/550G
759	#A09	Y96	96VDC-12VDC18A	30-120VDC	12VDC	18A	216W	100*80*39	500G/550G
760	#A09	Y96	96VDC-12VDC20A	30-120VDC	12VDC	20A	240W	100*80*39	500G/550G

Non-Isolate-Step Down 96VDC-24VDC(1~20A)

Item No	Picture No	RF NO	Specification	Input Voltage VDC Range	Output Volts VDC	DC Output Current AMP	Max Power WATT	Size (MM) L*H*W	NW/GW (G)
763	#A06	Y23	96VDC-24VDC1A	30-110VDC	24VDC	1A	24W	58*40*22	97G/110G
764	#A06	Y23	96VDC-24VDC2A	30-110VDC	24VDC	2A	48W	58*40*22	97G/110G
765	#A06	Y23	96VDC-24VDC3A	30-110VDC	24VDC	3A	72W	58*40*22	97G/110G
766	#A06	Y23	96VDC-24VDC4A	30-110VDC	24VDC	4A	96W	58*40*22	97G/110G
767	#A08	Y83	96VDC-24VDC5A	30-110VDC	24VDC	5A	120W	74*74*32	300G/330G
768	#A08	Y83	96VDC-24VDC8A	30-110VDC	24VDC	8A	192W	74*74*32	300G/330G
769	#A08	Y83	96VDC-24VDC10A	30-110VDC	24VDC	10A	240W	74*74*32	300G/330G
770	#A08	Y84	96VDC-24VDC12A	30-110VDC	24VDC	12A	288W	74*74*32	300G/330G
771	#A09	Y96	96VDC-24VDC15A	30-110VDC	24VDC	15A	360W	100*80*39	500G/550G
772	#A09	Y96	96VDC-24VDC18A	30-110VDC	24VDC	18A	432W	100*80*39	500G/550G
773	#A09	Y96	96VDC-24VDC20A	30-110VDC	24VDC	20A	480W	100*80*39	500G/550G

Non-Isolate-Step Down 108VDC-24VDC(1~20A)

Item No	Picture No	RF NO	Specification	Input Voltage VDC Range	Output Volts VDC	DC Output Current AMP	Max Power WATT	Size (MM) L*H*W	NW/GW (G)
790	#A08	Y83	108VDC-24VDC5A	40-120VDC	24VDC	5A	120W	74*74*32	300G/330G
791	#A08	Y83	108VDC-24VDC8A	40-120VDC	24VDC	8A	192W	74*74*32	300G/330G
792	#A08	Y83	108VDC-24VDC10A	40-120VDC	24VDC	10A	240W	74*74*32	300G/330G
793	#A08	Y83	108VDC-24VDC12A	40-120VDC	24VDC	12A	288W	74*74*32	300G/330G
794	#A08	Y96	108VDC-24VDC15A	40-120VDC	24VDC	15A	360W	100*80*39	500G/550G
795	#A09	Y96	108VDC-24VDC18A	40-120VDC	24VDC	18A	432W	100*80*39	500G/550G
796	#A09	Y96	108VDC-24VDC20A	40-120VDC	24VDC	20A	480W	100*80*39	500G/550G

2. Boost-Step Up

Contact us now if you can not find the machth one!

NO	Series NO	Place	NO	Series NO	Place
1	5VDC-12VDC(1~8A)	Page	11	12VDC-48VDC (1~50A)	Page
2	5VDC-13.8VDC(1~8A)	Page	12	12VDC-56VDC (1~20A)	Page
3	6VDC-12VDC(1~8A)	Page	13	12/24VDC-60VDC (1~3A)	Page
4	6VDC-13.8VDC(1~8A)	Page	14	24VDC-36VDC (1~30A)	Page
5	12VDC-15VDC(1~30A)	Page	15	24VDC-48VDC (1~80A)	Page
6	12VDC-19VDC (1~25A)	Page	16	24VDC-72VDC (1~40A)	Page
7	12VDC-24VDC (1~200A)	Page	17	36VDC-48VDC (1~8A)	Page
8	12VDC-27VDC (1~20A)	Page	18	36VDC-60VDC (1~3A)	Page
9	12VDC-28VDC (1~150A)	Page	19	36VDC-72VDC (1~2A)	Page
10	12VDC-36VDC (1~17A)	Page	20	48VDC-72VDC (20~40A)	Page

Boost-Step Up

#1: 5VDC-12VDC(1~8A)

Item No	Picture No	RF NO	Specification	Input Voltage VDC Range	Output Volts VDC	DC Output Current AMP	Max Power WATT	Size (MM) L*H*W	NW/GW (G)
4	#A06	Y27	5VDC-12VDC 1A	5-10VDC	12VDC	1A	12W	58*40*22	97G/110G
5	#A07	Y42	5VDC-12VDC 1A	5-10VDC	12VDC	1A	12W	66*57*22	100G/125G
6	#A06	Y27	5VDC-12VDC 2A	5-10VDC	12VDC	2A	24W	58*40*22	97G/110G
7	#A07	Y42	5VDC-12VDC 2A	5-10VDC	12VDC	2A	24W	66*57*22	100G/125G
8	#A06	Y27	5VDC-12VDC 3A	5-10VDC	12VDC	3A	36W	58*40*22	97G/110G
9	#A07	Y42	5VDC-12VDC 3A	5-10VDC	12VDC	3A	36W	66*57*22	100G/125G
10	#A08	Y48	5VDC-12VDC 3A	5-10VDC	12VDC	3A	36W	74*74*32	300G/330G
11	#A08	Y48	5VDC-12VDC 5A	5-10VDC	12VDC	5A	60W	74*74*32	300G/330G
12	#A08	Y54	5VDC-12VDC 5A	5-11VDC	12VDC	5A	60W	74*74*32	300G/330G
13	#A08	Y54	5VDC-12VDC 6A	5-11VDC	12VDC	6A	72W	74*74*32	300G/330G
14	#A08	Y54	5VDC-12VDC 8A	5-11VDC	12VDC	8A	96W	74*74*32	300G/330G

Boost-Step Up #2: 12VDC-15VDC(1~30A)

Item No	Picture No	RF NO	Specification	Input Voltage VDC Range	Output Volts VDC	DC Output Current AMP	Max Power WATT	Size (MM) L*H*W	NW/GW (G)
48	#A06	Y28	12VDC-15VDC 1A	9~14VDC	15VDC	1A	15W	58*40*22	100G/125G
49	#A07	Y43	12VDC-15VDC 1A	9~14VDC	15VDC	1A	15W	66*57*22	100G/125G
50	#A06	Y28	12VDC-15VDC 2A	9~14VDC	15VDC	2A	30W	58*40*22	100G/125G
51	#A07	Y43	12VDC-15VDC 2A	9~14VDC	15VDC	2A	30W	66*57*22	100G/125G
52	#A06	Y28	12VDC-15VDC 3A	9~14VDC	15VDC	3A	45W	58*40*22	100G/125G
53	#A07	Y43	12VDC-15VDC 3A	9~14VDC	15VDC	3A	45W	66*57*22	100G/125G
54	#A06	Y28	12VDC-15VDC 4A	9~14VDC	15VDC	4A	60W	58*40*22	100G/125G
55	#A07	Y43	12VDC-15VDC 4A	9~14VDC	15VDC	4A	60W	66*57*22	100G/125G
56	#A08	Y55	12VDC-15VDC 5A	9~14VDC	15VDC	5A	75W	74*74*32	300G/330G
57	#A08	Y56	12VDC-15VDC 8A	9~14VDC	15VDC	8A	120W	74*74*32	300G/330G
58	#A08	Y56	12VDC-15VDC 10A	9~14VDC	15VDC	10A	150W	74*74*32	300G/330G
59	#A08	Y56	12VDC-15VDC 15A	9~14VDC	15VDC	15A	225W	74*74*32	300G/330G
60	#A08	Y56	12VDC-15VDC 18A	9~14VDC	15VDC	18A	270W	74*74*32	300G/330G
61	#A08	Y56	12VDC-15VDC 20A	9~14VDC	15VDC	20A	300W	74*74*32	300G/330G
62	#A10	Y102	12VDC-15VDC 22A	9~14VDC	15VDC	22A	330W	125*105*52	1000G/1250G
63	#A10	Y102	12VDC-15VDC 25A	9~14VDC	15VDC	25A	375W	125*105*52	1000G/1250G
64	#A10	Y102	12VDC-15VDC 28A	9~14VDC	15VDC	28A	420W	125*105*52	1000G/1250G
65	#A10	Y102	12VDC-15VDC 30A	9~14VDC	15VDC	30A	450W	125*105*52	1000G/1250G

Boost-Step Up

#3: 12VDC-19VDC (1~25A)

Item No	Picture No	RF NO	Specification	Input Voltage VDC Range	Output Volts VDC	DC Output Current AMP	Max Power WATT	Size (MM) L*H*W	NW/GW (G)
68	#A06	Y28	12VDC-19VDC 1A	9~16VDC	19VDC	1A	19W	58*40*22	100G/125G
69	#A07	Y43	12VDC-19VDC 1A	9~16VDC	19VDC	1A	19W	66*57*22	100G/125G
70	#A06	Y28	12VDC-19VDC 2A	9~16VDC	19VDC	2A	38W	58*40*22	100G/125G
71	#A07	Y43	12VDC-19VDC 2A	9~16VDC	19VDC	2A	38W	66*57*22	100G/125G
72	#A06	Y28	12VDC-19VDC 3A	9~16VDC	19VDC	3A	57W	58*40*22	100G/125G
73	#A07	Y43	12VDC-19VDC 3A	9~16VDC	19VDC	3A	57W	66*57*22	100G/125G
74	#A07	D118	12VDC-19VDC 3A	10-15VDC	19VDC	3A	57W	66*57*22	100G/125G
75	#A06	Y28	12VDC-19VDC 4A	9~16VDC	19VDC	4A	76W	58*40*22	100G/125G
76	#A07	Y43	12VDC-19VDC 4A	9~16VDC	19VDC	4A	76W	66*57*22	100G/125G
77	#A08	Y55	12VDC-19VDC 5A	9~16VDC	19VDC	5A	95W	74*74*32	300G/330G
78	#A08	D119	12VDC-19VDC 5A	10-15VDC	19VDC	5A	95W	74*74*32	300G/330G
79	#A08	D120	12VDC-19VDC8A	10-15VDC	19VDC	8A	152W	74*74*32	300G/330G
80	#A08	Y55	12VDC-19VDC8A	9~16VDC	19VDC	8A	152W	74*74*32	300G/330G
81	#A08	D121	12VDC-19VDC10A	10-15VDC	19VDC	10A	190W	74*74*32	300G/330G
82	#A08	Y55	12VDC-19VDC10A	9~16VDC	19VDC	10A	190W	74*74*32	300G/330G
83	#A09	D122	12VDC-19VDC10A	10-15VDC	19VDC	10A	190W	100*80*39	500G/550G
84	#A08	Y56	12VDC-19VDC15A	9~16VDC	19VDC	15A	285W	74*74*32	300G/330G
85	#A08	Y56	12VDC-19VDC18A	9~16VDC	19VDC	18A	342W	74*74*32	300G/330G
86	#A09	D123	12VDC-19VDC20A	10-15VDC	19VDC	20A	380W	100*80*39	500G/550G
87	#A10	Y102	12VDC-19VDC20A	9~16VDC	19VDC	20A	380W	125*105*52	1000G/1250G
88	#A10	Y102	12VDC-19VDC22A	9~16VDC	19VDC	22A	418W	125*105*52	1000G/1250G
89	#A10	Y102	12VDC-19VDC25A	9~16VDC	19VDC	25A	475W	125*105*52	1000G/1250G

Boost-Step Up

#4: 12VDC-24VDC (1~200A)

Item No	Picture No	RF NO	Specification	Input Voltage VDC Range	Output Volts VDC	DC Output Current AMP	Max Power WATT	Size (MM) L*H*W	NW/GW (G)
92	#A02	Y16	12VDC-24VDC1A	9-20VDC	24VDC	1A	24W	46*32*18	45G/55G
93	#A06	Y28	12VDC-24VDC1A	9-20VDC	24VDC	1A	24W	58*40*22	100G/125G
94	#A07	Y43	12VDC-24VDC1A	9-20VDC	24VDC	1A	24W	66*57*22	100G/125G
95	#A02	Y16	12VDC-24VDC2A	9-20VDC	24VDC	2A	48W	46*32*18	45G/55G
96	#A06	Y28	12VDC-24VDC2A	9-20VDC	24VDC	2A	48W	58*40*22	100G/125G
97	#A07	Y43	12VDC-24VDC2A	9-20VDC	24VDC	2A	48W	66*57*22	100G/125G
98	#A02	Y16	12VDC-24VDC3A	9-20VDC	24VDC	3A	72W	46*32*18	45G/55G
99	#A06	Y28	12VDC-24VDC3A	9-20VDC	24VDC	3A	72W	58*40*22	100G/125G
100	#A07	D124	12VDC-24VDC3A	10-16VDC	24VDC	3A	72W	66*57*22	100G/125G
101	#A07	Y43	12VDC-24VDC3A	9-20VDC	24VDC	3A	72W	66*57*22	100G/125G
102	#A08	Y49	12VDC-24VDC3A	9-20VDC	24VDC	3A	72W	74*74*32	300G/330G
103	#A06	Y28	12VDC-24VDC4A	9-20VDC	24VDC	4A	96W	58*40*22	100G/125G
104	#A06	Y28	12VDC-24VDC5A	9-20VDC	24VDC	5A	120W	58*40*22	100G/125G
105	#A08	Y49	12VDC-24VDC5A	9-20VDC	24VDC	5A	120W	74*74*32	300G/330G
106	#A08	D125	12VDC-24VDC5A	10-16VDC	24VDC	5A	120W	74*74*32	300G/330G
107	#A08	D126	12VDC-24VDC8A	10-16VDC	24VDC	8A	192W	74*74*32	300G/330G
108	#A08	Y55	12VDC-24VDC8A	9-20VDC	24VDC	8A	192W	74*74*32	300G/330G
109	#A08	D127	12VDC-24VDC10A	10-16VDC	24VDC	10A	240W	74*74*32	300G/330G

Boost-Step Up

#4: 12VDC-24VDC (1~200A)

110	#A08	Y56	12VDC-24VDC10A	9-20VDC	24VDC	10A	240W	74*74*32	300G/330G
111	#A08	Y56	12VDC-24VDC12A	9-20VDC	24VDC	12A	288W	74*74*32	300G/330G
112	#A08	D128	12VDC-24VDC15A	10-16VDC	24VDC	15A	360W	74*74*32	300G/330G
113	#A08	Y56	12VDC-24VDC15A	9-20VDC	24VDC	15A	360W	74*74*32	300G/330G
114	#A09	Y91	12VDC-24VDC15A	9-20VDC	24VDC	15A	360W	100*80*39	500G/550G
115	#A09	D129	12VDC-24VDC15A	10-16VDC	24VDC	15A	360W	100*80*39	500G/550G
116	#A09	Y91	12VDC-24VDC18A	9-20VDC	24VDC	18A	432W	100*80*39	500G/550G
117	#A09	Y91	12VDC-24VDC20A	9-20VDC	24VDC	20A	480W	100*80*39	500G/550G
118	#A09	D130	12VDC-24VDC20A	10-16VDC	24VDC	20A	480W	100*80*39	500G/550G
119	#A10	Y102	12VDC-24VDC21A	9-20VDC	24VDC	21A	504W	125*105*52	1000G/1250G
120	#A10	Y102	12VDC-24VDC23A	9-20VDC	24VDC	23A	552W	125*105*52	1000G/1250G
121	#A10	Y102	12VDC-24VDC25A	9-20VDC	24VDC	25A	600W	125*105*52	1000G/1250G
122	#B01	D131	12VDC-24VDC30A	10-16VDC	24VDC	30A	720W	150*127*63	1600G/1800G
123	#B02	D132	12VDC-24VDC40A	10-16VDC	24VDC	40A	960W	180*127*63	1800G/2000G
124	#B03	D133	12VDC-24VDC50A	10-16VDC	24VDC	50A	1200W	220*127*63	2500G/3000G
125	#C02	D134	12VDC-24VDC60A	10-16VDC	24VDC	60A	1440W	220*130*50	2500G/3000G
126	#C04	D135	12VDC-24VDC80A	10-16VDC	24VDC	80A	1920W	300*198*80	6000G/7000G
127	#C05	D136	12VDC-24VDC100A	10-16VDC	24VDC	100A	2400W	300*195*90	6000G/7000G
128	#C05	D137	12VDC-24VDC150A	10-16VDC	24VDC	150A	3600W	300*195*90	6000G/7000G
129	#C05	D138	12VDC-24VDC200A	10-16VDC	24VDC	200A	4800W	300*195*90	6000G/7000G

Boost-Step Up

#6: 12VDC-28VDC (1~150A)

Item No	Picture No	RF NO	Specification	Input Voltage VDC Range	Output Volts VDC	DC Output Current AMP	Max Power WATT	Size (MM) L*H*W	NW/GW (G)
144	#A08	Y55	12VDC-28VDC 1A	9-20VDC	28VDC	1A	28W	74*74*32	300G/330G
145	#A08	Y55	12VDC-28VDC 3A	9-20VDC	28VDC	3A	84W	74*74*32	300G/330G
146	#A08	Y55	12VDC-28VDC 5A	9-20VDC	28VDC	5A	140W	74*74*32	300G/330G
147	#A08	Y55	12VDC-28VDC 8A	9-20VDC	28VDC	8A	224W	74*74*32	300G/330G
148	#A08	Y55	12VDC-28VDC 10A	9-20VDC	28VDC	10A	280W	74*74*32	300G/330G
149	#A10	Y102	12VDC-28VDC 12A	9-20VDC	28VDC	12A	336W	125*105*52	1000G/1250G
150	#A10	Y102	12VDC-28VDC 15A	9-20VDC	28VDC	15A	420W	125*105*52	1000G/1250G
151	#A10	Y102	12VDC-28VDC 16A	9-20VDC	28VDC	16A	448W	125*105*52	1000G/1250G
152	#A10	Y102	12VDC-28VDC 18A	9-20VDC	28VDC	18A	504W	125*105*52	1000G/1250G
153	#A10	Y102	12VDC-28VDC 20A	9-20VDC	28VDC	20A	560W	125*105*52	1000G/1250G
154	#B03	D148	12VDC-28VDC 50A	10-15VDC	28VDC	50A	1400W	220*127*63	2500G/3000G
155	#C03	D149	12VDC-28VDC 60A	10-15VDC	28VDC	60A	1680W	220*156*65	3700G/4500G
156	/	D150	12VDC-28VDC 80A	10-15VDC	28VDC	80A	2240W	280*156*65	Customized
157	/	D151	12VDC-28VDC 100A	10-15VDC	28VDC	100A	2800W	280*156*65	Customized
158	/	D152	12VDC-28VDC 150A	10-15VDC	28VDC	150A	4200W	320*156*65	Customized

Boost-Step Up

#7: 12VDC-36VDC (1~50A)

Item No	Picture No	RF NO	Specification	Input Voltage VDC Range	Output Volts VDC	DC Output Current AMP	Max Power WATT	Size (MM) L*H*W	NW/GW (G)
161	#A06	Y29	12VDC-36VDC 1A	9-20VDC	36VDC	1A	36W	58*40*22	100G/125G
162	#A07	Y44	12VDC-36VDC 1A	9-20VDC	36VDC	1A	36W	66*57*22	100G/125G
163	#A06	Y29	12VDC-36VDC 1.5A	9-20VDC	36VDC	1.5A	54W	58*40*22	100G/125G
164	#A07	Y44	12VDC-36VDC 1.5A	9-20VDC	36VDC	1.5A	54W	66*57*22	100G/125G
165	#A06	Y29	12VDC-36VDC 2A	9-20VDC	36VDC	2A	72W	58*40*22	100G/125G
166	#A07	Y44	12VDC-36VDC 2A	9-20VDC	36VDC	2A	72W	66*57*22	100G/125G
167	#A07	D155	12VDC-36VDC 2A	10-15VDC	36VDC	2A	72W	66*57*22	100G/125G
168	#A08	Y51	12VDC-36VDC 2A	9-20VDC	36VDC	2A	72W	74*74*32	300G/330G
169	#A08	Y51	12VDC-36VDC 3A	9-20VDC	36VDC	3A	108W	74*74*32	300G/330G
170	#A08	D156	12VDC-36VDC 5A	10-15VDC	36VDC	5A	180W	74*74*32	300G/330G
171	#A08	Y60	12VDC-36VDC 5A	9-20VDC	36VDC	5A	180W	74*74*32	300G/330G
172	#A08	Y60	12VDC-36VDC 6A	9-20VDC	36VDC	6A	216W	74*74*32	300G/330G
173	#A08	Y60	12VDC-36VDC 8A	9-20VDC	36VDC	8A	288W	74*74*32	300G/330G
174	#A09	D157	12VDC-36VDC10A	10-15VDC	36VDC	10A	360W	100*80*39	500G/550G
175	#A10	Y103	12VDC-36VDC10A	9-20VDC	36VDC	10A	360W	125*105*52	1000G/1250G
176	#A10	Y103	12VDC-36VDC12A	9-20VDC	36VDC	12A	432W	125*105*52	1000G/1250G
177	#A10	Y103	12VDC-36VDC14A	9-20VDC	36VDC	14A	504W	125*105*52	1000G/1250G
178	#A10	Y103	12VDC-36VDC17A	9-20VDC	36VDC	17A	612W	125*105*52	1000G/1250G
179	#B01	D158	12VDC-36VDC 20A	10-15VDC	36VDC	20A	720W	150*127*63	1600G/1800G
180	#B03	D159	12VDC-36VDC 30A	10-15VDC	36VDC	30A	1080W	220*127*63	2500G/3000G
181	#C02	D160	12VDC-36VDC 40A	10-15VDC	36VDC	40A	1440W	220*130*50	2500G/3000G
182	#C03	D161	12VDC-36VDC 50A	10-15VDC	36VDC	50A	1800W	220*156*65	3700G/4500G

Boost-Step Up

#8 12VDC-48VDC (1~50A)

Item No	Picture No	RF NO	Specification	Input Voltage VDC Range	Output Volts VDC	DC Output Current AMP	Max Power WATT	Size (MM) L*H*W	NW/GW (G)
185	#A06	Y29	12VDC-48VDC 1A	9-20VDC	48VDC	1A	48W	58*40*22	100G/125G
186	#A07	Y44	12VDC-48VDC 1A	9-20VDC	48VDC	1A	48W	66*57*22	100G/125G
187	#A07	D162	12VDC-48VDC 1A	10-16VDC	48VDC	1A	48W	66*57*22	100G/125G
188	#A06	Y29	12VDC-48VDC 1.5A	9-20VDC	48VDC	1.5A	72W	58*40*22	100G/125G
189	#A07	Y44	12VDC-48VDC 1.5A	9-20VDC	48VDC	1.5A	72W	66*57*22	100G/125G
190	#A06	Y51	12VDC-48VDC 2A	9-20VDC	48VDC	2A	96W	74*74*32	300G/330G
191	#A08	D163	12VDC-48VDC 3A	10-16VDC	48VDC	3A	144W	74*74*32	300G/330G
192	#A08	Y51	12VDC-48VDC 3A	9-20VDC	48VDC	3A	144W	74*74*32	300G/330G
193	#A08	D164	12VDC-48VDC 5A	10-16VDC	48VDC	5A	240W	74*74*32	300G/330G
194	#A08	Y60	12VDC-48VDC 6A	9-20VDC	48VDC	5A	240W	74*74*32	300G/330G
195	#A08	D165	12VDC-48VDC 6A	10-16VDC	48VDC	6A	288W	74*74*32	300G/330G
196	#A08	Y60	12VDC-48VDC 6A	9-20VDC	48VDC	6A	288W	74*74*32	300G/330G
197	#A10	Y60	12VDC-48VDC 8A	9-20VDC	48VDC	8A	384W	125*105*52	1000G/1250G
198	#A09	D167	12VDC-48VDC 10A	10-16VDC	48VDC	10A	480W	100*80*39	500G/550G
199	#A10	Y103	12VDC-48VDC 10A	9-20VDC	48VDC	10A	480W	125*105*52	1000G/1250G
200	#B06	D166	12VDC-48VDC 10A	10-60VDC	48VDC	10A	480W	100*113*35	700G/900G
201	#A10	Y103	12VDC-48VDC 12A	9-20VDC	48VDC	12A	576W	125*105*52	1000G/1250G
202	#B01	D168	12VDC-48VDC 15A	10-16VDC	48VDC	15A	720W	150*127*63	1600G/1800G
203	#B03	D169	12VDC-48VDC 20A	10-16VDC	48VDC	20A	960W	220*127*63	2500G/3000G
204	#B03	D170	12VDC-48VDC 30A	10-16VDC	48VDC	30A	1440W	220*127*63	2500G/3000G
205	#C03	D171	12VDC-48VDC 40A	10-16VDC	48VDC	40A	1920W	220*156*65	3700G/4500G
206	#C03	D172	12VDC-48VDC 40A	10-16VDC	48VDC	40A	1920W	220*156*65	3700G/4500G
207	#C03	D173	12VDC-48VDC 50A	10-16VDC	48VDC	50A	2400W	220*156*65	3700G/4500G

Boost-Step Up

#9 12VDC-56VDC (1~20A)

Item No	Picture No	RF NO	Specification	Input Voltage VDC Range	Output Volts VDC	DC Output Current AMP	Max Power WATT	Size (MM) L*H*W	NW/GW (G)
210	#A07	Y44	12VDC-56VDC 1A	9-20VDC	56VDC	1A	56W	66*57*22	100G/125G
211	#A08	Y61	12VDC-56VDC 1A	9-20VDC	56VDC	1A	56W	74*74*32	300G/330G
212	#A08	D174	12VDC-56VDC 2A	10-16VDC	56VDC	2A	112W	74*74*32	300G/330G
213	#A08	Y61	12VDC-56VDC 2A	9-20VDC	56VDC	2A	112W	74*74*32	300G/330G
214	#A08	D175	12VDC-56VDC 3A	10-16VDC	56VDC	3A	168W	74*74*32	300G/330G
215	#A08	Y61	12VDC-56VDC 3A	9-20VDC	56VDC	3A	168W	74*74*32	300G/330G
216	#B08	D176	12VDC-56VDC 5A	10-16VDC	56VDC	5A	280W	118*80*28	1000G/1250G
217	#A10	Y104	12VDC-56VDC 5A	21-40VDC	56VDC	5A	280W	125*105*52	1000G/1250G
218	#A10	Y104	12VDC-56VDC 8A	21-40VDC	56VDC	8A	448W	125*105*52	1000G/1250G
219	#A10	Y104	12VDC-56VDC 9A	21-40VDC	56VDC	9A	504W	125*105*52	1000G/1250G
220	#A10	Y104	12VDC-56VDC 10A	21-40VDC	56VDC	10A	560W	125*105*52	1000G/1250G
221	#B10	D177	12VDC-56VDC 10A	21-40VDC	56VDC	10A	560W	150*130*50	1600G/1800G
222	#C02	D178	12VDC-56VDC 20A	10-16VDC	56VDC	20A	1120W	220*130*50	2500G/3000G

Boost-Step Up

#9 24VDC-36VDC (1~30A)

Item No	Picture No	RF NO	Specification	Input Voltage VDC Range	Output Volts VDC	DC Output Current AMP	Max Power WATT	Size (MM) L*H*W	NW/GW (G)
231	#A06	Y29	24VDC-36VDC1A	18-30VDC	36VDC	1A	36W	58*40*22	100G/125G
232	#A07	Y44	24VDC-36VDC1A	18-30VDC	36VDC	1A	36W	66*57*22	100G/125G
233	#A06	Y29	24VDC-36VDC1.5A	18-30VDC	36VDC	1.5A	54W	58*40*22	100G/125G
234	#A07	Y44	24VDC-36VDC1.5A	18-30VDC	36VDC	1.5A	54W	66*57*22	100G/125G
235	#A06	Y29	24VDC-36VDC2A	18-30VDC	36VDC	2A	72W	58*40*22	100G/125G
236	#A07	Y44	24VDC-36VDC2A	18-30VDC	36VDC	2A	72W	66*57*22	100G/125G
237	#A08	Y51	24VDC-36VDC2A	18-30VDC	36VDC	2A	72W	74*74*32	300G/330G
238	#A08	Y60	24VDC-36VDC3A	18-30VDC	36VDC	3A	108W	74*74*32	300G/330G
239	#A08	D180	24VDC-36VDC5A	16-30VDC	36VDC	5A	180W	74*74*32	300G/330G
240	#A08	Y60	24VDC-36VDC5A	18-30VDC	36VDC	5A	180W	74*74*32	300G/330G
241	#A08	Y60	24VDC-36VDC6A	18-30VDC	36VDC	6A	216W	74*74*32	300G/330G
242	#A08	Y60	24VDC-36VDC8A	18-30VDC	36VDC	8A	288W	74*74*32	300G/330G
243	#A10	Y104	24VDC-36VDC10A	18-30VDC	36VDC	10A	360W	125*105*52	1000G/1250G
244	#A10	Y104	24VDC-36VDC12A	18-30VDC	36VDC	12A	432W	125*105*52	1000G/1250G
245	#A10	Y104	24VDC-36VDC14A	18-30VDC	36VDC	14A	504W	125*105*52	1000G/1250G
246	#A10	Y104	24VDC-36VDC17A	18-30VDC	36VDC	17A	612W	125*105*52	1000G/1250G
247	#A09	D182	24VDC-36VDC20A	16-30VDC	36VDC	20A	720W	100*80*38	500G/550G
248	#C01	D183	24VDC-36VDC30A	16-30VDC	36VDC	30A	1080W	160*113*35	1600G/1800G

Boost-Step Up

#8 24VDC-48VDC (1~80A)

Item No	Picture No	RF NO	Specification	Input Voltage VDC Range	Output Volts VDC	DC Output Current AMP	Max Power WATT	Size (MM) L*H*W	NW/GW (G)
251	#A06	Y29	24VDC-48VDC1A	18-30VDC	48VDC	1A	48W	58*40*22	100G/125G
252	#A07	Y44	24VDC-48VDC1A	18-30VDC	48VDC	1A	48W	66*57*22	100G/125G
253	#A06	Y29	24VDC-48VDC1.5A	18-30VDC	48VDC	1.5A	72W	58*40*22	100G/125G
254	#A07	Y44	24VDC-48VDC1.5A	18-30VDC	48VDC	1.5A	72W	66*57*22	100G/125G
255	#A08	Y51	24VDC-48VDC2A	18-30VDC	48VDC	2A	96W	74*74*32	300G/330G
256	#A08	D184	24VDC-48VDC3A	20-40VDC	48VDC	3A	144W	74*74*32	300G/330G
257	#A08	Y60	24VDC-48VDC3A	18-30VDC	48VDC	3A	144W	74*74*32	300G/330G
258	#A08	D185	24VDC-48VDC5A	20-40VDC	48VDC	5A	240W	74*74*32	300G/330G
259	#A08	Y60	24VDC-48VDC5A	18-30VDC	48VDC	5A	240W	74*74*32	300G/330G
260	#A08	D186	24VDC-48VDC6A	20-40VDC	48VDC	6A	288W	74*74*32	300G/330G
261	#A08	Y60	24VDC-48VDC6A	18-30VDC	48VDC	6A	288W	74*74*32	300G/330G
262	#A10	Y104	24VDC-48VDC8A	18-30VDC	48VDC	8A	384W	125*105*52	1000G/1250G
263	#A09	D187	24VDC-48VDC10A	20-40VDC	48VDC	10A	480W	100*80*38	500G/550G
264	#A10	Y104	24VDC-48VDC10A	18-30VDC	48VDC	10A	480W	125*105*52	1000G/1250G
265	#A10	Y104	24VDC-48VDC12A	18-30VDC	48VDC	12A	576W	125*105*52	1000G/1250G
266	#A09	D188	24VDC-48VDC15A	20-40VDC	48VDC	15A	720W	100*80*38	500G/550G
267	#A10	Y104	24VDC-48VDC15A	18-30VDC	48VDC	15A	720W	125*105*52	1000G/1250G
268	#A09	D189	24VDC-48VDC20A	20-40VDC	48VDC	20A	960W	100*80*38	500G/550G
269	#B01	D190	24VDC-48VDC30A	20-40VDC	48VDC	30A	1440W	150*127*63	1600G/1800G
270	#B03	D191	24VDC-48VDC40A	20-40VDC	48VDC	40A	1920W	220*127*63	2500G/3000G
271	#C10	D192	24VDC-48VDC50A	20-40VDC	48VDC	50A	2400W	300*127*63	6000G/7000G
272	#C03	D193	24VDC-48VDC60A	20-40VDC	48VDC	60A	2880W	220*156*65	3700G/4500G
273	#C03	D194	24VDC-48VDC80A	20-40VDC	48VDC	80A	3840W	220*156*65	3700G/4500G

Boost & Step Down

NO	SERIES
#1	(6~20VDC)12VDC-12VDC(1~20A)
#2	(9~20VDC)12VDC-12VDC(1~20A)
#3	(9~32VDC)12VDC-12VDC(1~20A)
#4	(9~32VDC)12VDC-19VDC(1~20A)
#5	(9~36VDC)24VDC-13.8VDC(1-25A)
#6	(10-36VDC)24VDC-19VDC(1-20A)
#7	(18-36VDC)24VDC-19VDC(1-20A)
#8	(10-36VDC)24-24VDC(1-20A)
#9	18-36VDC-24-24VDC(1-20A)
#10	12V/24V-12VDC(1-40A)
#11	9-40VDC-24VDC(1-15A)

**Contact us now if you can
not find the machth one!**

Boost & Step Down

#1 (6~20VDC)12VDC-12VDC(1~20A)

Item No	Picture No	RF NO	Specification	Input Voltage VDC Range	Output Volts VDC	DC Output Current AMP	Max Power WATT	Size (MM) L*H*W	NW/GW (G)
4	#A02	Y16	12VDC-12VDC1A	6-20VDC	12VDC	1A	12W	46*32*18	45G/55G
5	#A06	Y26	12VDC-12VDC1A	6-20VDC	12VDC	1A	12W	58*40*22	97G/110G
6	#A07	Y47	12VDC-12VDC1A	6-20VDC	12VDC	1A	12W	66*57*22	100G/125G
7	#A02	Y16	12VDC-12VDC2A	6-20VDC	12VDC	2A	24W	46*32*18	45G/55G
8	#A06	Y26	12VDC-12VDC2A	6-20VDC	12VDC	2A	24W	58*40*22	97G/110G
9	#A07	Y47	12VDC-12VDC2A	6-20VDC	12VDC	2A	24W	66*57*22	100G/125G
10	#A02	Y16	12VDC-12VDC3A	6-20VDC	12VDC	3A	36W	46*32*18	45G/55G
11	#A07	Y47	12VDC-12VDC3A	6-20VDC	12VDC	3A	36W	66*57*22	100G/125G
12	#A08	Y62	12VDC-12VDC3A	6-20VDC	12VDC	3A	36W	74*74*32	300G/330G
13	#A08	Y62	12VDC-12VDC5A	6-20VDC	12VDC	5A	60W	74*74*32	300G/330G
14	#A08	Y65	12VDC-12VDC6A	6-20VDC	12VDC	6A	72W	74*74*32	300G/330G
15	#A08	Y65	12VDC-12VDC8A	6-20VDC	12VDC	8A	96W	74*74*32	300G/330G
16	#A08	Y65	12VDC-12VDC10A	6-20VDC	12VDC	10A	120W	74*74*32	300G/330G
17	#A08	Y65	12VDC-12VDC12A	6-20VDC	12VDC	12A	144W	74*74*32	300G/330G
18	#A09	Y91	12VDC-12VDC18A	6-20VDC	12VDC	15A	180W	100*80*39	500G/550G
19	#A09	Y91	12VDC-12VDC18A	6-20VDC	12VDC	18A	216W	100*80*39	500G/550G
20	#A09	Y91	12VDC-12VDC20A	6-20VDC	12VDC	20A	240W	100*80*39	500G/550G

Boost & Step Down

#2 (9~20VDC)12VDC-12VDC(1~20A)

Item No	Picture No	RF NO	Specification	Input Voltage VDC Range	Output Volts VDC	DC Output Current AMP	Max Power WATT	Size (MM) L*H*W	NW/GW (G)
42	#A02	Y16	12VDC-12VDC1A	9-20VDC	12VDC	1A	12W	46*32*18	45G/55G
43	#A06	Y26	12VDC-12VDC1A	9-20VDC	12VDC	1A	12W	58*40*22	97G/110G
44	#A07	Y47	12VDC-12VDC2A	9-20VDC	12VDC	1A	12W	66*57*22	100G/125G
45	#A02	Y16	12VDC-12VDC2A	9-20VDC	12VDC	2A	24W	46*32*18	45G/55G
46	#A06	Y26	12VDC-12VDC2A	9-20VDC	12VDC	2A	24W	58*40*22	97G/110G
47	#A07	Y47	12VDC-12VDC2A	9-20VDC	12VDC	2A	24W	66*57*22	100G/125G
48	#A02	Y16	12VDC-12VDC3A	9-20VDC	12VDC	3A	36W	46*32*18	45G/55G
49	#A07	Y47	12VDC-12VDC3A	9-20VDC	12VDC	3A	36W	66*57*22	100G/125G
50	#A08	Y63	12VDC-12VDC3A	9-20VDC	12VDC	3A	36W	74*74*32	300G/330G
51	#A08	Y66	12VDC-12VDC5A	9-20VDC	12VDC	5A	60W	74*74*32	300G/330G
52	#A08	Y66	12VDC-12VDC6A	9-20VDC	12VDC	6A	72W	74*74*32	300G/330G
53	#A08	Y66	12VDC-12VDC8A	9-20VDC	12VDC	8A	96W	74*74*32	300G/330G
54	#A08	Y66	12VDC-12VDC10A	9-20VDC	12VDC	10A	120W	74*74*32	300G/330G
55	#A08	Y66	12VDC-12VDC12A	9-20VDC	12VDC	12A	144W	74*74*32	300G/330G
56	#A09	Y91	12VDC-12VDC15A	9-20VDC	12VDC	15A	180W	100*80*39	500G/550G
57	#A09	Y91	12VDC-12VDC18A	9-20VDC	12VDC	18A	216W	100*80*39	500G/550G
58	#A09	Y91	12VDC-12VDC20A	9-20VDC	12VDC	20A	240W	100*80*39	500G/550G

Boost & Step Down

#3 (9~32VDC)12VDC-12VDC(1~20A)

Item No	Picture No	RF NO	Specification	Input Voltage VDC Range	Output Volts VDC	DC Output Current AMP	Max Power WATT	Size (MM) L*H*W	NW/GW (G)
99	#A06	Y29	12VDC-12VDC1A	9-32VDC	12VDC	1A	12W	58*40*22	97G/110G
100	#A07	Y47	12VDC-12VDC1A	9-32VDC	12VDC	1A	12W	66*57*22	100G/125G
101	#A06	Y29	12VDC-12VDC2A	9-32VDC	12VDC	2A	24W	58*40*22	97G/110G
102	#A07	Y47	12VDC-12VDC2A	9-32VDC	12VDC	2A	24W	66*57*22	100G/125G
103	#A07	Y47	12VDC-12VDC3A	9-32VDC	12VDC	3A	36W	66*57*22	100G/125G
104	#A08	Y63	12VDC-12VDC3A	9-32VDC	12VDC	3A	36W	74*74*32	300G/330G
105	#A07	Y47	12VDC-12VDC4A	9-32VDC	12VDC	4A	48W	66*57*22	100G/125G
106	#A08	Y63	12VDC-12VDC5A	9-32VDC	12VDC	5A	72W	74*74*32	300G/330G
107	#A08	Y66	12VDC-12VDC6A	9-32VDC	12VDC	6A	72W	74*74*32	300G/330G
108	#A08	Y66	12VDC-12VDC8A	9-32VDC	12VDC	8A	96W	74*74*32	300G/330G
109	#A08	Y66	12VDC-12VDC10A	9-32VDC	12VDC	10A	120W	74*74*32	300G/330G
110	#A09	Y97	12VDC-12VDC12A	9-32VDC	12VDC	12A	144W	100*80*39	500G/550G
111	#A09	Y97	12VDC-12VDC15A	9-32VDC	12VDC	15A	180W	100*80*39	500G/550G
112	#A09	Y97	12VDC-12VDC18A	9-32VDC	12VDC	18A	216W	100*80*39	500G/550G
113	#A09	Y97	12VDC-12VDC20A	9-32VDC	12VDC	20A	240W	100*80*39	500G/550G

Boost & Step Down

#4 (9~32VDC)12VDC-13.8VDC(1~20A)

Item No	Picture No	RF NO	Specification	Input Voltage VDC Range	Output Volts VDC	DC Output Current AMP	Max Power WATT	Size (MM) L*H*W	NW/GW (G)
116	#A06	Y29	12VDC-13.8VDC1A	9-32VDC	13.8VDC	1A	13.8W	58*40*22	97G/110G
117	#A07	Y47	12VDC-13.8VDC1A	9-32VDC	13.8VDC	1A	13.8W	66*57*22	100G/125G
118	#A06	Y29	12VDC-13.8VDC2A	9-32VDC	13.8VDC	2A	27.6W	58*40*22	97G/110G
119	#A07	Y47	12VDC-13.8VDC2A	9-32VDC	13.8VDC	2A	27.6W	66*57*22	100G/125G
120	#A07	Y47	12VDC-13.8VDC3A	9-32VDC	13.8VDC	3A	41.4W	66*57*22	100G/125G
121	#A08	Y63	12VDC-13.8VDC3A	9-32VDC	13.8VDC	3A	41.4W	74*74*32	300G/330G
122	#A07	Y47	12VDC-13.8VDC4A	9-32VDC	13.8VDC	4A	55.2W	66*57*22	100G/125G
123	#A08	Y63	12VDC-13.8VDC5A	9-32VDC	13.8VDC	5A	69W	74*74*32	300G/330G
124	#A08	Y66	12VDC-13.8VDC6A	9-32VDC	13.8VDC	6A	82.8W	74*74*32	300G/330G
125	#A08	Y66	12VDC-13.8VDC8A	9-32VDC	13.8VDC	8A	110.4W	74*74*32	300G/330G
126	#A08	Y66	12VDC-13.8VDC10A	9-32VDC	13.8VDC	10A	138W	74*74*32	300G/330G
127	#A09	Y97	12VDC-13.8VDC12A	9-32VDC	13.8VDC	12A	165.6W	100*80*39	500G/550G
128	#A09	Y97	12VDC-13.8VDC15A	9-32VDC	13.8VDC	15A	202.5	100*80*39	500G/550G
129	#A09	Y97	12VDC-13.8VDC18A	9-32VDC	13.8VDC	18A	248.4	100*80*39	500G/550G
130	#A09	Y97	12VDC-13.8VDC20A	9-32VDC	13.8VDC	20A	276W	100*80*39	500G/550G

Boost & Step Down

#5 (9~32VDC)12VDC-19VDC(1~20A)

Item No	Picture No	RF NO	Specification	Input Voltage VDC Range	Output Volts VDC	DC Output Current AMP	Max Power WATT	Size (MM) L*H*W	NW/GW (G)
133	#A06	Y29	12VDC-19VDC1A	9-32VDC	19VDC	1A	19W	58*40*22	97G/110G
134	#A07	Y47	12VDC-19VDC1A	9-32VDC	19VDC	1A	19W	66*57*22	100G/125G
135	#A06	Y29	12VDC-19VDC2A	9-32VDC	19VDC	2A	38W	58*40*22	97G/110G
136	#A07	Y47	12VDC-19VDC2A	9-32VDC	19VDC	2A	38W	66*57*22	100G/125G
137	#A07	Y47	12VDC-19VDC3A	9-32VDC	19VDC	3A	57W	66*57*22	100G/125G
138	#A08	Y63	12VDC-19VDC3A	9-32VDC	19VDC	3A	57W	74*74*32	300G/330G
139	#A07	Y47	12VDC-19VDC4A	9-32VDC	19VDC	4A	76W	66*57*22	100G/125G
140	#A08	Y63	12VDC-19VDC5A	9-32VDC	19VDC	5A	95W	74*74*32	300G/330G
141	#A08	Y66	12VDC-19VDC6A	9-32VDC	19VDC	6A	114W	74*74*32	300G/330G
142	#A08	Y66	12VDC-19VDC8A	9-32VDC	19VDC	8A	152W	74*74*32	300G/330G
143	#A08	Y66	12VDC-19VDC10A	9-32VDC	19VDC	10A	190W	74*74*32	300G/330G
144	#A09	Y97	12VDC-19VDC12A	9-32VDC	19VDC	12A	228W	100*80*39	500G/550G
145	#A09	Y97	12VDC-19VDC15A	9-32VDC	19VDC	15A	285W	100*80*39	500G/550G
146	#A09	Y97	12VDC-19VDC18A	9-32VDC	19VDC	18A	342W	100*80*39	500G/550G

Boost & Step Down

#6 (9~36VDC)24VDC-13.8VDC(1-25A)

Item No	Picture No	RF NO	Specification	Input Voltage VDC Range	Output Volts VDC	DC Output Current AMP	Max Power WATT	Size (MM) L*H*W	NW/GW (G)
191	#A06	Y26	12VDC-13.8VDC12A	9-36VDC	13.8VDC	1A	13.8W	58*40*22	97G/110G
192	#A07	Y47	12VDC-13.8VDC12A	9-36VDC	13.8VDC	1A	13.8W	66*57*22	100G/125G
193	#A06	Y26	12VDC-13.8VDC12A	9-36VDC	13.8VDC	2A	27.6W	58*40*22	97G/110G
194	#A07	Y47	12VDC-13.8VDC12A	9-36VDC	13.8VDC	2A	27.6W	66*57*22	100G/125G
195	#A08	Y64	12VDC-13.8VDC12A	9-36VDC	13.8VDC	2A	27.6W	74*74*32	300G/330G
196	#A07	Y47	12VDC-13.8VDC12A	9-36VDC	13.8VDC	3A	41.4W	66*57*22	100G/125G
197	#A08	Y64	12VDC-13.8VDC12A	9-36VDC	13.8VDC	3A	41.4W	74*74*32	300G/330G
198	#A07	Y47	12VDC-13.8VDC12A	9-36VDC	13.8VDC	4A	55.2W	66*57*22	100G/125G
199	#A08	Y64	12VDC-13.8VDC12A	9-36VDC	13.8VDC	4A	55.2W	74*74*32	300G/330G
200	#A08	Y64	12VDC-13.8VDC12A	9-36VDC	13.8VDC	5A	69W	74*74*32	300G/330G
201	#A08	Y66	12VDC-13.8VDC12A	9-36VDC	13.8VDC	6A	82.8W	74*74*32	300G/330G
202	#A08	Y66	12VDC-13.8VDC12A	9-36VDC	13.8VDC	8A	110.4W	74*74*32	300G/330G
203	#A08	Y66	12VDC-13.8VDC12A	9-36VDC	13.8VDC	10A	138W	74*74*32	300G/330G
204	#A09	Y98	12VDC-13.8VDC12A	9-36VDC	13.8VDC	15A	207W	100*80*39	500G/550G
205	#A09	Y98	12VDC-13.8VDC12A	9-36VDC	13.8VDC	18A	248.4W	100*80*39	500G/550G
206	#A09	Y98	12VDC-13.8VDC12A	9-36VDC	13.8VDC	20A	276W	100*80*39	500G/550G
207	#A09	Y98	12VDC-13.8VDC12A	9-36VDC	13.8VDC	25A	345W	100*80*39	500G/550G

Boost & Step Down

#7 (10-36VDC)24-24VDC(1-20A

Item No	Picture No	RF NO	Specification	Input Voltage VDC Range	Output Volts VDC	DC Output Current AMP	Max Power WATT	Size (MM) L*H*W	NW/GW (G)
231	#A06	Y29	24VDC-24VDC1A	10-36VDC	24VDC	1A	24W	58*40*22	97G/110G
232	#A07	Y47	24VDC-24VDC1A	10-36VDC	24VDC	1A	24W	66*57*22	100G/125G
233	#A08	Y64	24VDC-24VDC1A	10-36VDC	24VDC	1A	24W	74*74*32	300G/330G
234	#A07	Y47	24VDC-24VDC2A	10-36VDC	24VDC	2A	48W	66*57*22	100G/125G
235	#A08	Y64	24VDC-24VDC2A	10-36VDC	24VDC	2A	48W	74*74*32	300G/330G
236	#A09	Y64	24VDC-24VDC3A	10-36VDC	24VDC	3A	72W	74*74*32	300G/330G
237	#A08	Y64	24VDC-24VDC5A	10-36VDC	24VDC	5A	120W	74*74*32	300G/330G
238	#A08	Y67	24VDC-24VDC6A	10-36VDC	24VDC	6A	144W	74*74*32	300G/330G
239	#A08	Y67	24VDC-24VDC8A	10-36VDC	24VDC	8A	192W	74*74*32	300G/330G
240	#A08	Y67	24VDC-24VDC10A	10-36VDC	24VDC	10A	240W	74*74*32	300G/330G
241	#A09	Y99	24VDC-24VDC15A	10-36VDC	24VDC	15A	360W	100*80*39	500G/550G
242	#A09	Y99	24VDC-24VDC18A	10-36VDC	24VDC	18A	432W	100*80*39	500G/550G
243	#A09	Y99	24VDC-24VDC20A	10-36VDC	24VDC	20A	480W	100*80*39	500G/550G

Boost & Step Down

#8 (18-36VDC)24VDC-19VDC(1-20A)

Item No	Picture No	RF NO	Specification	Input Voltage VDC Range	Output Volts VDC	DC Output Current AMP	Max Power WATT	Size (MM) L*H*W	NW/GW (G)
220	#A08	Y64	24VDC-19VDC2A	18-36VDC	19VDC	3A	57W	74*74*32	300G/330G
221	#A08	Y64	24VDC-19VDC5A	18-36VDC	19VDC	5A	95W	74*74*32	300G/330G
222	#A08	Y66	24VDC-19VDC6A	18-36VDC	19VDC	6A	114W	74*74*32	300G/330G
223	#A08	Y66	24VDC-19VDC8A	18-36VDC	19VDC	8A	152W	74*74*32	300G/330G
224	#A08	Y66	24VDC-19VDC10A	18-36VDC	19VDC	10A	190W	74*74*32	300G/330G
225	#A08	Y66	24VDC-19VDC12A	18-36VDC	19VDC	12A	228W	74*74*32	300G/330G
226	#A09	Y99	24VDC-19VDC15A	18-36VDC	19VDC	15A	285W	100*80*39	500G/550G
227	#A09	Y99	24VDC-19VDC18A	18-36VDC	19VDC	18A	342W	100*80*39	500G/550G
228	#A09	Y99	24VDC-19VDC20A	18-36VDC	19VDC	20A	380W	100*80*39	500G/550G

Boost & Step Down

#9 9-40VDC-24VDC(1-15A)

Item No	Picture No	RF NO	Specification	Input Voltage VDC Range	Output Volts VDC	DC Output Current AMP	Max Power WATT	Size (MM) L*H*W	NW/GW (G)
280	#A07	D218	9-40VDC-24VDC	9-40VDC	24VDC	2A	48W	66*58*23	100G/125G
281	#A08	D219	9-40VDC-24VDC	9-40VDC	24VDC	3A	72W	74*74*32	300G/330G
282	#A08	D220	9-40VDC-24VDC	9-40VDC	24VDC	5A	120W	74*74*32	300G/330G
283	#A08	D221	9-40VDC-24VDC	9-40VDC	24VDC	6A	144W	74*74*32	300G/330G
284	#A09	D222	9-40VDC-24VDC	9-40VDC	24VDC	10A	240W	100*80*38	500G/550G
285	#A09	D223	9-40VDC-24VDC	9-40VDC	24VDC	15A	360W	100*80*38	500G/550G

Boost & Step Down

#10 12V24V-12VDC(1-40A)

Item No	Picture No	RF NO	Specification	Input Voltage VDC Range	Output Volts VDC	DC Output Current AMP	Max Power WATT	Size (MM) L*H*W	NW/GW (G)
262	#A07	D203	12V/24V-12VDC3A	8-40VDC	12VDC	3A	36W	66*58*23	100G/125G
263	#A08	D204	12V/24V-12VDC6A	8-40VDC	12VDC	6A	72W	74*74*32	300G/330G
264	#A08	D205	12V/24V-12VDC10A	8-40VDC	12VDC	10A	120W	74*74*32	300G/330G
265	#A09	D206	12V/24V-12VDC15A	8-40VDC	12VDC	15A	180W	100*80*38	500G/550G
266	#A09	D207	12V/24V-12VDC20A	8-40VDC	12VDC	20A	240W	100*80*38	500G/550G
267	#A09	D208	12V/24V-12VDC25A	8-40VDC	12VDC	25A	300W	100*80*38	500G/550G
268	#C02	D209	12V/24V-12VDC30A	8-40VDC	12VDC	30A	360W	220*130*50	2500G/3000G
269	#C01	D210	12V/24V-12VDC40A	8-40VDC	12VDC	40A	480W	160*113*35	1600G/1800G

Boost & Step Down

#11 18-36VDC-24-24VDC(1-20A)

Item No	Picture No	RF NO	Specification	Input Voltage VDC Range	Output Volts VDC	DC Output Current AMP	Max Power WATT	Size (MM) L*H*W	NW/GW (G)
246	#A06	Y29	24VDC-24VDC1A	18-36VDC	24VDC	1A	24W	58*40*22	97G/110G
247	#A07	Y47	24VDC-24VDC1A	18-36VDC	24VDC	1A	24W	66*57*22	100G/125G
248	#A08	Y64	24VDC-24VDC1A	18-36VDC	24VDC	1A	24W	74*74*32	300G/330G
249	#A07	Y47	24VDC-24VDC2A	18-36VDC	24VDC	2A	48W	66*57*22	100G/125G
250	#A08	Y64	24VDC-24VDC2A	18-36VDC	24VDC	2A	48W	74*74*32	300G/330G
251	#A09	Y64	24VDC-24VDC3A	18-36VDC	24VDC	3A	72W	74*74*32	300G/330G
252	#A08	Y64	24VDC-24VDC5A	18-36VDC	24VDC	5A	120W	74*74*32	300G/330G
253	#A08	Y67	24VDC-24VDC6A	18-36VDC	24VDC	6A	144W	74*74*32	300G/330G
254	#A08	Y67	24VDC-24VDC8A	18-36VDC	24VDC	8A	192W	74*74*32	300G/330G
255	#A08	Y67	24VDC-24VDC10A	18-36VDC	24VDC	10A	240W	74*74*32	300G/330G
256	#A08	Y67	24VDC-24VDC12A	18-36VDC	24VDC	12A	288W	74*74*32	300G/330G
257	#A09	Y99	24VDC-24VDC15A	18-36VDC	24VDC	15A	360W	100*80*39	500G/550G
258	#A09	Y99	24VDC-24VDC18A	18-36VDC	24VDC	18A	432W	100*80*39	500G/550G
259	#A09	Y99	24VDC-24VDC20A	18-36VDC	24VDC	20A	480W	100*80*39	500G/550G

Isolate design

Standard Type

19inch Rack Type

Isolate design-Standard Type

NO	SERIES
#1	12VDC/24VDC-5VDC(1~20A)
#2	24VDC-12VDC(1-10A)
#3	48VDC-5VDC(1~24A)
#4	48VDC-12VDC(1-15A)
#5	60VDC-12VDC(1-15A)
#6	72VDC-5VDC(1~24A)
#7	72VDC-12VDC(1-100A)
#8	72VDC84VDC96VDC108VDC-24VDC(1-50A)
#9	120VDC-5VDC(1~24A)
#10	1224VDC-12VDC(1-15A)
#11	(30-72VDC)-24VDC(1-50A)

**Contact us now if you can
not find the machth one!**

Isolate design DC DC Converter #1: 12VDC24VDC-5VDC(1~20A)

Item No	Picture No	RF NO	Specification	Input Voltage VDC Range	Output Volt VDC	DC Output Current AMP	Max Power WATT	Size (MM) L*H*W	NW/GW (G)
4	#A06	YWGL08	12VDC/24VDC-5VDC1A	9-36VDC	5VDC	1A	5W	58*40*22	97G/110G
5	#A06	YWGL08	12VDC/24VDC-5VDC2A	9-36VDC	5VDC	2A	10W	58*40*22	97G/110G
6	#A06	YWGL08	12VDC/24VDC-5VDC3A	9-36VDC	5VDC	3A	15W	58*40*22	97G/110G
7	#A06	YWGL08	12VDC/24VDC-5VDC4A	9-36VDC	5VDC	4A	20W	58*40*22	97G/110G
8	#A06	YWGL08	12VDC/24VDC-5VDC5A	9-36VDC	5VDC	5A	25W	58*40*22	97G/110G
9	#A08	YWGL01	12VDC/24VDC-5VDC10A	9-36VDC	5VDC	10A	50W	74*74*32	300G/330G
10	#A08	YWGL01	12VDC/24VDC-5VDC15A	9-36VDC	5VDC	15A	75W	74*74*32	300G/330G
11	#A09	YWGL13	12VDC/24VDC-5VDC15A	9-36VDC	5VDC	15A	75W	100*80*39	500G/550G
12	#A08	YWGL13	12VDC/24VDC-5VDC20A	9-36VDC	5VDC	20A	100W	74*74*32	300G/330G
13	#A09	YWGL13	12VDC/24VDC-5VDC20A	9-36VDC	5VDC	20A	100W	100*80*39	500G/550G

Isolate design DC DC Converter #3: 48VDC-5VDC(1~24A)

Item No	Picture No	RF NO	Specification	Input Voltage VDC Range	Output Volt VDC	DC Output Current AMP	Max Power WATT	Size (MM) L*H*W	NW/GW (G)
16	#A06	YWGL09	36VDC/48VDC-5VDC1A	30-60VDC	5VDC	1A	5W	58*40*22	97G/110G
17	#A06	YWGL09	36VDC/48VDC-5VDC2A	30-60VDC	5VDC	2A	10W	58*40*22	97G/110G
18	#A06	YWGL09	36VDC/48VDC-5VDC3A	30-60VDC	5VDC	3A	15W	58*40*22	97G/110G
19	#A06	YWGL09	36VDC/48VDC-5VDC4A	30-60VDC	5VDC	4A	20W	58*40*22	97G/110G
20	#A06	YWGL09	36VDC/48VDC-5VDC5A	30-60VDC	5VDC	5A	25W	58*40*22	97G/110G
21	#A06	YWGL09	36VDC/48VDC-5VDC8A	30-60VDC	5VDC	8A	40W	58*40*22	97G/110G
22	#A08	YWGL02	36VDC/48VDC-5VDC8A	30-60VDC	5VDC	10A	50W	74*74*32	300G/330G
23	#A08	YWGL02	36VDC/48VDC-5VDC8A	30-60VDC	5VDC	12A	60W	74*74*32	300G/330G
24	#A08	YWGL02	36VDC/48VDC-5VDC10A	30-60VDC	5VDC	15A	75W	74*74*32	300G/330G
25	#A08	YWGL02	36VDC/48VDC-5VDC12A	30-60VDC	5VDC	18A	90W	74*74*32	300G/330G
26	#A08	YWGL02	36VDC/48VDC-5VDC15A	30-60VDC	5VDC	20A	100W	74*74*32	300G/330G
27	#A09	YWGL14	36VDC/48VDC-5VDC20A	30-60VDC	5VDC	22A	110W	100*80*39	500G/550G
28	#A09	YWGL14	36VDC/48VDC-5VDC24A	30-60VDC	5VDC	24A	120W	100*80*39	500G/550G

Isolate design DC DC Converter #4: 48VDC-12VDC(1-15A)

Item No	Picture No	RF NO	Specification	Input Voltage VDC Range	Output Volt VDC	DC Output Current AMP	Max Power WATT	Size (MM) L*H*W	NW/GW (G)
100	#A06	YWGL09	48VDC-12VDC1A	20-72VDC	12VDC	1A	12W	58*40*22	97G/110G
101	#A06	YWGL09	48VDC-12VDC2A	20-72VDC	12VDC	2A	24W	58*40*22	97G/110G
102	#A06	YWGL09	48VDC-12VDC3A	20-72VDC	12VDC	3A	36W	58*40*22	97G/110G
103	#A06	YWGL09	48VDC-12VDC4A	20-72VDC	12VDC	4A	48W	58*40*22	97G/110G
104	#A08	YWGL02	48VDC-12VDC5A	20-72VDC	12VDC	5A	60W	74*74*32	300G/330G
105	#A08	YWGL02	48VDC-12VDC8A	20-72VDC	12VDC	8A	96W	74*74*32	300G/330G
106	#A08	YWGL02	48VDC-12VDC10A	20-72VDC	12VDC	10A	120W	74*74*32	300G/330G
107	#A09	YWGL14	48VDC-12VDC12A	20-72VDC	12VDC	12A	144W	100*80*39	500G/550G
108	#A09	YWGL14	48VDC-12VDC15A	20-72VDC	12VDC	15A	180W	100*80*39	500G/550G

Isolate design DC DC Converter #2: 24VDC-12VDC(1-10A)

Item No	Picture No	RF NO	Specification	Input Voltage VDC Range	Output Volt VDC	DC Output Current AMP	Max Power WATT	Size (MM) L*H*W	NW/GW (G)
74	#A06	YWGL08	24VDC-12VDC1A	15-36VDC	12VDC	1A	12W	58*40*22	97G/110G
75	#A06	YWGL08	24VDC-12VDC2A	15-36VDC	12VDC	2A	12W	58*40*22	97G/110G
76	#A08	YWGL08	24VDC-12VDC3A	15-36VDC	12VDC	3A	36W	58*40*22	97G/110G
77	#A08	YWGL01	24VDC-12VDC3A	15-36VDC	12VDC	3A	36W	74*74*32	300G/330G
78	#A06	YWGL08	24VDC-12VDC4A	15-36VDC	12VDC	4A	48W	58*40*22	97G/110G
79	#A06	YWGL08	24VDC-12VDC5A	15-36VDC	12VDC	5A	60W	58*40*22	97G/110G
80	#A08	YWGL01	24VDC-12VDC5A	15-36VDC	12VDC	5A	60W	74*74*32	300G/330G
81	#A08	YWGL01	24VDC-12VDC8A	15-36VDC	12VDC	8A	96W	74*74*32	300G/330G
82	#A08	YWGL01	24VDC-12VDC10A	15-36VDC	12VDC	10A	120W	74*74*32	300G/330G

Isolate design DC DC Converter

#5: 60VDC-12VDC(1-15A)

Item No	Picture No	RF NO	Specification	Input Voltage VDC Range	Output Volt VDC	DC Output Current AMP	Max Power WATT	Size (MM) L*H*W
126	#A06	YWGL09	60VDC-12VDC1A	20-72VDC	12VDC	1A	12W	58*40*22
127	#A06	YWGL09	60VDC-12VDC2A	20-72VDC	12VDC	2A	24W	58*40*22
128	#A06	YWGL09	60VDC-12VDC3A	20-72VDC	12VDC	3A	36W	58*40*22
129	/	YS01	(48V-120VDC)-12VDC5A	48V-120VDC	12VDC	5A	60W	152*53*36
130	#A06	YWGL09	60VDC-12VDC4A	20-72VDC	12VDC	4A	48W	58*40*22
131	#A08	YWGL02	60VDC-12VDC5A	20-72VDC	12VDC	5A	60W	74*74*32
132	/	YS02	(48V-120VDC)-12VDC10A	48V-120VDC	12VDC	10A	120W	150*86*45
133	#A08	YWGL02	60VDC-12VDC8A	20-72VDC	12VDC	8A	96W	74*74*32
134	#A08	YWGL02	60VDC-12VDC10A	20-72VDC	12VDC	10A	120W	74*74*32
135	/	NQZB100	60VDC-12VDC10A	60VDC	12VDC	10A	120W	165*92*45
136	#A09	YWGL14	60VDC-12VDC12A	20-72VDC	12VDC	12A	144W	100*80*39
137	#A09	YWGL14	60VDC-12VDC15A	20-72VDC	12VDC	15A	180W	100*80*39
138	/	YS03	(48V-120VDC)-12VDC20A	48V-120VDC	12VDC	20A	240W	120*145*66
139	/	NQZB200	60VDC-12VDC20A	60VDC	12VDC	20A	240W	205*92*45
140	/	YS04	(48V-120VDC)-12VDC25A	48V-120VDC	12VDC	25A	300W	160*145*66
141	/	YS05	(48V-120VDC)-12VDC30A	48V-120VDC	12VDC	30A	360W	160*145*66
142	/	NQZB300	60VDC-12VDC30A	60VDC	12VDC	30A	360W	205*92*45

Isolate design DC DC Converter #6: 72VDC-5VDC(1~24A)

Item No	Picture No	RF NO	Specification	Input Voltage VDC Range	Output Volt VDC	DC Output Current AMP	Max Power WATT	Size (MM) L*H*W	NW/GW (G)
31	#A06	YWGL10	60VDC/72VDC/84VDC/96VDC-5VDC1A	50-100VDC	5VDC	1A	5W	58*40*22	97G/110G
32	#A06	YWGL10	60VDC/72VDC/84VDC/96VDC-5VDC1A	50-100VDC	5VDC	2A	10W	58*40*22	97G/110G
33	#A06	YWGL10	60VDC/72VDC/84VDC/96VDC-5VDC1A	50-100VDC	5VDC	3A	15W	58*40*22	97G/110G
34	#A06	YWGL10	60VDC/72VDC/84VDC/96VDC-5VDC1A	50-100VDC	5VDC	4A	20W	58*40*22	97G/110G
35	#A06	YWGL10	60VDC/72VDC/84VDC/96VDC-5VDC1A	50-100VDC	5VDC	5A	25W	58*40*22	97G/110G
36	#A06	YWGL10	60VDC/72VDC/84VDC/96VDC-5VDC1A	50-100VDC	5VDC	8A	40W	58*40*22	97G/110G
37	#A08	YWGL03	60VDC/72VDC/84VDC/96VDC-5VDC1A	50-100VDC	5VDC	10A	50W	74*74*32	300G/330G
38	#A08	YWGL03	60VDC/72VDC/84VDC/96VDC-5VDC1A	50-100VDC	5VDC	12A	60W	74*74*32	300G/330G
39	#A08	YWGL03	60VDC/72VDC/84VDC/96VDC-5VDC1A	50-100VDC	5VDC	15A	75W	74*74*32	300G/330G
40	#A08	YWGL03	60VDC/72VDC/84VDC/96VDC-5VDC1A	50-100VDC	5VDC	18A	90W	74*74*32	300G/330G
41	#A08	YWGL03	60VDC/72VDC/84VDC/96VDC-5VDC1A	50-100VDC	5VDC	20A	100W	74*74*32	300G/330G
42	#A09	YWGL03	60VDC/72VDC/84VDC/96VDC-5VDC1A	50-100VDC	5VDC	22A	110W	100*80*39	500G/550G
43	#A09	YWGL15	60VDC/72VDC/84VDC/96VDC-5VDC1A	50-100VDC	5VDC	24A	120W	100*80*39	500G/550G

Isolate design DC DC Converter #7: 72VDC-12VDC(1-100A)

Item No	Picture No	RF NO	Specification	Input Voltage VDC Range	Output Volt VDC	DC Output Current AMP	Max Power WATT	Size (MM) L*H*W	NW/GW (G)
152	#A06	YWGL10	72VDC-12VDC1A	50-120VDC	12VDC	1A	12W	58*40*22	97G/110G
153	#A06	YWGL10	72VDC-12VDC2A	50-120VDC	12VDC	2A	24W	58*40*22	97G/110G
154	#A06	YWGL10	72VDC-12VDC3A	50-120VDC	12VDC	3A	36W	58*40*22	97G/110G
155	/	YS01	(48V-120VDC)-12VDC5A	48V-120VDC	12VDC	5A	60W	152*53*36	150G/170G
156	#A06	YWGL10	72VDC-12VDC4A	50-120VDC	12VDC	4A	48W	58*40*22	97G/110G
157	#A08	YWGL03	72VDC-12VDC5A	50-120VDC	12VDC	5A	60W	74*74*32	300G/330G
158	#A08	YWGL03	72VDC-12VDC8A	50-120VDC	12VDC	8A	96W	74*74*32	300G/330G
159	/	YS02	(48V-120VDC)-12VDC10A	48V-120VDC	12VDC	10A	120W	150*86*45	350G/380G
160	#A08	YWGL03	72VDC-12VDC10A	50-120VDC	12VDC	10A	120W	74*74*32	300G/330G
161	/	NQZB100	72VDC-12VDC10A	72VDC	12VDC	10A	120W	165*92*45	/
162	#A09	YWGL15	72VDC-12VDC12A	50-120VDC	12VDC	12A	144W	100*80*39	500G/550G
163	#A09	YWGL15	72VDC-12VDC15A	50-120VDC	12VDC	15A	180W	100*80*39	500G/550G
164	/	YS03	(48V-120VDC)-12VDC20A	48V-120VDC	12VDC	20A	240W	120*145*66	1050G/1150G
165	/	NQZB200	72VDC-12VDC20A	72VDC	12VDC	20A	240W	205*92*45	/
166	/	YS04	(48V-120VDC)-12VDC25A	48V-120VDC	12VDC	25A	300W	160*145*66	1750G/1900G

Isolate design DC DC Converter

#8: 72VDC84VDC96VDC108VDC-24VDC(1-50A)

Item No	Picture No	RF NO	Specification	Input Voltage VDC Range	Output Volt VDC	DC Output Current AMP	Max Power WATT	Size (MM) L*H*W	NW/GW (G)
264	#A06	YWGL10	72VDC84VDC96VDC108V-DC24V	50-120VDC	24VDC	1A	24W	58*40*22	97G/110G
265	#A06	YWGL10	72VDC84VDC96VDC108V-DC24V	50-120VDC	24VDC	1.5A	36W	58*40*22	97G/110G
266	#A08	YWGL10	72VDC84VDC96VDC108V-DC24V	50-120VDC	24VDC	3A	72W	74*74*32	300G/330G
267	/	YS13	(48V-120VDC)-24VDC5A	48V-120VDC	24VDC	5A	120W	150*86*45	350G/380G
268	#A08	YWGL03	72VDC84VDC96VDC108V-DC24V	50-120VDC	24VDC	5A	120W	74*74*32	300G/330G
269	#A09	YWGL15	72VDC84VDC96VDC108V-DC24V	50-120VDC	24VDC	8A	192W	100*80*39	500G/550G
270	#A09	YWGL15	72VDC84VDC96VDC108V-DC24V	50-120VDC	24VDC	10A	240W	100*80*39	500G/550G
271	/	YS14	(48V-120VDC)-24VDC10A	48V-120VDC	24VDC	10A	240W	120*145*66	1050G/1150G
272	/	YS15	(48V-120VDC)-24VDC15A	48V-120VDC	24VDC	15A	360W	160*145*66	1750G/1900G
273	/	YS16	(48V-120VDC)-24VDC20A	48V-120VDC	24VDC	20A	480W	200*145*66	2750G/3000G
274	/	YS17	(48V-120VDC)-24VDC25A	48V-120VDC	24VDC	25A	600W	200*145*66	2750G/3000G
275	/	YS18	(48V-120VDC)-24VDC30A	48V-120VDC	24VDC	30A	720W	242*140*66	3750G/4000G
276	/	YS19	(48V-120VDC)-24VDC35A	48V-120VDC	24VDC	35A	840W	242*140*66	3750G/4000G
277	/	YS20	(48V-120VDC)-24VDC40A	48V-120VDC	24VDC	40A	960W	242*140*66	3750G/4000G
278	/	YS21	(48V-120VDC)-24VDC45A	48V-120VDC	24VDC	45A	1080W	242*140*66	3750G/4000G
279	/	YS22	(48V-120VDC)-24VDC50A	48V-120VDC	24VDC	50A	1200W	242*140*66	3750G/4000G

Isolate design DC DC Converter #9: 120VDC-5VDC(1~24A)

Item No	Picture No	RF NO	Specification	Input Voltage VDC Range	Output Volt VDC	DC Output Current AMP	Max Power WATT	Size (MM) L*H*W	NW/GW (G)
46	#A06	YWGL11	84VDC/96VDC/108VDC/120VDC1A	75-150VDC	5VDC	1A	5W	58*40*22	97G/110G
47	#A06	YWGL11	84VDC/96VDC/108VDC/120VDC2A	75-150VDC	5VDC	2A	10W	58*40*22	97G/110G
48	#A06	YWGL11	84VDC/96VDC/108VDC/120VDC3A	75-150VDC	5VDC	3A	15W	58*40*22	97G/110G
49	#A06	YWGL11	84VDC/96VDC/108VDC/120VDC4A	75-150VDC	5VDC	4A	20W	58*40*22	97G/110G
50	#A06	YWGL11	84VDC/96VDC/108VDC/120VDC5A	75-150VDC	5VDC	5A	25W	58*40*22	97G/110G
51	#A06	YWGL11	84VDC/96VDC/108VDC/120VDC8A	75-150VDC	5VDC	8A	40W	58*40*22	97G/110G
52	#A08	YWGL04	84VDC/96VDC/108VDC/120VDC10A	75-150VDC	5VDC	10A	50W	74*74*32	300G/330G
53	#A08	YWGL04	84VDC/96VDC/108VDC/120VDC12A	75-150VDC	5VDC	12A	60W	74*74*32	300G/330G
54	#A08	YWGL04	84VDC/96VDC/108VDC/120VDC15A	75-150VDC	5VDC	15A	75W	74*74*32	300G/330G
55	#A08	YWGL04	84VDC/96VDC/108VDC/120VDC18A	75-150VDC	5VDC	18A	90W	74*74*32	300G/330G
56	#A08	YWGL04	84VDC/96VDC/108VDC/120VDC20A	75-150VDC	5VDC	20A	100W	74*74*32	300G/330G
57	#A09	YWGL16	84VDC/96VDC/108VDC/120VDC22A	75-150VDC	5VDC	22A	110W	100*80*39	500G/550G
58	#A09	YWGL16	84VDC/96VDC/108VDC/120VDC24A	75-150VDC	5VDC	24A	120W	100*80*39	500G/550G

Isolate design DC DC Converter #10: 1224VDC-12VDC(1-15A)

Item No	Picture No	RF NO	Specification	Input Voltage VDC Range	Output Volt VDC	DC Output Current AMP	Max Power WATT	Size (MM) L*H*W	NW/GW (G)
61	#A06	YWGL08	(9-36VDC)-12VDC1A	9-36VDC	12VDC	1A	12W	58*40*22	97G/110G
62	#A06	YWGL08	(9-36VDC)-12VDC2A	9-36VDC	12VDC	2A	24W	58*40*22	97G/110G
63	#A06	YWGL08	(9-36VDC)-12VDC3A	9-36VDC	12VDC	3A	36W	58*40*22	97G/110G
64	#A08	YWGL01	(9-36VDC)-12VDC3A	9-36VDC	12VDC	3A	36W	74*74*32	300G/330G
65	#A06	YWGL08	(9-36VDC)-12VDC4A	9-36VDC	12VDC	4A	48W	58*40*22	97G/110G
66	#A06	YWGL08	(9-36VDC)-12VDC5A	9-36VDC	12VDC	5A	60W	58*40*22	97G/110G
67	#A08	YWGL01	(9-36VDC)-12VDC5A	9-36VDC	12VDC	5A	60W	74*74*32	300G/330G
68	#A08	YWGL01	(9-36VDC)-12VDC8A	9-36VDC	12VDC	8A	96W	74*74*32	300G/330G
69	#A08	YWGL01	(9-36VDC)-12VDC10A	9-36VDC	12VDC	10A	120W	74*74*32	300G/330G
70	#A09	YWGL13	(9-36VDC)-12VDC12A	9-36VDC	12VDC	12A	144W	100*80*39	500G/550G
71	#A09	YWGL13	(9-36VDC)-12VDC15A	9-36VDC	12VDC	15A	180W	100*80*39	500G/550G

Isolate design DC DC Converter #11: (30-72VDC)-24VDC(1-50A)

Item No	Picture No	RF NO	Specification	Input Voltage VDC Range	Output Volt VDC	DC Output Current AMP	Max Power WATT	Size (MM) L*H*W	NW/GW (G)
246	#A06	YWGL09	36VDC48VDC60VDC-24VDC1A	30-72VDC	24VDC	1A	24W	58*40*22	97G/110G
247	#A06	YWGL09	36VDC48VDC60VDC-24VDC1.5A	30-72VDC	24VDC	1.5A	36W	58*40*22	97G/110G
248	#A08	YWGL09	36VDC48VDC60VDC-24VDC3A	30-72VDC	24VDC	3A	72W	74*74*32	300G/330G
249	/	YS13	(48V-120VDC)-24VDC5A	48V-120VDC	24VDC	5A	120W	150*86*45	350G/380G
250	#A08	YWGL02	36VDC48VDC60VDC-24VDC5A	30-72VDC	24VDC	5A	120W	74*74*32	300G/330G
251	#A09	YWGL14	36VDC48VDC60VDC-24VDC8A	30-72VDC	24VDC	8A	192W	100*80*39	500G/550G
252	#A09	YWGL14	36VDC48VDC60VDC-24VDC10A	30-72VDC	24VDC	10A	240W	100*80*39	500G/550G
253	/	YS14	(48V-120VDC)-24VDC10A	48V-120VDC	24VDC	10A	240W	120*145*66	1050G/1150G
254	/	YS15	(48V-120VDC)-24VDC15A	48V-120VDC	24VDC	15A	360W	160*145*66	1750G/1900G
255	/	YS16	(48V-120VDC)-24VDC20A	48V-120VDC	24VDC	20A	480W	200*145*66	2750G/3000G
256	/	YS17	(48V-120VDC)-24VDC25A	48V-120VDC	24VDC	25A	600W	200*145*66	2750G/3000G
257	/	YS18	(48V-120VDC)-24VDC30A	48V-120VDC	24VDC	30A	720W	242*140*66	3750G/4000G
258	/	YS19	(48V-120VDC)-24VDC35A	48V-120VDC	24VDC	35A	840W	242*140*66	3750G/4000G
259	/	YS20	(48V-120VDC)-24VDC40A	48V-120VDC	24VDC	40A	960W	242*140*66	3750G/4000G
260	/	YS21	(48V-120VDC)-24VDC45A	48V-120VDC	24VDC	45A	1080W	242*140*66	3750G/4000G
261	/	YS22	(48V-120VDC)-24VDC50A	48V-120VDC	24VDC	50A	1200W	242*140*66	3750G/4000G

Isolate design-19inch Rack Type



**Contact us now if you can
not find the mach one!**



Isolate design-19inch Rack Type

19inch Rack Mount DC DC CONVERTER-IDEALPLUSING

NO	Input Voltage-VDC	OUTPUT Voltage-VDC	Output Current-AMPS	Size (MM)
[24VDC to 48VDC] 19 inch rack mount DC DC CONVERTER				
#1	24VDC	48VDC	10A	19"2U(482*240*88)
#2	24VDC	48VDC	20A	19"2U(482*240*88)
#3	24VDC	48VDC	30A	19"2U(482*240*88)
#4	24VDC	48VDC	40A	19"2U(482*240*88)
#5	24VDC	48VDC	50A	19"2U(482*240*88)
[24VDC to 110VDC] 19 inch rack mount DC DC CONVERTER				
#6	24VDC	110VDC	5A	19"2U(482*240*88)
#7	24VDC	110VDC	10A	19"2U(482*240*88)
#8	24VDC	110VDC	20A	19"2U(482*240*88)
[24VDC to 125VDC] 19 inch rack mount DC DC CONVERTER				
#9	24VDC	125VDC	5A	19"2U(482*240*88)
#10	24VDC	125VDC	10A	19"2U(482*240*88)
#11	24VDC	125VDC	20A	19"2U(482*240*88)

Isolate design-19inch Rack Type

[48VDC to 48VDC] 19 inch rack mount DC DC CONVERTER

#12	48VDC	48VDC	10A	19"2U(482*240*88)
#13	48VDC	48VDC	20A	19"2U(482*240*88)
#14	48VDC	48VDC	30A	19"2U(482*240*88)
#15	48VDC	48VDC	40A	19"2U(482*240*88)
#16	48VDC	48VDC	50A	19"2U(482*240*88)

[48VDC to 24VDC] 19 inch rack mount DC DC CONVERTER

#17	48VDC	24VDC	5A	19"2U(482*240*88)
#18	48VDC	24VDC	10A	19"2U(482*240*88)
#19	48VDC	24VDC	20A	19"2U(482*240*88)
#20	48VDC	24VDC	30A	19"2U(482*240*88)
#21	48VDC	24VDC	40A	19"2U(482*240*88)
#22	48VDC	24VDC	50A	19"2U(482*240*88)

[48VDC to 110VDC] 19 inch rack mount DC DC CONVERTER

#20	48VDC	110VDC	5A	19"2U(482*240*88)
#21	48VDC	110VDC	10A	19"2U(482*240*88)
#22	48VDC	110VDC	20A	19"2U(482*240*88)

Isolate design-19inch Rack Type

[48VDC to 125VDC] 19 inch rack mount DC DC CONVERTER

#23	48VDC	125VDC	5A	19"2U(482*240*88)
#24	48VDC	125VDC	10A	19"2U(482*240*88)
#25	48VDC	125VDC	20A	19"2U(482*240*88)

[48VDC to 220VDC] 19 inch rack mount DC DC CONVERTER

#23	48VDC	220VDC	5A	19"2U(482*240*88)
#24	48VDC	220VDC	10A	19"2U(482*240*88)

[110VDC to 24VDC] 19 inch rack mount DC DC CONVERTER

#25	110VDC	24VDC	5A	19"2U(482*240*88)
#26	110VDC	24VDC	10A	19"2U(482*240*88)
#27	110VDC	24VDC	20A	19"2U(482*240*88)
#28	110VDC	24VDC	30A	19"2U(482*240*88)
#29	110VDC	24VDC	40A	19"2U(482*240*88)
#30	110VDC	24VDC	50A	19"2U(482*240*88)

Isolate design-19inch Rack Type

[125VDC to 24VDC] 19 inch rack mount DC DC CONVERTER				
#25	125VDC	24VDC	5A	19"2U(482*240*88)
#26	125VDC	24VDC	10A	19"2U(482*240*88)
#27	125VDC	24VDC	20A	19"2U(482*240*88)
#28	125VDC	24VDC	30A	19"2U(482*240*88)
#29	125VDC	24VDC	40A	19"2U(482*240*88)
#30	125VDC	24VDC	50A	19"2U(482*240*88)
[110VDC to 48VDC] 19 inch rack mount DC DC CONVERTER				
#31	110VDC	48VDC	10A	19"2U(482*240*88)
#32	110VDC	48VDC	20A	19"2U(482*240*88)
#33	110VDC	48VDC	30A	19"2U(482*240*88)
#34	110VDC	48VDC	40A	19"2U(482*240*88)
#35	110VDC	48VDC	50A	19"2U(482*240*88)
[125VDC to 48VDC] 19 inch rack mount DC DC CONVERTER				
#36	125VDC	48VDC	20A	19"2U(482*240*88)
#37	125VDC	48VDC	30A	19"2U(482*240*88)
#38	125VDC	48VDC	40A	19"2U(482*240*88)
#39	125VDC	48VDC	50A	19"2U(482*240*88)
#40	125VDC	48VDC	60A	19"2U(482*240*88)

Isolate design-19inch Rack Type

[110VDC to 110VDC] 19 inch rack mount DC DC CONVERTER				
#41	110VDC	110VDC	5A	19"2U(482*240*88)
#42	110VDC	110VDC	10A	19"2U(482*240*88)
#43	110VDC	110VDC	20A	19"2U(482*240*88)
[125VDC to 125VDC] 19 inch rack mount DC DC CONVERTER				
#44	125VDC	125VDC	5A	19"2U(482*240*88)
#45	125VDC	125VDC	10A	19"2U(482*240*88)
#46	125VDC	125VDC	20A	19"2U(482*240*88)
[110VDC to 220VDC] 19 inch rack mount DC DC CONVERTER				
#47	110VDC	220VDC	5A	19"2U(482*240*88)
#48	110VDC	220VDC	10A	19"2U(482*240*88)
[125VDC to 220VDC] 19 inch rack mount DC DC CONVERTER				
#49	125VDC	220VDC	5A	19"2U(482*240*88)
#50	125VDC	220VDC	10A	19"2U(482*240*88)
[220VDC to 24VDC] 19 inch rack mount DC DC CONVERTER				
#51	220VDC	24VDC	5A	19"2U(482*240*88)
#52	220VDC	24VDC	10A	19"2U(482*240*88)
#53	220VDC	24VDC	20A	19"2U(482*240*88)
#54	220VDC	24VDC	30A	19"2U(482*240*88)
#55	220VDC	24VDC	40A	19"2U(482*240*88)
#56	220VDC	24VDC	50A	19"2U(482*240*88)

Isolate design-19inch Rack Type

[220VDC to 48VDC] 19 inch rack mount DC DC CONVERTER				
#57	220VDC	48VDC	10A	19"2U(482*240*88)
#58	220VDC	48VDC	20A	19"2U(482*240*88)
#59	220VDC	48VDC	30A	19"2U(482*240*88)
#60	220VDC	48VDC	40A	19"2U(482*240*88)
#61	220VDC	48VDC	50A	19"2U(482*240*88)
[220VDC to 110VDC] 19 inch rack mount DC DC CONVERTER				
#62	220VDC	110VDC	5A	19"2U(482*240*88)
#63	220VDC	110VDC	10A	19"2U(482*240*88)
#64	220VDC	110VDC	20A	19"2U(482*240*88)
[220VDC to 125VDC] 19 inch rack mount DC DC CONVERTER				
#65	220VDC	125VDC	5A	19"2U(482*240*88)
#66	220VDC	125VDC	10A	19"2U(482*240*88)
#67	220VDC	125VDC	20A	19"2U(482*240*88)
[220VDC to 220VDC] 19 inch rack mount DC DC CONVERTER				
#68	220VDC	220VDC	5A	19"2U(482*240*88)
#69	220VDC	220VDC	10A	19"2U(482*240*88)

2. AC-DC POWER SUPPLY

AC-DC POWER SUPPLY

Adjustable DC Power Supply

Customize High Power DC Supply

Programmable DC Power Supply

High Voltage Power Supply

Rectifier & Rectifier System

Switching Power Supply

Battery Charger

Adjustable DC Poower Supply

Customized Range

Input: (Option)

1 Phase: AC220V $\pm$ 15% 50Hz/60Hz

3 Phase: AC380V $\pm$ 15% 50Hz/60Hz

Output:

1~50000V Stabilizer voltage value. 1% to 100% adjustable

1~50000A Constant current value. 1% to 100% adjustable

Adjustable mode: Keystroke / Knob/Touch panel optional

ATD SERIES-Adjustable DC Poower Supply

NO	Series
#1	IPS-ATD Series 300~599W
#2	IPS-ATD Series 600W
#3	IPS-ATD Series 601-999W
#4	IPS-ATD Series 1000W
#5	IPS-ATD Series 1001-1499W
#6	IPS-ATD Series 1500W
#7	IPS-ATD Series 2001~2999W
#8	IPS-ATD Series 3000W
#9	IPS-ATD Series 6000W
#10	IPS-ATD Series 6001-9999W
#11	IPS-ATD Series 10000W
#12	IPS-ATD Series 10001-12000W
#13	IPS-ATD Series 20000W

**Contact us now if you can
not find the macth one!**

REFERENCE PICTURE

#01: 163*330*88(MM)

#02: 240*330*88(MM)

#03: 430*350*88(MM)

#04: 430*350*176(MM)



#05: 430*350*264(MM)

#06: 430*350*352(MM)

#07: 430*350*440(MM)



IPS-ATD Series 300~599W

Item NO	Model IPS-ATD	Dimension MM	AC INPUT VAC	DC Output Volts VDC	Output Amps AMP	Output Power WATT	NW KG	GW KG
#56	IPS-ATD5120	240*330*88	1PH 220VAC±15%	5VDC	120A	600W	5.5KG	7.5KG
#57	IPS-ATD6100	240*330*88	1PH 220VAC±15%	6VDC	100A	600W	5.5KG	7.5KG
#58	IPS-ATD1060	165*330*88	1PH 220VAC±15%	10VDC	60A	600W	3.5KG	5.5KG
#59	IPS-ATD1250	165*330*88	1PH 220VAC±15%	12VDC	50A	600W	3.5KG	5.5KG
#60	IPS-ATD1540	165*330*88	1PH 220VAC±15%	15VDC	40	600W	3.5KG	5.5KG
#61	IPS-ATD2030	165*330*88	1PH 220VAC±15%	20VDC	30A	600W	3.5KG	5.5KG
#62	IPS-ATD2425	165*330*88	1PH 220VAC±15%	24VDC	25A	600W	3.5KG	5.5KG
#63	IPS-ATD2524	165*330*88	1PH 220VAC±15%	25VDC	24A	600W	3.5KG	5.5KG
#64	IPS-ATD3020	165*330*88	1PH 220VAC±15%	30VDC	20A	600W	3.5KG	5.5KG
#65	IPS-ATD4015	165*330*88	1PH 220VAC±15%	40VDC	15A	600W	3.5KG	5.5KG
#66	IPS-ATD6010	165*330*88	1PH 220VAC±15%	60VDC	10A	600W	3.5KG	5.5KG
#67	IPS-ATD1006	165*330*88	1PH 220VAC±15%	100VDC	6A	600W	3.5KG	5.5KG
#68	IPS-ATD1205	165*330*88	1PH 220VAC±15%	120VDC	5A	600W	3.5KG	5.5KG
#69	IPS-ATD1504	165*330*88	1PH 220VAC±15%	150VDC	4A	600W	3.5KG	5.5KG
#70	IPS-ATD2003	165*330*88	1PH 220VAC±15%	200VDC	3A	600W	3.5KG	5.5KG

IPS-ATD Series 601-999W

Item NO	Model IPS-ATD	Dimension MM	AC INPUT VAC	DC Output Volts VDC	Output Amps AMP	Output Power WATT	NW KG	GW KG
#73	IPS-ATD7100	240*330*88	1PH 220VAC±15%	7VDC	100A	700W	5.5KG	7.5KG
#74	IPS-ATD8100	240*330*88	1PH 220VAC±15%	8VDC	100A	800W	5.5KG	7.5KG
#75	IPS-ATD9100	240*330*88	1PH 220VAC±15%	9VDC	100A	900W	5.5KG	7.5KG
#76	IPS-ATD1070	240*330*88	1PH 220VAC±15%	10VDC	70A	700W	5.5KG	7.5KG
#77	IPS-ATD1080	240*330*88	1PH 220VAC±15%	10VDC	80A	800W	5.5KG	7.5KG
#78	IPS-ATD1090	240*330*88	1PH 220VAC±15%	10VDC	90A	900W	5.5KG	7.5KG
#79	IPS-ATD1550	165*330*88	1PH 220VAC±15%	15VDC	50A	750W	3.5KG	7.5KG
#80	IPS-ATD1560	165*330*88	1PH 220VAC±15%	15VDC	60A	900W	3.5KG	7.5KG
#81	IPS-ATD2035	165*330*88	1PH 220VAC±15%	20VDC	35A	700W	3.5KG	7.5KG
#82	IPS-ATD2040	165*330*88	1PH 220VAC±15%	20VDC	40A	800W	3.5KG	7.5KG
#83	IPS-ATD4820	165*330*88	1PH 220VAC±15%	48VDC	20A	960W	3.5KG	7.5KG
#84	IPS-ATD5015	165*330*88	1PH 220VAC±15%	50VDC	15A	750W	3.5KG	7.5KG
#85	IPS-ATD7010	165*330*88	1PH 220VAC±15%	70VDC	10A	700W	3.5KG	7.5KG
#86	IPS-ATD8010	165*330*88	1PH 220VAC±15%	80VDC	10A	800W	3.5KG	7.5KG
#87	IPS-ATD9010	165*330*88	1PH 220VAC±15%	90VDC	10A	900W	3.5KG	7.5KG
#88	IPS-ATD1007	165*330*88	1PH 220VAC±15%	100VDC	7A	700W	3.5KG	7.5KG

IPS-ATD Series 1000W

Item NO	Model IPS-ATD	Dimension MM	AC INPUT VAC	DC Output Volts VDC	Output Amps AMP	Output Power WATT	NW KG	GW KG
#59	IPS-ATD5200	240*330*88	1PH 220VAC±15%	5VDC	200A	1000W	5.5KG	7KG
#60	IPS-ATD2050	165*330*88	1PH 220VAC±15%	20VDC	50A	1000W	3.5KG	5KG
#61	IPS-ATD2540	165*330*88	1PH 220VAC±15%	25VDC	40A	1000W	3.5KG	5KG
#62	IPS-ATD4025	165*330*88	1PH 220VAC±15%	40VDC	25A	1000W	3.5KG	5KG
#63	IPS-ATD5020	165*330*88	1PH 220VAC±15%	50VDC	20A	1000W	3.5KG	5KG
#64	IPS-ATD10010	165*330*88	1PH 220VAC±15%	100VDC	10A	1000W	3.5KG	5KG
#65	IPS-ATD1258	165*330*88	1PH 220VAC±15%	125VDC	8A	1000W	3.5KG	5KG
#66	IPS-ATD2005	165*330*88	1PH 220VAC±15%	200VDC	5A	1000W	3.5KG	5KG
#67	IPS-ATD2504	165*330*88	1PH 220VAC±15%	250VDC	4A	1000W	3.5KG	5KG
#68	IPS-ATD5002	240*330*88	1PH 220VAC±15%	500VDC	2A	1000W	5.5KG	7.5KG
#69	IPS-ATD10001	430*376*88	1PH 220VAC±15%	1000VDC	1A	1000W	18KG	20KG

IPS-ATD Series 1001-1499W

Item NO	Model IPS-ATD	Dimension MM	AC INPUT VAC	DC Output Volts VDC	Output Amps AMP	Output Power WATT	NW KG	GW KG
#70	IPS-ATD3300	430*370*88	1PH 220VAC±15%	3VDC	200A	600W	9KG	11KG
#71	IPS-ATD3400	430*370*88	1PH 220VAC±15%	3VDC	400A	1200W	9KG	11KG
#72	IPS-ATD4300	430*370*88	1PH 220VAC±15%	4VDC	300A	1200W	9KG	11KG
#73	IPS-ATD6200	430*370*88	1PH 220VAC±15%	6VDC	200A	1200W	9KG	11KG
#74	IPS-ATD10110	240*330*88	1PH 220VAC±15%	10VDC	110A	1100W	5.5KG	7.5KG
#75	IPS-ATD12100	240*330*88	1PH 220VAC±15%	12VDC	100A	1200W	5.5KG	7.5KG
#76	IPS-ATD2060	240*330*88	1PH 220VAC±15%	20VDC	60A	1200W	5.5KG	7.5KG
#77	IPS-ATD2070	240*330*88	1PH 220VAC±15%	20VDC	70A	1400W	5.5KG	7.5KG
#78	IPS-ATD2460	240*330*88	1PH 220VAC±15%	24VDC	60A	1440W	5.5KG	7.5KG
#79	IPS-ATD3040	240*330*88	1PH 220VAC±15%	30VDC	40A	1200W	5.5KG	7.5KG
#80	IPS-ATD4030	240*330*88	1PH 220VAC±15%	40VDC	30A	1200W	5.5KG	7.5KG
#81	IPS-ATD4830	240*330*88	1PH 220VAC±15%	48VDC	30A	1440W	5.5KG	7.5KG
#82	IPS-ATD6020	240*330*88	1PH 220VAC±15%	60VDC	20A	1200W	5.5KG	7.5KG
#83	IPS-ATD7020	240*330*88	1PH 220VAC±15%	70VDC	20A	1400W	5.5KG	7.5KG
#84	IPS-ATD10011	240*330*88	1PH 220VAC±15%	100VDC	11A	1100W	5.5KG	7.5KG
#85	IPS-ATD10012	240*330*88	1PH 220VAC±15%	100VDC	12A	1200W	5.5KG	7.5KG
#86	IPS-ATD10013	240*330*88	1PH 220VAC±15%	100VDC	13A	1300W	5.5KG	7.5KG

IPS-ATD Series 1500W

Item NO	Model IPS-ATD	Dimension MM	AC INPUT VAC	DC Output Volts VDC	Output Amps AMP	Output Power WATT	NW KG	GW KG
#98	IPS-ATD5300	430*370*176	1PH 220VAC±15%	5VDC	300A	1500W	18KG	20KG
#99	IPS-ATD15100	240*330*88	1PH 220VAC±15%	15VDC	100A	1500W	5.5KG	7.5KG
#100	IPS-ATD2075	240*330*88	1PH 220VAC±15%	20VDC	75A	1500W	5.5KG	7.5KG
#101	IPS-ATD3050	240*330*88	1PH 220VAC±15%	30VDC	50A	1500W	5.5KG	7.5KG
#102	IPS-ATD5030	240*330*88	1PH 220VAC±15%	50VDC	30A	1500W	5.5KG	7.5KG
#103	IPS-ATD6025	240*330*88	1PH 220VAC±15%	60VDC	25A	1500W	5.5KG	7.5KG
#104	IPS-ATD10015	240*330*88	1PH 220VAC±15%	100VDC	15A	1500W	5.5KG	7.5KG
#105	IPS-ATD15010	240*330*88	1PH 220VAC±15%	150VDC	10A	1500W	5.5KG	7.5KG
#106	IPS-ATD3005	240*330*88	1PH 220VAC±15%	300VDC	5A	1500W	5.5KG	7.5KG

IPS-ATD Series 2001~2999W

Item NO	Model IPS-ATD	Dimension MM	AC INPUT VAC	DC Output Volts VDC	Output Amps AMP	Output Power WATT	NW KG	GW KG
#128	IPS-ATD10240	430*350*176	1PH 220VAC±15%	10VDC	240A	2400W	18KG	20KG
#129	IPS-ATD20125	430*350*88	1PH 220VAC±15%	20VDC	125A	2500W	9KG	11KG
#130	IPS-ATD25100	430*350*88	1PH 220VAC±15%	25VDC	100A	2500W	9KG	11KG
#131	IPS-ATD3070	430*350*88	1PH 220VAC±15%	30VDC	70A	2100W	9KG	11KG
#132	IPS-ATD3080	430*350*88	1PH 220VAC±15%	30VDC	80A	2400W	9KG	11KG
#133	IPS-ATD4850	430*350*88	1PH 220VAC±15%	48VDC	50A	2400W	9KG	11KG
#134	IPS-ATD5050	430*350*88	1PH 220VAC±15%	50VDC	50A	2500W	9KG	11KG
#135	IPS-ATD6040	430*350*88	1PH 220VAC±15%	60VDC	40A	2400W	9KG	11KG
#136	IPS-ATD7030	430*350*88	1PH 220VAC±15%	70VDC	30A	2100W	9KG	11KG
#137	IPS-ATD10025	430*350*88	1PH 220VAC±15%	100VDC	25A	2500W	9KG	11KG
#138	IPS-ATD11020	430*350*88	1PH 220VAC±15%	110VDC	20A	2200W	9KG	11KG
#139	IPS-ATD12020	430*350*88	1PH 220VAC±15%	120VDC	20A	2400W	9KG	11KG
#140	IPS-ATD12520	430*350*88	1PH 220VAC±15%	125VDC	20A	2500W	9KG	11KG
#141	IPS-ATD22010	430*350*88	1PH 220VAC±15%	220VDC	10A	2200W	9KG	11KG

IPS-ATD Series 3000W

Item NO	Model IPS-ATD	Dimension MM	AC INPUT VAC	DC Output Volts VDC	Output Amps AMP	Output Power WATT	NW KG	GW KG
#145	IPS-ATD10300	430*350*88	1PH 220VAC±15%	10VDC	300A	3000W	9KG	11KG
#146	IPS-ATD30100	430*350*88	1PH 220VAC±15%	30VDC	100A	3000W	9KG	11KG
#147	IPS-ATD4075	430*350*88	1PH 220VAC±15%	40VDC	75A	3000W	9KG	11KG
#148	IPS-ATD5060	430*350*88	1PH 220VAC±15%	50VDC	60A	3000W	9KG	11KG
#149	IPS-ATD6050	430*350*88	1PH 220VAC±15%	60VDC	50A	3000W	9KG	11KG
#150	IPS-ATD7540	430*350*88	1PH 220VAC±15%	75VDC	40A	3000W	9KG	11KG
#151	IPS-ATD10030	430*350*88	1PH 220VAC±15%	100VDC	30A	3000W	9KG	11KG
#152	IPS-ATD15020	430*350*88	1PH 220VAC±15%	150VDC	20A	3000W	9KG	11KG
#153	IPS-ATD12512	430*350*88	1PH 220VAC±15%	250VDC	12A	3000W	9KG	11KG
#154	IPS-ATD30010	430*350*88	1PH 220VAC±15%	300VDC	10A	3000W	9KG	11KG
#155	IPS-ATD5006	430*350*88	1PH 220VAC±15%	500VDC	6A	3000W	9KG	11KG
#156	IPS-ATD6005	430*350*88	1PH 220VAC±15%	600VDC	5A	3000W	9KG	11KG
#157	IPS-ATD10003	430*376*88	1PH 220VAC±15%	1000VDC	2A	2000W	18KG	20KG

IPS-ATD Series 6000W

Item NO	Model IPS-ATD	Dimension MM	AC INPUT VAC	DC Output Volts VDC	Output Amps AMP	Output Power WATT	NW KG	GW KG
#195	IPS-ATD10600	430*370*176	3PH 380VAC±15%	10VDC	600A	6000W	18KG	20KG
#196	IPS-ATD20300	430*370*176	3PH 380VAC±15%	20VDC	300A	6000W	18KG	20KG
#197	IPS-ATD30200	430*370*176	1PH 220VAC±15%	30VDC	200A	6000W	18KG	20KG
#198	IPS-ATD40150	430*370*176	1PH 220VAC±15%	40VDC	150A	6000W	18KG	20KG
#199	IPS-ATD50120	430*370*176	1PH 220VAC±15%	50VDC	120A	6000W	18KG	20KG
#200	IPS-ATD60100	430*370*176	3PH 380VAC±15%	60VDC	100A	6000W	18KG	20KG
#201	IPS-ATD8075	430*370*176	3PH 380VAC±15%	80VDC	75A	6000W	18KG	20KG
#202	IPS-ATD10060	430*370*176	3PH 380VAC±15%	100VDC	60A	6000W	18KG	20KG
#203	IPS-ATD12550	430*370*176	3PH 380VAC±15%	125VDC	50A	6000W	18KG	20KG
#204	IPS-ATD15040	430*370*176	3PH 380VAC±15%	150VDC	40A	6000W	18KG	20KG
#205	IPS-ATD20030	430*370*176	3PH 380VAC±15%	200VDC	30A	6000W	18KG	20KG
#206	IPS-ATD30020	430*370*176	3PH 380VAC±15%	300VDC	20A	6000W	18KG	20KG
#207	IPS-ATD60010	430*370*176	3PH 380VAC±15%	600VDC	10A	6000W	18KG	20KG

IPS-ATD Series 6001-9999W

Item NO	Model IPS-ATD	Dimension MM	AC INPUT VAC	DC Output Volts VDC	Output Amps AMP	Output Power WATT	NW KG	GW KG
#208	IPS-ATD10700	430*370*352	3PH 380VAC±15%	10VDC	700A	7000W	36KG	38KG
#209	IPS-ATD10800	430*370*352	3PH 380VAC±15%	10VDC	800A	8000W	36KG	38KG
#210	IPS-ATD20400	430*370*264	3PH 380VAC±15%	20VDC	400A	8000W	27KG	29KG
#211	IPS-ATD25320	430*370*176	3PH 380VAC±15%	25VDC	320A	8000W	18KG	20KG
#212	IPS-ATD40200	430*370*176	3PH 380VAC±15%	40VDC	200A	8000W	18KG	20KG
#213	IPS-ATD65100	430*370*176	3PH 380VAC±15%	65VDC	100A	6500W	18KG	20KG
#214	IPS-ATD70100	430*370*176	3PH 380VAC±15%	70VDC	100A	7000W	18KG	20KG
#215	IPS-ATD72100	430*370*176	3PH 380VAC±15%	72VDC	100A	7200W	18KG	20KG
#216	IPS-ATD75100	430*370*176	3PH 380VAC±15%	75VDC	100A	7500W	18KG	20KG
#217	IPS-ATD80100	430*370*264	3PH 380VAC±15%	80VDC	100A	8000W	36KG	38KG
#218	IPS-ATD10070	430*370*176	3PH 380VAC±15%	100VDC	70A	7000W	18KG	20KG
#219	IPS-ATD10080	430*370*176	3PH 380VAC±15%	100VDC	80A	8000W	18KG	20KG
#220	IPS-ATD16050	430*370*176	3PH 380VAC±15%	160VDC	50A	8000W	18KG	20KG
#221	IPS-ATD20040	430*370*176	3PH 380VAC±15%	200VDC	40A	8000W	18KG	20KG
#222	IPS-ATD22030	430*370*176	3PH 380VAC±15%	220VDC	30A	6600W	18KG	20KG
#223	IPS-ATD22040	430*370*176	3PH 380VAC±15%	220VDC	40A	8800W	18KG	20KG
#224	IPS-ATD30025	430*370*176	3PH 380VAC±15%	300VDC	25A	7500W	18KG	20KG

IPS-ATD Series 10000W

Item NO	Model IPS-ATD	Dimension MM	AC INPUT VAC	DC Output Volts VDC	Output Amps AMP	Output Power WATT	NW KG	GW KG
#233	IPS-ATD101000	430*370*440	3PH 380VAC±15%	10VDC	1000A	10000W	45KG	48KG
#234	IPS-ATD20500	430*370*440	3PH 380VAC±15%	20VDC	500A	10000W	45KG	48KG
#235	IPS-ATD25400	430*370*264	3PH 380VAC±15%	25VDC	400A	10000W	27KG	29KG
#236	IPS-ATD40250	430*370*264	3PH 380VAC±15%	40VDC	250A	10000W	27KG	29KG
#237	IPS-ATD50200	430*370*440	3PH 380VAC±15%	50VDC	200A	10000W	45KG	48KG
#238	IPS-ATD80125	430*370*264	3PH 380VAC±15%	80VDC	125A	10000W	27KG	29KG
#239	IPS-ATD100100	430*370*264	3PH 380VAC±15%	100VDC	100A	10000W	27KG	29KG
#240	IPS-ATD12580	430*370*264	3PH 380VAC±15%	125VDC	80A	10000W	27KG	29KG
#241	IPS-ATD20050	430*370*264	3PH 380VAC±15%	200VDC	50A	10000W	27KG	29KG
#242	IPS-ATD25040	430*370*264	3PH 380VAC±15%	250VDC	40A	10000W	27KG	29KG
#243	IPS-ATD40025	430*370*264	3PH 380VAC±15%	400VDC	25A	10000W	27KG	29KG
#244	IPS-ATD50020	430*370*264	3PH 380VAC±15%	500VDC	20A	10000W	27KG	29KG
#245	IPS-ATD100010	430*370*264	3PH 380VAC±15%	1000VDC	10A	10000W	27KG	29KG

IPS-ATD Series 10001-12000W

Item NO	Model IPS-ATD	Dimension MM	AC INPUT VAC	DC Output Volts VDC	Output Amps AMP	Output Power WATT	NW KG	GW KG
#246	IPS-ATD14800	430*370*352	3PH 380VAC±15%	14VDC	800A	11200W	36KG	38KG
#247	IPS-ATD15800	430*370*352	3PH 380VAC±15%	15VDC	800A	12000W	36KG	38KG
#248	IPS-ATD24500	430*370*352	3PH 380VAC±15%	24VDC	500A	12000W	36KG	38KG
#249	IPS-ATD30400	430*370*352	3PH 380VAC±15%	30VDC	400A	12000W	36KG	38KG
#250	IPS-ATD48255	430*370*352	3PH 380VAC±15%	48VDC	255A	12240W	36KG	38KG
#251	IPS-ATD60200	430*370*264	3PH 380VAC±15%	60VDC	200A	12000W	27KG	29KG
#252	IPS-ATD80150	430*370*264	3PH 380VAC±15%	80VDC	150A	12000W	27KG	29KG
#253	IPS-ATD110100	430*370*264	3PH 380VAC±15%	110VDC	100A	11000W	27KG	29KG
#254	IPS-ATD110110	430*370*264	3PH 380VAC±15%	110VDC	110A	12100W	27KG	29KG
#255	IPS-ATD120100	430*370*264	3PH 380VAC±15%	120VDC	100A	12000W	27KG	29KG
#256	IPS-ATD20060	430*370*264	3PH 380VAC±15%	200VDC	60A	12000W	27KG	29KG
#257	IPS-ATD22050	430*370*264	3PH 380VAC±15%	220VDC	50A	11000W	27KG	29KG
#258	IPS-ATD30040	430*370*264	3PH 380VAC±15%	300VDC	40A	12000W	27KG	29KG
#259	IPS-ATD40030	430*370*264	3PH 380VAC±15%	400VDC	30A	12000W	27KG	29KG

IPS-ATD Series 12000W

Item NO	Model IPS-ATD	Dimension MM	AC INPUT VAC	DC Output Volts VDC	Output Amps AMP	Output Power WATT	NW KG	GW KG
#246	IPS-ATD14800	430*370*352	3PH 380VAC±15%	14VDC	800A	11200W	36KG	38KG
#247	IPS-ATD15800	430*370*352	3PH 380VAC±15%	15VDC	800A	12000W	36KG	38KG
#248	IPS-ATD24500	430*370*352	3PH 380VAC±15%	24VDC	500A	12000W	36KG	38KG
#249	IPS-ATD30400	430*370*352	3PH 380VAC±15%	30VDC	400A	12000W	36KG	38KG
#250	IPS-ATD48255	430*370*352	3PH 380VAC±15%	48VDC	255A	12240W	36KG	38KG
#251	IPS-ATD60200	430*370*264	3PH 380VAC±15%	60VDC	200A	12000W	27KG	29KG
#252	IPS-ATD80150	430*370*264	3PH 380VAC±15%	80VDC	150A	12000W	27KG	29KG
#253	IPS-ATD110100	430*370*264	3PH 380VAC±15%	110VDC	100A	11000W	27KG	29KG
#254	IPS-ATD110110	430*370*264	3PH 380VAC±15%	110VDC	110A	12100W	27KG	29KG
#255	IPS-ATD120100	430*370*264	3PH 380VAC±15%	120VDC	100A	12000W	27KG	29KG
#256	IPS-ATD20060	430*370*264	3PH 380VAC±15%	200VDC	60A	12000W	27KG	29KG
#257	IPS-ATD22050	430*370*264	3PH 380VAC±15%	220VDC	50A	11000W	27KG	29KG
#258	IPS-ATD30040	430*370*264	3PH 380VAC±15%	300VDC	40A	12000W	27KG	29KG
#259	IPS-ATD40030	430*370*264	3PH 380VAC±15%	400VDC	30A	12000W	27KG	29KG
#260	IPS-ATD60020	430*370*264	3PH 380VAC±15%	600VDC	20A	12000W	27KG	29KG

ATDY SERIES-Adjustable DC Poower Supply

NO	Series
#1	IPS-ATDYN-Series-1500W
#2	IPS-ATDY-Series(1500W)
#3	IPS-ATDY-Series(1500W)
#4	IPS-ATDY-Series(2000W)
#5	IPS-ATDY-Series(3000W)
#6	IPS-ATDYR-Series(3000W)
#7	IPS-ATDY-Series(4000W)
#8	IPS-ATDY-Series(5000W)
#9	IPS-ATDY-Series(6000W)
#10	IPS-ATDY-Series(7000W)
#11	IPS-ATDY-Series(8000W)
#12	IPS-ATDY-Series(9000W)
#13	IPS-ATDY-Series(10000W)
#14	IPS-ATDY-Series(12000W)

**Contact us now if you can
not find the machth one!**

Picture Reference

265*145*65



150*350*160



220*460*170



483*430*90



483*485*135



483-575-135



483-470-525



483-575-525



IPS-ATDYN-Series-1500W

IPS-ATDYN-Series-1500W							
NO	Model	Size(MM)	Net Weight (KG)	Input Voltage (V)	Output Voltage(V)	Output Current(A)	Power (W)
#1	IPS-ATDYN12125	265*145*65	4.5KG	110VAC or 220VAC	12VDC	125A	1500W
#2	IPS-ATDYN15100	265*145*65	4.5KG	110VAC or 220VAC	15VDC	100A	1500W
#3	IPS-ATDYN2075	265*145*65	4.5KG	110VAC or 220VAC	20VDC	75A	1500W
#4	IPS-ATDYN2560	265*145*65	4.5KG	110VAC or 220VAC	25VDC	60A	1500W
#5	IPS-ATDYN3050	265*145*65	4.5KG	110VAC or 220VAC	30VDC	50A	1500W
#6	IPS-ATDYN4037.5	265*145*65	4.5KG	110VAC or 220VAC	40VDC	37.5A	1500W
#7	IPS-ATDYN5030	265*145*65	4.5KG	110VAC or 220VAC	50VDC	30A	1500W
#8	IPS-ATDYN6025	265*145*65	4.5KG	110VAC or 220VAC	60VDC	25A	1500W
#9	IPS-ATDYN7520	265*145*65	4.5KG	110VAC or 220VAC	75VDC	20A	1500W
#10	IPS-ATDYN10015	265*145*65	4.5KG	110VAC or 220VAC	100VDC	15A	1500W
#11	IPS-ATDYN12512	265*145*65	4.5KG	110VAC or 220VAC	125VDC	12A	1500W
#12	IPS-ATDYN15010	265*145*65	4.5KG	110VAC or 220VAC	150VDC	10A	1500W

IPS-ATDY-Series(1500W)

IPS-ATDY-Series(1500W)							
NO	Model	Size(MM)	Net Weight (KG)	Input Voltage (V)	Output Voltage(V)	Output Current(A)	Power (W)
#23	IPS-ATDY15100	150*350*160	6.7KG	110VAC or 220VAC	15VDC	100A	1500W
#24	IPS-ATDY2075	150*350*160	6.7KG	110VAC or 220VAC	20VDC	75A	1500W
#25	IPS-ATDY2560	150*350*160	6.7KG	110VAC or 220VAC	25VDC	60A	1500W
#26	IPS-ATDY3050	150*350*160	6.7KG	110VAC or 220VAC	30VDC	50A	1500W
#27	IPS-ATDY5030	150*350*160	6.7KG	110VAC or 220VAC	50VDC	30A	1500W
#28	IPS-ATDY6025	150*350*160	6.7KG	110VAC or 220VAC	60VDC	25A	1500W
#29	IPS-ATDY7520	150*350*160	6.7KG	110VAC or 220VAC	75VDC	20A	1500W
#30	IPS-ATDY10015	150*350*160	6.7KG	110VAC or 220VAC	100VDC	15A	1500W
#31	IPS-ATDY12512	150*350*160	6.7KG	110VAC or 220VAC	125VDC	12A	1500W
#32	IPS-ATDY15010	150*350*160	6.7KG	110VAC or 220VAC	150VDC	10A	1500W
#33	IPS-ATDY2007.5	150*350*160	6.7KG	110VAC or 220VAC	200VDC	7.5A	1500W
#34	IPS-ATDY2506	150*350*160	6.7KG	110VAC or 220VAC	250VDC	6A	1500W
#35	IPS-ATDY3005	150*350*160	6.7KG	110VAC or 220VAC	300VDC	5A	1500W

IPS-ATDY-Series(2000W)

IPS-ATDY-Series(2000W)							
NO	Model	Size(MM)	Net Weight (KG)	Input Voltage (V)	Output Voltage(V)	Output Current(A)	Power (W)
#41	IPS-ATDY20100	150*350*160	6.7KG	110VAC or 220VAC	20VDC	100A	2000W
#42	IPS-ATDY2580	150*350*160	6.7KG	110VAC or 220VAC	25VDC	80A	2000W
#43	IPS-ATDY4050	150*350*160	6.7KG	110VAC or 220VAC	40VDC	50A	2000W
#44	IPS-ATDY5040	150*350*160	6.7KG	110VAC or 220VAC	50VDC	40A	2000W
#45	IPS-ATDY8025	150*350*160	6.7KG	110VAC or 220VAC	80VDC	25A	2000W
#46	IPS-ATDY10020	150*350*160	6.7KG	110VAC or 220VAC	100VDC	20A	2000W
#47	IPS-ATDY12516	150*350*160	6.7KG	110VAC or 220VAC	125VDC	16A	2000W
#48	IPS-ATDY16012.5	150*350*160	6.7KG	110VAC or 220VAC	160VDC	12.5A	2000W
#49	IPS-ATDY20010	150*350*160	6.7KG	110VAC or 220VAC	200VDC	10A	2000W
#50	IPS-ATDY2508	150*350*160	6.7KG	110VAC or 220VAC	250VDC	8A	2000W
#51	IPS-ATDY4005	150*350*160	6.7KG	110VAC or 220VAC	400VDC	5A	2000W
#52	IPS-ATDY5004	150*350*160	6.7KG	110VAC or 220VAC	500VDC	4A	2000W

IPS-ATDY-Series(3000W)

IPS-ATDY-Series(3000W)							
NO	Model	Size(MM)	Net Weight (KG)	Input Voltage (V)	Output Voltage(V)	Output Current(A)	Power (W)
#57	IPS-ATDY12250	220*460*170	12.5KG	110VAC or 220VAC	12VDC	250A	3000W
#58	IPS-ATDY15200	220*460*170	12.5KG	110VAC or 220VAC	15VDC	200A	3000W
#59	IPS-ATDY20150	220*460*170	12.5KG	110VAC or 220VAC	20VDC	150A	3000W
#60	IPS-ATDY24125	220*460*170	12.5KG	110VAC or 220VAC	24VDC	125A	3000W
#61	IPS-ATDY25120	220*460*170	12.5KG	110VAC or 220VAC	25VDC	120A	3000W
#62	IPS-ATDY30100	220*460*170	12.5KG	110VAC or 220VAC	30VDC	100A	3000W
#63	IPS-ATDY5060	220*460*170	12.5KG	110VAC or 220VAC	50VDC	60A	3000W
#64	IPS-ATDY6050	220*460*170	12.5KG	110VAC or 220VAC	60VDC	50A	3000W
#65	IPS-ATDY7540	220*460*170	12.5KG	110VAC or 220VAC	75VDC	40A	3000W
#66	IPS-ATDY10030	220*460*170	12.5KG	110VAC or 220VAC	100VDC	30A	3000W
#67	IPS-ATDY12025	220*460*170	12.5KG	110VAC or 220VAC	120VDC	25A	3000W
#68	IPS-ATDY12524	220*460*170	12.5KG	110VAC or 220VAC	125VDC	24A	3000W

IPS-ATDYR-Series(3000W)

IPS-ATDYR-Series(3000W)							
NO	Model	Size(MM)	Net Weight (KG)	Input Voltage (V)	Output Voltage(V)	Output Current(A)	Power (W)
#79	IPS-ATDY12250	483*430*90	15.5KG	110VAC or 220VAC	12VDC	250	3000W
#80	IPS-ATDY15200	483*430*90	15.5KG	110VAC or 220VAC	15VDC	200	3000W
#81	IPS-ATDY20150	483*430*90	15.5KG	110VAC or 220VAC	20VDC	150A	3000W
#82	IPS-ATDY24125	483*430*90	15.5KG	110VAC or 220VAC	24VDC	125A	3000W
#83	IPS-ATDY25120	483*430*90	15.5KG	110VAC or 220VAC	25VDC	120A	3000W
#84	IPS-ATDY30100	483*430*90	15.5KG	110VAC or 220VAC	30VDC	100A	3000W
#85	IPS-ATDY5060	483*430*90	15.5KG	110VAC or 220VAC	50VDC	60A	3000W
#86	IPS-ATDY6050	483*430*90	15.5KG	110VAC or 220VAC	60VDC	50A	3000W
#87	IPS-ATDY7540	483*430*90	15.5KG	110VAC or 220VAC	75VDC	40A	3000W
#88	IPS-ATDY10030	483*430*90	15.5KG	110VAC or 220VAC	100VDC	30A	3000W
#89	IPS-ATDY12025	483*430*90	15.5KG	110VAC or 220VAC	120VDC	25A	3000W
#90	IPS-ATDY12524	483*430*90	15.5KG	110VAC or 220VAC	125VDC	24A	3000W

IPS-ATDY-Series(4000W)

IPS-ATDY-Series(4000W)							
NO	Model	Size(MM)	Net Weight (KG)	Input Voltage (V)	Output Voltage(V)	Output Current(A)	Power (W)
#100	IPS-ATDY13.3300	220*460*170	13.8KG	110VAC or 220VAC	13.3VDC	300	4000W
#101	IPS-ATDY16250	220*460*170	13.8KG	110VAC or 220VAC	16VDC	250	4000W
#102	IPS-ATDY20200	220*460*170	13.8KG	110VAC or 220VAC	20VDC	200	4000W
#103	IPS-ATDY25160	220*460*170	13.8KG	110VAC or 220VAC	25VDC	160	4000W
#104	IPS-ATDY40100	220*460*170	13.8KG	110VAC or 220VAC	40VDC	100	4000W
#105	IPS-ATDY5080	220*460*170	13.8KG	110VAC or 220VAC	50VDC	80	4000W
#106	IPS-ATDY8050	220*460*170	13.8KG	110VAC or 220VAC	80VDC	50	4000W
#107	IPS-ATDY10040	220*460*170	13.8KG	110VAC or 220VAC	100VDC	40	4000W
#108	IPS-ATDY16025	220*460*170	13.8KG	110VAC or 220VAC	160VDC	25	4000W
#109	IPS-ATDY20020	220*460*170	13.8KG	110VAC or 220VAC	200VDC	20	4000W
#110	IPS-ATDY25016	220*460*170	13.8KG	110VAC or 220VAC	250VDC	16	4000W
#111	IPS-ATDY40010	220*460*170	13.8KG	110VAC or 220VAC	400VDC	10	4000W

IPS-ATDY-Series(5000W)

IPS-ATDY-Series(5000W)							
NO	Model	Size(MM)	Net Weight (KG)	Input Voltage (V)	Output Voltage(V)	Output Current(A)	Power (W)
#118	IPS-ATDY10500	483*485*135	21.5KG	110VAC or 220VAC	10VDC	500A	5000W
#119	IPS-ATDY12.5400	483*485*135	21.5KG	110VAC or 220VAC	12.5VDC	400A	5000W
#120	IPS-ATDY20250	483*485*135	21.5KG	110VAC or 220VAC	20VDC	250A	5000W
#121	IPS-ATDY25200	483*485*135	21.5KG	110VAC or 220VAC	25VDC	200A	5000W
#122	IPS-ATDY40125	483*485*135	21.5KG	110VAC or 220VAC	40VDC	125A	5000W
#123	IPS-ATDY50100	483*485*135	21.5KG	110VAC or 220VAC	50VDC	100A	5000W
#124	IPS-ATDY8062.5	483*485*135	21.5KG	110VAC or 220VAC	80VDC	62.5A	5000W
#125	IPS-ATDY10050	483*485*135	21.5KG	110VAC or 220VAC	100VDC	50A	5000W
#126	IPS-ATDY12540	483*485*135	21.5KG	110VAC or 220VAC	125VDC	40A	5000W
#127	IPS-ATDY20025	483*485*135	21.5KG	110VAC or 220VAC	200VDC	25A	5000W
#128	IPS-ATDY25020	483*485*135	21.5KG	110VAC or 220VAC	250VDC	20A	5000W
#129	IPS-ATDY40012.5	483*485*135	21.5KG	110VAC or 220VAC	400VDC	12.5A	5000W

IPS-ATDY-Series(6000W)

IPS-ATDY-Series(6000W)							
NO	Model	Size(MM)	Net Weight (KG)	Input Voltage (V)	Output Voltage(V)	Output Current(A)	Power (W)
#137	IPS-ATDY12500	483*485*135	23.5KG	220VAC or 380VAC	12VDC	500A	6000W
#138	IPS-ATDY15400	483*485*135	23.5KG	220VAC or 380VAC	15VDC	400A	6000W
#139	IPS-ATDY20300	483*485*135	23.5KG	220VAC or 380VAC	20VDC	300A	6000W
#140	IPS-ATDY24250	483*485*135	23.5KG	220VAC or 380VAC	24VDC	250A	6000W
#141	IPS-ATDY25240	483*485*135	23.5KG	220VAC or 380VAC	25VDC	240A	6000W
#142	IPS-ATDY30200	483*485*135	23.5KG	220VAC or 380VAC	30VDC	200A	6000W
#143	IPS-ATDY40120	483*485*135	23.5KG	220VAC or 380VAC	40VDC	120A	6000W
#144	IPS-ATDY60100	483*485*135	23.5KG	220VAC or 380VAC	60VDC	100A	6000W
#145	IPS-ATDY7580	483*485*135	23.5KG	220VAC or 380VAC	75VDC	80A	6000W
#146	IPS-ATDY8075	483*485*135	23.5KG	220VAC or 380VAC	80VDC	75A	6000W
#147	IPS-ATDY10060	483*485*135	23.5KG	220VAC or 380VAC	100VDC	60A	6000W
#148	IPS-ATDY12050	483*485*135	23.5KG	220VAC or 380VAC	120VDC	50A	6000W

IPS-ATDY-Series(7000W)

IPS-ATDY-Series(7000W)							
NO	Model	Size(MM)	Net Weight (KG)	Input Voltage (V)	Output Voltage(V)	Output Current(A)	Power (W)
#163	IPS-ATDY14500	483*485*135	26.5KG	220VAC or 380VAC	14VDC	500A	7000W
#164	IPS-ATDY20350	483*485*135	26.5KG	220VAC or 380VAC	20VDC	350A	7000W
#165	IPS-ATDY25280	483*485*135	26.5KG	220VAC or 380VAC	25VDC	280A	7000W
#166	IPS-ATDY28250	483*485*135	26.5KG	220VAC or 380VAC	28VDC	250A	7000W
#167	IPS-ATDY40175	483*485*135	26.5KG	220VAC or 380VAC	40VDC	175A	7000W
#168	IPS-ATDY50140	483*485*135	26.5KG	220VAC or 380VAC	50VDC	140A	7000W
#169	IPS-ATDY56125	483*485*135	26.5KG	220VAC or 380VAC	56VDC	125A	7000W
#170	IPS-ATDY70100	483*485*135	26.5KG	220VAC or 380VAC	70VDC	100A	7000W
#171	IPS-ATDY10070	483*485*135	26.5KG	220VAC or 380VAC	100VDC	70A	7000W
#172	IPS-ATDY12556	483*485*135	26.5KG	220VAC or 380VAC	125VDC	56A	7000W
#173	IPS-ATDY14050	483*485*135	26.5KG	220VAC or 380VAC	140VDC	50A	7000W
#174	IPS-ATDY17540	483*485*135	26.5KG	220VAC or 380VAC	175VDC	40A	7000W

IPS-ATDY-Series(8000W)

IPS-ATDY-Series(8000W)							
NO	Model	Size(MM)	Net Weight (KG)	Input Voltage (V)	Output Voltage(V)	Output Current(A)	Power (W)
#184	IPS-ATDY16500	483*485*135	26.5KG	220VAC or 380VAC	16VDC	500A	8000W
#185	IPS-ATDY20400	483*485*135	26.5KG	220VAC or 380VAC	20VDC	400A	8000W
#186	IPS-ATDY25320	483*485*135	26.5KG	220VAC or 380VAC	25VDC	320A	8000W
#187	IPS-ATDY32250	483*485*135	26.5KG	220VAC or 380VAC	32VDC	250A	8000W
#188	IPS-ATDY40200	483*485*135	26.5KG	220VAC or 380VAC	40VDC	200A	8000W
#189	IPS-ATDY50160	483*485*135	26.5KG	220VAC or 380VAC	50VDC	160A	8000W
#190	IPS-ATDY80100	483*485*135	26.5KG	220VAC or 380VAC	80VDC	100A	8000W
#191	IPS-ATDY10080	483*485*135	26.5KG	220VAC or 380VAC	100VDC	80A	8000W
#192	IPS-ATDY16050	483*485*135	26.5KG	220VAC or 380VAC	160VDC	50A	8000W
#193	IPS-ATDY20040	483*485*135	26.5KG	220VAC or 380VAC	200VDC	40A	8000W
#194	IPS-ATDY25032	483*485*135	26.5KG	220VAC or 380VAC	250VDC	32A	8000W
#195	IPS-ATDY32025	483*485*135	26.5KG	220VAC or 380VAC	320VDC	25A	8000W

IPS-ATDY-Series(9000W)

IPS-ATDY-Series(9000W)							
NO	Model	Size(MM)	Net Weight (KG)	Input Voltage (V)	Output Voltage(V)	Output Current(A)	Power (W)
#204	IPS-ATDY75120	483*575*135	36.2KG	220VAC or 380VAC	75VDC	120A	9000W
#205	IPS-ATDY90100	483*575*135	36.2KG	220VAC or 380VAC	90VDC	100A	9000W
#206	IPS-ATDY10090	483*575*135	36.2KG	220VAC or 380VAC	100VDC	90A	9000W
#207	IPS-ATDY12075	483*575*135	36.2KG	220VAC or 380VAC	120VDC	75A	9000W
#208	IPS-ATDY15060	483*575*135	36.2KG	220VAC or 380VAC	150VDC	60A	9000W
#209	IPS-ATDY18050	483*575*135	36.2KG	220VAC or 380VAC	180VDC	50A	9000W
#210	IPS-ATDY20045	483*575*135	36.2KG	220VAC or 380VAC	200VDC	45A	9000W
#211	IPS-ATDY22540	483*575*135	36.2KG	220VAC or 380VAC	225VDC	40A	9000W
#212	IPS-ATDY25036	483*575*135	36.2KG	220VAC or 380VAC	250VDC	36A	9000W
#213	IPS-ATDY30030	483*575*135	36.2KG	220VAC or 380VAC	300VDC	30A	9000W
#214	IPS-ATDY36025	483*575*135	36.2KG	220VAC or 380VAC	360VDC	25A	9000W
#215	IPS-ATDY40022.5	483*575*135	36.2KG	220VAC or 380VAC	400VDC	22.5A	9000W

IPS-ATDY-Series(10000W)

IPS-ATDY-Series(10000W)							
NO	Model	Size(MM)	Net Weight (KG)	Input Voltage (V)	Output Voltage(V)	Output Current(A)	Power (W)
#225	IPS-ATDY12.5800	483*575*135	36.2KG	220VAC or 380VAC	12.5VDC	800A	10000W
#226	IPS-ATDY20500	483*575*135	36.2KG	220VAC or 380VAC	20VDC	500A	10000W
#227	IPS-ATDY25400	483*575*135	36.2KG	220VAC or 380VAC	25VDC	400A	10000W
#228	IPS-ATDY40250	483*575*135	36.2KG	220VAC or 380VAC	40VDC	250A	10000W
#229	IPS-ATDY50200	483*575*135	36.2KG	220VAC or 380VAC	50VDC	200A	10000W
#230	IPS-ATDY80125	483*575*135	36.2KG	220VAC or 380VAC	80VDC	125A	10000W
#231	IPS-ATDY100100	483*575*135	36.2KG	220VAC or 380VAC	100VDC	100A	10000W
#232	IPS-ATDY12580	483*575*135	36.2KG	220VAC or 380VAC	125VDC	80A	10000W
#233	IPS-ATDY20050	483*575*135	36.2KG	220VAC or 380VAC	200VDC	50A	10000W
#234	IPS-ATDY25040	483*575*135	36.2KG	220VAC or 380VAC	250VDC	40A	10000W
#235	IPS-ATDY40025	483*575*135	36.2KG	220VAC or 380VAC	400VDC	25A	10000W
#236	IPS-ATDY50020	483*575*135	36.2KG	220VAC or 380VAC	500VDC	20A	10000W

IPS-ATDY-Series(12000W)

IPS-ATDY-Series(12000W)							
NO	Model	Size(MM)	Net Weight (KG)	Input Voltage (V)	Output Voltage(V)	Output Current(A)	Power (W)
#241	IPS-ATDY15800	483*575*135	36.8KG	220VAC or 380VAC	15VDC	800A	12000W
#242	IPS-ATDY16750	483*575*135	36.8KG	220VAC or 380VAC	16VDC	750A	12000W
#243	IPS-ATDY20600	483*575*135	36.8KG	220VAC or 380VAC	20VDC	600A	12000W
#244	IPS-ATDY24500	483*575*135	36.8KG	220VAC or 380VAC	24VDC	500A	12000W
#245	IPS-ATDY30400	483*575*135	36.8KG	220VAC or 380VAC	30VDC	400A	12000W
#246	IPS-ATDY40300	483*575*135	36.8KG	220VAC or 380VAC	40VDC	300A	12000W
#247	IPS-ATDY50240	483*575*135	36.8KG	220VAC or 380VAC	50VDC	240A	12000W
#248	IPS-ATDY60200	483*575*135	36.8KG	220VAC or 380VAC	60VDC	200A	12000W
#249	IPS-ATDY75160	483*575*135	36.8KG	220VAC or 380VAC	75VDC	160A	12000W
#250	IPS-ATDY80150	483*575*135	36.8KG	220VAC or 380VAC	80VDC	150A	12000W
#251	IPS-ATDY96125	483*575*135	36.8KG	220VAC or 380VAC	96VDC	125A	12000W
#252	IPS-ATDY100120	483*575*135	36.8KG	220VAC or 380VAC	100VDC	120A	12000W

ATDH SERIES-Adjustable DC Poower Supply

1#: Testing Power Supply

2#: Polishing Power Supply

3#: Water Treatment Power Supply

4#:Hard Anodizing Power Supply

5#:Anodized Power Supply

6#: Electrolytic Caustic Soda Power Supply

**Contact us now if you can
not find the machth one!**

Picture Reference		
480-380-190 (MM)	530-440-630 (MM)	590-380-280 (MM)
		
680-450-520 (MM)	750-450-700 (MM)	750-520-1150 (MM)
		

Customize DC Power Supply

NO	Model Name	Input voltage	Output voltage	Output Current	Output Power	Display	Machine Size-MM
3	IPS-ATDH430000	1-phase 110/220VAC or 3-phases 380/450VAC	0~4VDC	0~30000A	12KW	Touch Screen	L750*W520*H690
4	IPS-ATDH45000	1-phase 110/220VAC or 3-phases 380/450VAC	0~4VDC	0~50000A	15KW	Touch Screen	L750*W520*H1150
5	IPS-ATDH52000	1-phase 110/220VAC or 3-phases 380/450VAC	0~5VDC	0~2000A	10KW	Touch Screen	L750*W520*H690
6	IPS-ATDH8600	1-phase 110/220VAC or 3-phases 380/450VAC	0~8VDC	0~600A	0.48KW	Touch Screen	
7	IPS-ATDH10500	1-phase 110/220VAC or 3-phases 380/450VAC	0~10VDC	0~500A	5KW	Touch Screen	L750*W450*H520
8	IPS-ATDH10600	1-phase 110/220VAC or 3-phases 380/450VAC	0~10VDC	0~600A	6KW	Touch Screen	L580*w380*H280
9	IPS-ATDH10800	1-phase 110/220VAC or 3-phases 380/450VAC	0~10VDC	0~800A	8KW	Touch Screen	L750*W450*H520
10	IPS-ATDH12400	1-phase 110/220VAC or 3-phases 380/450VAC	0~12VDC	0~400A	0.48KW	Touch Screen	L600*W380*H280
11	IPS-ATDH12500	1-phase 110/220VAC or 3-phases 380/450VAC	0~12VDC	0~500A	6KW	Touch Screen	L680*W380*H280
12	IPS-ATDH12900	1-phase 110/220VAC or 3-phases 380/450VAC	0~12VDC	0~900A	10.8KW	Touch Screen	L680*W450*H520
13	IPS-ATDH121000	1-phase 110/220VAC or 3-phases 380/450VAC	0~12VDC	0~1000A	12KW	Touch Screen	L750*W520*H1150
14	IPS-ATDH151000	1-phase 110/220VAC or 3-phases 380/450VAC	0~15VDC	0~1000A	15KW	Touch Screen	L750*W450*H520
15	IPS-ATDH152000	1-phase 110/220VAC or 3-phases 380/450VAC	0~15VDC	0~2000A	30KW	Touch Screen	L750*W520*H1150
16	IPS-ATDH16750	1-phase 110/220VAC or 3-phases 380/450VAC	0~16VDC	0~750A	12KW	Touch Screen	L680*W450*H520

Customize DC Power Supply

17	IPS-ATDH161000	1-phase 110/220VAC or 3-phases 380/450VAC	0~16VDC	0~10000A	160KW	Touch Screen	L750*W520*H1700
18	IPS-ATDH20400	1-phase 110/220VAC or 3-phases 380/450VAC	0~20VDC	0~400A	8KW	Touch Screen	L680*W450*H520
19	IPS-ATDH24200	1-phase 110/220VAC or 3-phases 380/450VAC	0~24VDC	0~200A	0.48KW	Touch Screen	L580*W380*H280
20	IPS-ATDH24600	1-phase 110/220VAC or 3-phases 380/450VAC	0~24VDC	0~600A	14.4KW	Touch Screen	L750*W450*H520
21	IPS-ATDH242000	1-phase 110/220VAC or 3-phases 380/450VAC	0~24VDC	0~2000A	48KW	Touch Screen	L750*W450*H700
22	IPS-ATDH28200	1-phase 110/220VAC or 3-phases 380/450VAC	0~28VDC	0~200A	8.4KW	Touch Screen	L680*W460*H520
23	IPS-ATDH361500	1-phase 110/220VAC or 3-phases 380/450VAC	0~36VDC	0~1500A	54KW	Touch Screen	L750*W450*H700
24	IPS-ATDH48375	1-phase 110/220VAC or 3-phases 380/450VAC	0~48VDC	0~375A	18KW	Touch Screen	L680*W450*H520
25	IPS-ATDH50100	1-phase 110/220VAC or 3-phases 380/450VAC	0~50VDC	0~100A	5KW	Touch Screen	L580*W380*H280
26	IPS-ATDH50200	1-phase 110/220VAC or 3-phases 380/450VAC	0~50VDC	0~200A	10KW	Touch Screen	L630*W440*H320
27	IPS-ATDH50400	1-phase 110/220VAC or 3-phases 380/450VAC	0~50VDC	0~400A	20KW	Touch Screen	L680*W450*H520
28	IPS-ATDH50900	1-phase 110/220VAC or 3-phases 380/450VAC	0~50VDC	0~900A	45KW	Touch Screen	L750*W520*H1150
29	IPS-ATDH504000	1-phase 110/220VAC or 3-phases 380/450VAC	0~50VDC	0~4000A	200KW	Touch Screen	L1300*W650*H1450
30	IPS-ATDH60250	1-phase 110/220VAC or 3-phases 380/450VAC	0~60VDC	0~250A	15KW	Touch Screen	L680*W460*H520
31	IPS-ATDH80100	1-phase 110/220VAC or 3-phases 380/450VAC	0~80VDC	0~100A	8KW	Touch Screen	L680*W450*H520

Customize DC Power Supply

32	IPS-ATDH96750	1-phase 110/220VAC or 3-phases 380/450VAC	0~80VDC	0~200A	16KW	Touch Screen	L750*W450*H700
33	IPS-ATDH96750	1-phase 110/220VAC or 3-phases 380/450VAC	0~96VDC	0~750A	72KW	Touch Screen	L750*W520*H1150
34	IPS-ATDH10050	1-phase 110/220VAC or 3-phases 380/450VAC	0~100VDC	0~50A	5KW	Touch Screen	L580*W380*H280
35	IPS-ATDH1002000	1-phase 110/220VAC or 3-phases 380/450VAC	0~100VDC	0~2000A	200KW	Touch Screen	L450*W210*H1160
36	IPS-ATDH110181	1-phase 110/220VAC or 3-phases 380/450VAC	0~110VDC	0~181A	199.1KW	Touch Screen	L750*W450*H700
37	IPS-ATDH110525	1-phase 110/220VAC or 3-phases 380/450VAC	0~110VDC	0~525A	57.75KW	Touch Screen	L750*W520*H1150
38	IPS-ATDH150166	1-phase 110/220VAC or 3-phases 380/450VAC	0~150VDC	0~166A	24.9KW	Touch Screen	L750*W520*H1150
39	IPS-ATDH25050	1-phase 110/220VAC or 3-phases 380/450VAC	0~250VDC	0~50A	12.5KW	Touch Screen	L580*W380*H280
40	IPS-ATDH30030	1-phase 110/220VAC or 3-phases 380/450VAC	0~300VDC	0~30A	9KW	Touch Screen	L680*W450*H520
41	IPS-ATDH300300	1-phase 110/220VAC or 3-phases 380/450VAC	0~300VDC	0~300A	90KW	Touch Screen	L850*W550*H1080
42	IPS-ATDH40030	1-phase 110/220VAC or 3-phases 380/450VAC	0~400VDC	0~30A	12KW	Touch Screen	L750*W460*H1520
43	IPS-ATDH50016	1-phase 110/220VAC or 3-phases 380/450VAC	0~500VDC	0~16A	8KW	Touch Screen	L680*W450*H520
44	IPS-ATDH50025	1-phase 110/220VAC or 3-phases 380/450VAC	0~500VDC	0~25A	12.5KW	Touch Screen	L680*W450*H520
45	IPS-ATDH50030	1-phase 110/220VAC or 3-phases 380/450VAC	0~500VDC	0~30A	15KW	Touch Screen	L680*W450*H520
46	IPS-ATDH500100	1-phase 110/220VAC or 3-phases 380/450VAC	0~500VDC	0~100A	50KW	Touch Screen	L750*W520*H1150

Customize DC Power Supply

47	IPS-ATDH5002000	1-phase 110/220VAC or 3-phases 380/450VAC	0~500VDC	0~2000A	100KW	Touch Screen	L1950*W380*H1500
48	IPS-ATDH60015	1-phase 110/220VAC or 3-phases 380/450VAC	0~600VDC	0~15A	9KW	Touch Screen	L680*W460*H520
49	IPS-ATDH60050	1-phase 110/220VAC or 3-phases 380/450VAC	0~600VDC	0~50A	30KW	Touch Screen	L750*W520*H690
50	IPS-ATDH600125	1-phase 110/220VAC or 3-phases 380/450VAC	0~600VDC	0~62A	37.2KW	Touch Screen	L750*W520*H690
51	IPS-ATDH600125	1-phase 110/220VAC or 3-phases 380/450VAC	0~600VDC	0~125A	75KW	Touch Screen	L850*W550*H1080
52	IPS-ATDH600150	1-phase 110/220VAC or 3-phases 380/450VAC	0~600VDC	0~150A	90KW	Touch Screen	L850*W550*H1350
53	IPS-ATDH75020	1-phase 110/220VAC or 3-phases 380/450VAC	0~750VDC	0~20A	15KW	Touch Screen	L750*W460*H690
54	IPS-ATDH75060	1-phase 110/220VAC or 3-phases 380/450VAC	0~750VDC	0~60A	45KW	Touch Screen	L900*W500*H1080
55	IPS-ATDH80010	1-phase 110/220VAC or 3-phases 380/450VAC	0~800VDC	0~10A	8KW	Touch Screen	L680*W460*H520
56	IPS-ATDH80015	1-phase 110/220VAC or 3-phases 380/450VAC	0~800VDC	0~15A	12KW	Touch Screen	L750*W450*H700
57	IPS-ATDH80020	1-phase 110/220VAC or 3-phases 380/450VAC	0~800VDC	0~20A	16KW	Touch Screen	L680*W460*H520
58	IPS-ATDH800100	1-phase 110/220VAC or 3-phases 380/450VAC	0~800VDC	0~100A	80KW	Touch Screen	L820*W900*H1350
59	IPS-ATDH85065	1-phase 110/220VAC or 3-phases 380/450VAC	0~850VDC	0~65A	55.25KW	Touch Screen	L750*W9520*H1150
60	IPS-ATDH10006	1-phase 110/220VAC or 3-phases 380/450VAC	0~1000VDC	0~6A	6KW	Touch Screen	L680*W460*H520
61	IPS-ATDH100010	1-phase 110/220VAC or 3-phases 380/450VAC	0~1000VDC	0~10A	10KW	Touch Screen	L680*W460*H520
62	IPS-ATDH100012	1-phase 110/220VAC or 3-phases 380/450VAC	0~1000VDC	0~12A	12KW	Touch Screen	L680*W460*H520

Customize DC Power Supply

63	IPS-ATDH100015	1-phase 110/220VAC or 3-phases 380/450VAC	0~1000VDC	0~15A	15KW	Touch Screen	L750*W450*H700
64	IPS-ATDH100020	1-phase 110/220VAC or 3-phases 380/450VAC	0~1000VDC	0~20A	20KW	Touch Screen	L750*W500*H800
65	IPS-ATDH1000400	1-phase 110/220VAC or 3-phases 380/450VAC	0~1000VDC	0~400A	400KW	Touch Screen	L1750*W1250*H1950
66	IPS-ATDH150010	1-phase 110/220VAC or 3-phases 380/450VAC	0~1500VDC	0~10A	15KW	Touch Screen	L750*W460*H8680
67	IPS-ATDH160010	1-phase 110/220VAC or 3-phases 380/450VAC	0~1600VDC	0~10A	16KW	Touch Screen	L750*W460*H8680
68	IPS-ATDH200010	1-phase 110/220VAC or 3-phases 380/450VAC	0~2000VDC	0~10A	20KW	Touch Screen	L750*W450*H700
69	IPS-ATDH200015	1-phase 110/220VAC or 3-phases 380/450VAC	0~2000VDC	0~15A	30KW	Touch Screen	L750*W450*H1150
70	IPS-ATDH200020	1-phase 110/220VAC or 3-phases 380/450VAC	0~2000VDC	0~20A	40KW	Touch Screen	L680*W450*H520
71	IPS-ATDH30000.4	1-phase 110/220VAC or 3-phases 380/450VAC	0~3000VDC	0~0.4A	0.12KW	Touch Screen	L680*W450*H520
72	IPS-ATDH300010	1-phase 110/220VAC or 3-phases 380/450VAC	0~3000VDC	0~10A	30KW	Touch Screen	L750*W520*H1150
73	IPS-ATDH300020	1-phase 110/220VAC or 3-phases 380/450VAC	0~3000VDC	0~20A	60KW	Touch Screen	L750*W550*H1650
74	IPS-ATDH50000.5	1-phase 110/220VAC or 3-phases 380/450VAC	0~5000VDC	0~0.5A	2500W	Touch Screen	L750*W450*H700
75	IPS-ATDH200002	1-phase 110/220VAC or 3-phases 380/450VAC	0~20000VDC	0~2A	40KW	Touch Screen	L750*W520*H1150

Customize DC Power Supply

78	IPS-ATDH24800	1-phase 110/220VAC or 3-phases 380/450VAC	0~24VDC	0~800A	19.2KW	LED	L460*W650 *H720
79	IPS-ATDH36500	1-phase 110/220VAC or 3-phases 380/450VAC	0~36VDC	0~500A	18KW	LED	L460*W650 *H720
80	IPS-ATDH605	1-phase 110/220VAC or 3-phases 380/450VAC	0~60VDC	0~5A	300W	LED	L290*W350*H160
81	IPS-ATDH501200	1-phase 110/220VAC or 3-phases 380/450VAC	0~50VDC	0~1200A	60KW	Touch Screen	L520 *W780*H1040
82	IPS-ATDH30005	1-phase 110/220VAC or 3-phases 380/450VAC	0~3000VDC	0~5A	15KW	Touch Screen	L460*W650 *H720
83	IPS-ATDH12400	1-phase 110/220VAC or 3-phases 380/450VAC	0~12VDC	0~400A	4.8KW	LED	L380 *W590 *H270
84	IPS-ATDH120200	1-phase 110/220VAC or 3-phases 380/450VAC	0~120VDC	0~200A	24KW	LED	L530 *W460*H650
85	IPS-ATDH205000	1-phase 110/220VAC or 3-phases 380/450VAC	0~20VDC	0~5000A	100KW	Touch Screen	L550*W600*H1600
86	IPS-ATDH500100	1-phase 110/220VAC or 3-phases 380/450VAC	0~500VDC	0~100A	50KW	LED	L350*W650*H1150
87	IPS-ATDH401000	1-phase 110/220VAC or 3-phases 380/450VAC	0~40VDC	0~1000A	40KW	LED	L450*W560*H710
88	IPS-ATDH800250	1-phase 110/220VAC or 3-phases 380/450VAC	0~800VDC	0~250A	200KW	Touch Screen	L1950 *W1100*H1000
89	IPS-ATDH200100	1-phase 110/220VAC or 3-phases 380/450VAC	0~200VDC	0~100A	20KW	Touch Screen	L530 *W460*H650
90	IPS-ATDH200400	1-phase 110/220VAC or 3-phases 380/450VAC	0~200VDC	0~400A	80KW	LED	L6800*W550*1620
91	IPS-ATDH15020	1-phase 110/220VAC or 3-phases 380/450VAC	0~150VDC	0~20A	3KW	LED	L270*W380*H550
92	IPS-ATDH40060	1-phase 110/220VAC or 3-phases 380/450VAC	0~400VDC	0~60A	24KW	LED	L460*W650 *H720
93	IPS-ATDH450100	1-phase 110/220VAC or 3-phases 380/450VAC	0~450VDC	0~100A	45KW	LED	L460*W650 *H720
94	IPS-ATDH30400	1-phase 110/220VAC or 3-phases 380/450VAC	0~30VDC	0~400A	12KW	LED	L460*W650 *H720
95	IPS-ATDH60800	1-phase 110/220VAC or 3-phases 380/450VAC	0~60VDC	0~800A	48KW	Touch Screen	L780*W520*H1050
96	IPS-ATDH105000	1-phase 110/220VAC or 3-phases 380/450VAC	0~10VDC	0~5000A	50KW	Touch Screen	L680*W550*H1620

Customize DC Power Supply

99	IPS-ATDH6020	1-phase 110/220VAC or 3-phases 380/450VAC	0~60VDC	0~20A	1.2KW	LED	L4390*W440*H270
100	IPS-ATDH241000	1-phase 110/220VAC or 3-phases 380/450VAC	0~24VDC	0~1000A	24KW	LED	L460*W650*H720
101	IPS-ATDH154000	1-phase 110/220VAC or 3-phases 380/450VAC	0~15VDC	0~4000A	60KW	LED	L550*W720*H1250
102	IPS-ATDH501200	1-phase 110/220VAC or 3-phases 380/450VAC	0~50VDC	0~1200A	60KW	Touch Screen	L520*W780*H1040
103	IPS-ATDH15500	1-phase 110/220VAC or 3-phases 380/450VAC	0~15VDCC	0~500A	7.5KW	Touch Screen	L270*W380*H530
104	IPS-ATDH250800	1-phase 110/220VAC or 3-phases 380/450VAC	0~250VDC	0~800A	200KW	LED	L800*W900*H1950
105	IPS-ATDH203000	1-phase 110/220VAC or 3-phases 380/450VAC	0~20VDC	0~30000A	600KW	Touch Screen	L1000*W1700*H2000
106	IPS-ATDH100050	1-phase 110/220VAC or 3-phases 380/450VAC	0~1000VDC	0~50A	50KW	LED	L650*W520*H1150
107	IPS-ATDH302500	1-phase 110/220VAC or 3-phases 380/450VAC	0~30VDC	0~2500A	75KW	LED	L650*W720*H930
108	IPS-ATDH30600	1-phase 110/220VAC or 3-phases 380/450VAC	0~30V	0~600A	18KW	LED	L360*W280*H480
109	IPS-ATDH400100	1-phase 110/220VAC or 3-phases 380/450VAC	0~400V	0~100A	40KW	LED	L560*W450*H650
110	IPS-ATDH350350	1-phase 110/220VAC or 3-phases 380/450VAC	0~350V	0~350A	122.5KW	LED	L680*W900*H1530
111	IPS-ATDH35030	1-phase 110/220VAC or 3-phases 380/450VAC	0~350V	0~30A	10.5KW	LED	L530*W440*H580

Customize DC Power Supply

NO	Model Name	Input voltage	Output voltage	Output Current	Output Power	Display	Machine Size-MM
114	IPS-ATDH201000	1-phase 110/220VAC or 3-phases 380/450VAC	0~20VDC	0~1000A	20KW	LED	L460*W650*720
115	IPS-ATDH24650	1-phase 110/220VAC or 3-phases 380/450VAC	0~24VDC	0~650A	15.6KW	LED	L380*W590*270
116	IPS-ATDH120150	1-phase 110/220VAC or 3-phases 380/450VAC	0~120VDC	0~150A	18KW	LED	L530*W460*650
117	IPS-ATDH15050	1-phase 110/220VAC or 3-phases 380/450VAC	0~150VDC	0~50A	7.5KW	LED	L530*W460*650
118	IPS-ATDH30005	1-phase 110/220VAC or 3-phases 380/450VAC	0~3000VDC	0~5A	15KW	Touch Screen	L460*W650*H720
119	IPS-ATDH120020	1-phase 110/220VAC or 3-phases 380/450VAC	0~1200VDC	0~20A	24KW	LED	L490*W720*H1620
120	IPS-ATDH4001000	1-phase 110/220VAC or 3-phases 380/450VAC	0~400VDC	0~1000A	400KW	LED	L2000*W1250*H1750
121	IPS-ATDH100030	1-phase 110/220VAC or 3-phases 380/450VAC	0~1000VDC	0~30A	30KW	Touch Screen	L780*W520*H1100
122	IPS-ATDH1002000	1-phase 110/220VAC or 3-phases 380/450VAC	0~100V	0~2000A	200KW	LED	L450*W2100*H1160
123	IPS-ATDH243000	1-phase 110/220VAC or 3-phases 380/450VAC	0~24V	0~3000A	72KW	LED	L520*W650*H1050
124	IPS-ATDH601000	1-phase 110/220VAC or 3-phases 380/450VAC	0~60V	0~1000A	60KW	LED	L450*W580*H1280
125	IPS-ATDH24200	1-phase 110/220VAC or 3-phases 380/450VAC	0~24V	0~200A	4.8KW	LED	L210*W380*H370
126	IPS-ATDH603000	1-phase 110/220VAC or 3-phases 380/450VAC	0~60V	0~3000A	180KW	Touch Screen	L1300*W440*H1750
127	IPS-ATDH303000	1-phase 110/220VAC or 3-phases 380/450VAC	0~300V	0~3000A	90KW	Touch Screen	L760*W460*H1250

Customize DC Power Supply

128	IPS-ATDH36600	1-phase 110/220VAC or 3-phases 380/450VAC	0~36V	0~600A	21.6KW	LED	L450*W500*H500
129	IPS-ATDH12550	1-phase 110/220VAC or 3-phases 380/450VAC	0~12V	0~550A	6.6KW	LED	L380*W590*H2700
130	IPS-ATDH601000	1-phase 110/220VAC or 3-phases 380/450VAC	0~60V	0~1000A	60KW	LED	L450*W760*H1290
131	IPS-ATDH24400	1-phase 110/220VAC or 3-phases 380/450VAC	0~24V	0~400A	9.6KW	LED	L380*W590*H270
132	IPS-ATDH120130	1-phase 110/220VAC or 3-phases 380/450VAC	0~120V	0~130A	15.6KW	LED	L430*W430*H500
133	IPS-ATDH501200	1-phase 110/220VAC or 3-phases 380/450VAC	0~50V	0~1200A	60KW	LED	L780*W520*H1150
134	IPS-ATDH301500	1-phase 110/220VAC or 3-phases 380/450VAC	0~30V	0~1500A	45KW	Touch Screen	L650*W550*H1150
135	IPS-ATDH60020	1-phase 110/220VAC or 3-phases 380/450VAC	0~600V	0~20A	12KW	LED	L450*W410*H480
136	IPS-ATDH30200	1-phase 110/220VAC or 3-phases 380/450VAC	0~30V	0~200A	6KW	LED	L380*W630*H270
137	IPS-ATDH200150	1-phase 110/220VAC or 3-phases 380/450VAC	0~200V	0~150A	30KW	LED	L560*W450*H650
138	IPS-ATDH15200	1-phase 110/220VAC or 3-phases 380/450VAC	0~200A	0~15V	3KW	Touch Screen	L500*W400*H350

ATDP SERIES-Programmable DC Power Supply

1#: 600W Series

2#: 1200W Series

3#: 2400W Series

4#: 3000W Series

5#: 4000W Series

6#: 5000W Series

7#: 6000W Series

7#: 8000W Series

**Contact us now if you can
not find the mach one!**

Picture Reference

340L*213W*88H



520L*482W*88H



460L*482W*88H



600W Series : ATDP SERIES-Programmable DC Power Supply

NO	Model	AC INPUT	DC OUTPUT	Capacity	Interface	Size (MM)	NW/GW
#1	IPS-ATDP12-50	220VAC +10%	12V 50A	600W	LAN & RS485/RS422	340L*213W*88H	7KG/9KG
#2	IPS-ATDP15-40	220VAC +10%	15V 40A	600W	LAN & RS485/RS422	340L*213W*88H	7KG/9KG
#3	IPS-ATDP20-30	220VAC +10%	20A 30A	600W	LAN & RS485/RS422	340L*213W*88H	7KG/9KG
#4	IPS-ATDP30-20	220VAC +10%	30V 20A	600W	LAN & RS485/RS422	340L*213W*88H	7KG/9KG
#5	IPS-ATDP40-15	220VAC +10%	40V 15A	600W	LAN & RS485/RS422	340L*213W*88H	7KG/9KG
#6	IPS-ATDP60-10	220VAC +10%	60V 10A	600W	LAN & RS485/RS422	340L*213W*88H	7KG/9KG
#7	IPS-ATDP100-6	220VAC +10%	100V 6A	600W	LAN & RS485/RS422	340L*213W*88H	7KG/9KG
#8	IPS-ATDP150-4	220VAC +10%	150V 4A	600W	LAN & RS485/RS422	340L*213W*88H	7KG/9KG
#9	IPS-ATDP200-3	220VAC +10%	200V 3A	600W	LAN & RS485/RS422	340L*213W*88H	7KG/9KG
#10	IPS-ATDP300-2	220VAC +10%	300V 2A	600W	LAN & RS485/RS422	340L*213W*88H	7KG/9KG
#11	IPS-ATDP400-1.5	220VAC +10%	400V 1.5A	600W	LAN & RS485/RS422	340L*213W*88H	7KG/9KG
#12	IPS-ATDP500-1.2	220VAC +10%	500V 1.2A	600W	LAN & RS485/RS422	340L*213W*88H	7KG/9KG
#13	IPS-ATDP1200-0.5	220VAC +10%	1200V-500mA	600W	LAN & RS485/RS422	520L*482W*88H	16KG/17KG
#14	IPS-ATDP1500-0.4	220VAC +10%	1500V-400mA	600W	LAN & RS485/RS422	520L*482W*88H	16KG/17KG
#15	IPS-ATDP2000-0.3	220VAC +10%	2000V-300mA	600W	LAN & RS485/RS422	520L*482W*88H	16KG/17KG
#16	IPS-ATDP3000-0.2	220VAC +10%	3000V-200mA	600W	LAN & RS485/RS422	520L*482W*88H	16KG/17KG
#17	IPS-ATDP4000-0.15	220VAC +10%	4000V-150mA	600W	LAN & RS485/RS422	520L*482W*88H	16KG/17KG
#18	IPS-ATDP5000-0.12	220VAC +10%	5000V-120mA	600W	LAN & RS485/RS422	520L*482W*88H	16KG/17KG
#19	IPS-ATDP6000-0.1	220VAC +10%	6000V-100mA	600W	LAN & RS485/RS422	520L*482W*88H	16KG/17KG
#20	IPS-ATDP8000-0.075	220VAC +10%	8000V-75mA	600W	LAN & RS485/RS422	520L*482W*88H	16KG/17KG

1200W Series : ATDP SERIES-Programmable DC Power Supply

NO	Model	AC INPUT	DC OUTPUT	Capacity	Interface	Size (MM)	NW/GW
#22	IPS-ATDP6-200	220VAC +10%	6V-200A	1200W	LAN & RS485/RS422	520L*482W*88H	16KG/17KG
#23	IPS-ATDP12-100	220VAC +10%	12V-100A	1200W	LAN & RS485/RS422	520L*482W*88H	16KG/17KG
#24	IPS-ATDP15-80	220VAC +10%	15V-80A	1200W	LAN & RS485/RS422	520L*482W*88H	16KG/17KG
#25	IPS-ATDP20-60	220VAC +10%	20V-60A	1200W	LAN & RS485/RS422	520L*482W*88H	16KG/17KG
#26	IPS-ATDP30-40	220VAC +10%	30V-40A	1200W	LAN & RS485/RS422	520L*482W*88H	16KG/17KG
#27	IPS-ATDP40-30	220VAC +10%	40V-30A	1200W	LAN & RS485/RS422	520L*482W*88H	16KG/17KG
#28	IPS-ATDP60-20	220VAC +10%	60V-20A	1200W	LAN & RS485/RS422	520L*482W*88H	16KG/17KG
#29	IPS-ATDP100-12	220VAC +10%	100V-12A	1200W	LAN & RS485/RS422	520L*482W*88H	16KG/17KG
#30	IPS-ATDP150-8	220VAC +10%	150V-8A	1200W	LAN & RS485/RS422	520L*482W*88H	16KG/17KG
#31	IPS-ATDP200-6	220VAC +10%	200V-6A	1200W	LAN & RS485/RS422	520L*482W*88H	16KG/17KG
#32	IPS-ATDP300-4	220VAC +10%	300V-4A	1200W	LAN & RS485/RS422	520L*482W*88H	16KG/17KG
#33	IPS-ATDP400-3	220VAC +10%	400V-3A	1200W	LAN & RS485/RS422	520L*482W*88H	16KG/17KG
#34	IPS-ATDP600-2	220VAC +10%	600V-2A	1200W	LAN & RS485/RS422	520L*482W*88H	16KG/17KG
#35	IPS-ATDP1200-1	220VAC +10%	1200V-1000mA	1200W	LAN & RS485/RS422	520L*482W*88H	16KG/17KG
#36	IPS-ATDP1500-0.8	220VAC +10%	1500V-800mA	1200W	LAN & RS485/RS422	520L*482W*88H	16KG/17KG
#37	IPS-ATDP2000-0.6	220VAC +10%	2000V-600mA	1200W	LAN & RS485/RS422	520L*482W*88H	16KG/17KG
#38	IPS-ATDP3000-0.4	220VAC +10%	3000V-400mA	1200W	LAN & RS485/RS422	520L*482W*88H	16KG/17KG
#39	IPS-ATDP4000-0.3	220VAC +10%	4000V-300mA	1200W	LAN & RS485/RS422	520L*482W*88H	16KG/17KG
#40	IPS-ATDP5000-0.24	220VAC +10%	5000V-240mA	1200W	LAN & RS485/RS422	520L*482W*88H	16KG/17KG
#41	IPS-ATDP6000-0.2	220VAC +10%	6000V-200mA	1200W	LAN & RS485/RS422	520L*482W*88H	16KG/17KG
#42	IPS-ATDP8000-0.15	220VAC +10%	8000V-150mA	1200W	LAN & RS485/RS422	520L*482W*88H	16KG/17KG
#43	IPS-ATDP10000-0.12	220VAC +10%	10000V-120mA	1200W	LAN & RS485/RS422	520L*482W*88H	16KG/17KG

2400W Series : ATDP SERIES-Programmable DC Power Supply

NO	Model	AC INPUT	DC OUTPUT	Capacity	Interface	Size (MM)	NW/GW
#44	IPS-ATDP12-200	220VAC +10%	12V-200A	2400W	LAN & RS485/RS422	520L*482W*88H	16KG/17KG
#45	IPS-ATDP20-120	220VAC +10%	20V-120A	2400W	LAN & RS485/RS422	520L*482W*88H	16KG/17KG
#46	IPS-ATDP30-80	220VAC +10%	30V-80A	2400W	LAN & RS485/RS422	520L*482W*88H	16KG/17KG
#47	IPS-ATDP40-60	220VAC +10%	40V-60A	2400W	LAN & RS485/RS422	520L*482W*88H	16KG/17KG
#48	IPS-ATDP60-40	220VAC +10%	60V-40A	2400W	LAN & RS485/RS422	520L*482W*88H	16KG/17KG
#49	IPS-ATDP100-24	220VAC +10%	100V-24A	2400W	LAN & RS485/RS422	520L*482W*88H	16KG/17KG
#50	IPS-ATDP150-16	220VAC +10%	150V-16A	2400W	LAN & RS485/RS422	520L*482W*88H	16KG/17KG
#51	IPS-ATDP200-12	220VAC +10%	200V-12A	2400W	LAN & RS485/RS422	520L*482W*88H	16KG/17KG
#52	IPS-ATDP300-8	220VAC +10%	300V-8A	2400W	LAN & RS485/RS422	520L*482W*88H	16KG/17KG
#53	IPS-ATDP400-6	220VAC +10%	400V-6A	2400W	LAN & RS485/RS422	520L*482W*88H	16KG/17KG
#54	IPS-ATDP500-4.8	220VAC +10%	500V-4.8A	2400W	LAN & RS485/RS422	520L*482W*88H	16KG/17KG
#55	IPS-ATDP600-4	220VAC +10%	600V-4A	2400W	LAN & RS485/RS422	520L*482W*88H	16KG/17KG

3000W Series : ATDP SERIES-Programmable DC Power Supply

NO	Model	AC INPUT	DC OUTPUT	Capacity	Interface	Size (MM)	NW/GW
#56	IPS-ATDP20-150	220VAC +10%	20V 150A	3000W	LAN & RS485/RS422	460L*482W*88H	16KG/17KG
#57	IPS-ATDP30V-100	220VAC +10%	30V 100A	3000W	LAN & RS485/RS422	460L*482W*88H	16KG/17KG
#58	IPS-ATDP40V-75	220VAC +10%	40V 75A	3000W	LAN & RS485/RS422	460L*482W*88H	16KG/17KG
#59	IPS-ATDP60V-50	220VAC +10%	60V 50A	3000W	LAN & RS485/RS422	460L*482W*88H	16KG/17KG
#60	IPS-ATDP100-30	220VAC +10%	100V 30A	3000W	LAN & RS485/RS422	460L*482W*88H	16KG/17KG
#61	IPS-ATDP150-20	220VAC +10%	150V 20A	3000W	LAN & RS485/RS422	460L*482W*88H	16KG/17KG
#62	IPS-ATDP200-15	220VAC +10%	200V 15A	3000W	LAN & RS485/RS422	460L*482W*88H	16KG/17KG
#63	IPS-ATDP300-10	220VAC +10%	300V 10A	3000W	LAN & RS485/RS422	460L*482W*88H	16KG/17KG
#64	IPS-ATDP400-7.5	220VAC +10%	400V 7.5A	3000W	LAN & RS485/RS422	460L*482W*88H	16KG/17KG
#65	IPS-ATDP500-6	220VAC +10%	500V 6A	3000W	LAN & RS485/RS422	460L*482W*88H	16KG/17KG

4000W Series : ATDP SERIES-Programmable DC Power Supply

NO	Model	AC INPUT	DC OUTPUT	Capacity	Interface	Size (MM)	NW/GW
#66	IPS-ATDP15-267	220VAC +10%	15V 267W	4000W	LAN & RS485/RS422	460L*482W*88H	16KG/17KG
#67	IPS-ATDP40-100	220VAC +10%	40V 100A	4000W	LAN & RS485/RS422	460L*482W*88H	16KG/17KG
#68	IPS-ATDP60-67	220VAC +10%	60V 67A	4000W	LAN & RS485/RS422	460L*482W*88H	16KG/17KG
#69	IPS-ATDP100-40	220VAC +10%	100V 40A	4000W	LAN & RS485/RS422	460L*482W*88H	16KG/17KG
#70	IPS-ATDP150-26.7	220VAC +10%	150V 26.7A	4000W	LAN & RS485/RS422	460L*482W*88H	16KG/17KG
#71	IPS-ATDP200-20	220VAC +10%	200V 20A	4000W	LAN & RS485/RS422	460L*482W*88H	16KG/17KG
#72	IPS-ATDP300-13.3	220VAC +10%	300V 13.3A	4000W	LAN & RS485/RS422	460L*482W*88H	16KG/17KG
#73	IPS-ATDP400-10	220VAC +10%	400V 10A	4000W	LAN & RS485/RS422	460L*482W*88H	16KG/17KG
#74	IPS-ATDP500-8	220VAC +10%	500V 8A	4000W	LAN & RS485/RS422	460L*482W*88H	16KG/17KG
#75	IPS-ATDP600-6.7	220VAC +10%	600V 6.7A	4000W	LAN & RS485/RS422	460L*482W*88H	16KG/17KG

5000W Series : ATDP SERIES-Programmable DC Power Supply

NO	Model	AC INPUT	DC OUTPUT	Capacity	Interface	Size (MM)	NW/GW
#76	IPS-ATDP20-250A	220VAC +10%	20V 250A	5000W	LAN & RS485/RS422	535L*482W*133H	20KG/21KG
#77	IPS-ATDP30-167	220VAC +10%	30V 167A	5000W	LAN & RS485/RS422	535L*482W*133H	20KG/21KG
#78	IPS-ATDP40-125	220VAC +10%	40V 125A	5000W	LAN & RS485/RS422	535L*482W*133H	20KG/21KG
#79	IPS-ATDP60-83	220VAC +10%	60V 83A	5000W	LAN & RS485/RS422	535L*482W*133H	20KG/21KG
#80	IPS-ATDP100-50	220VAC +10%	100V 50A	5000W	LAN & RS485/RS422	535L*482W*133H	20KG/21KG
#81	IPS-ATDP150-33.3	220VAC +10%	150V 33.3A	5000W	LAN & RS485/RS422	535L*482W*133H	20KG/21KG
#82	IPS-ATDP200-25	220VAC +10%	200V 25A	5000W	LAN & RS485/RS422	535L*482W*133H	20KG/21KG
#83	IPS-ATDP300-16.7	220VAC +10%	300V 16.7A	5000W	LAN & RS485/RS422	535L*482W*133H	20KG/21KG
#84	IPS-ATDP400-12.5	220VAC +10%	400V 12.5A	5000W	LAN & RS485/RS422	535L*482W*133H	20KG/21KG
#85	IPS-ATDP500-10	220VAC +10%	500V 10A	5000W	LAN & RS485/RS422	535L*482W*133H	20KG/21KG
#86	IPS-ATDP600-8.3	220VAC +10%	600V 8.3A	5000W	LAN & RS485/RS422	535L*482W*133H	20KG/21KG

6000W Series : ATDP SERIES-Programmable DC Power Supply

NO	Model	AC INPUT	DC OUTPUT	Capacity	Interface	Size (MM)	NW/GW
#87	IPS-ATDP20-300	220VAC +10%	20V 300A	6000W	LAN & RS485/RS422	535L*482W*133H	22KG/24KG
#88	IPS-ATDP30-200	220VAC +10%	30V 200A	6000W	LAN & RS485/RS422	535L*482W*133H	22KG/24KG
#89	IPS-ATDP40-150	220VAC +10%	40V 150A	6000W	LAN & RS485/RS422	535L*482W*133H	22KG/24KG
#90	IPS-ATDP60-100	220VAC +10%	60V 100A	6000W	LAN & RS485/RS422	535L*482W*133H	22KG/24KG
#91	IPS-ATDP100-60	220VAC +10%	100V 60A	6000W	LAN & RS485/RS422	535L*482W*133H	22KG/24KG
#92	IPS-ATDP150-40	220VAC +10%	150V 40A	6000W	LAN & RS485/RS422	535L*482W*133H	22KG/24KG
#93	IPS-ATDP200-30	220VAC +10%	200V 30A	6000W	LAN & RS485/RS422	535L*482W*133H	22KG/24KG
#94	IPS-ATDP300-20	220VAC +10%	300V 20A	6000W	LAN & RS485/RS422	535L*482W*133H	22KG/24KG
#95	IPS-ATDP400-15	220VAC +10%	400V 15A	6000W	LAN & RS485/RS422	535L*482W*133H	22KG/24KG
#96	IPS-ATDP500-12	220VAC +10%	500V 12A	6000W	LAN & RS485/RS422	535L*482W*133H	22KG/24KG
#97	IPS-ATDP600-10	220VAC +10%	600V 10A	6000W	LAN & RS485/RS422	535L*482W*133H	22KG/24KG

8000W Series : ATDP SERIES-Programmable DC Power Supply

NO	Model	AC INPUT	DC OUTPUT	Capacity	Interface	Size (MM)	NW/GW
#98	IPS-ATDP40-200	220VAC +10%	40V 200A	8000W	LAN & RS485/RS422	535L*482W*133H	26KG/28KG
#99	IPS-ATDP60-133	220VAC +10%	60V 133A	8000W	LAN & RS485/RS422	535L*482W*133H	26KG/28KG
#100	IPS-ATDP100-80	220VAC +10%	100V 80A	8000W	LAN & RS485/RS422	535L*482W*133H	26KG/28KG
#101	IPS-ATDP150-53	220VAC +10%	150V 53A	8000W	LAN & RS485/RS422	535L*482W*133H	26KG/28KG
#102	IPS-ATDP200-40	220VAC +10%	200V 40A	8000W	LAN & RS485/RS422	535L*482W*133H	26KG/28KG
#103	IPS-ATDP300-26.7	220VAC +10%	300V 26.7A	8000W	LAN & RS485/RS422	535L*482W*133H	26KG/28KG
#104	IPS-ATDP400-20	220VAC +10%	400V 20A	8000W	LAN & RS485/RS422	535L*482W*133H	26KG/28KG
#105	IPS-ATDP500-16	220VAC +10%	500V 16A	8000W	LAN & RS485/RS422	535L*482W*133H	26KG/28KG
#106	IPS-ATDP600-13.3	220VAC +10%	600V 13.3A	8000W	LAN & RS485/RS422	535L*482W*133H	26KG/28KG

IPS-ATDR SERIES-High Voltage Power Supply

NO	Series
#1	1KV Series
#2	2KV Series
#3	3KV Series
#4	6KV Series
#5	8KV Series
#6	10KV Series
#7	15KV Series
#8	20KV Series
#9	30KV Series
#10	40KV Series
#11	50KV Series
#12	60KV Series
#13	70KV Series
#14	80KV Series
#15	100KV Series
#16	120KV Series
#17	130KV Series

**Contact us now if you can
not find the machh one!**

IPS-ATDR 1KV SERIES-High Voltage Power Supply

1KV Series				
NO	Model	DC OUTPUT VOLTAGE	DC OUTPUT CURRENT	Capacity
4	IPS-ATDR1KV-10mA	1KV	10mA	10W
5	IPS-ATDR1KV-30mA	1KV	30mA	30W
6	IPS-ATDR1KV-60mA	1KV	60mA	60W
7	IPS-ATDR1KV-100mA	1KV	100mA	100W
8	IPS-ATDR1KV-150mA	1KV	150mA	150W
9	IPS-ATDR1KV-300mA	1KV	300mA	300W
10	IPS-ATDR1KV-600mA	1KV	600mA	600W
11	IPS-ATDR1KV-1200mA	1KV	1200mA	1200W

IPS-ATDR 2KV SERIES-High Voltage Power Supply

2KV Series				
NO	Model	DC OUTPUT VOLTAGE	DC OUTPUT CURRENT	Capacity
14	IPS-ATDR2KV-5mA	2KV	5mA	10W
15	IPS-ATDR2KV-15mA	2KV	15mA	30W
16	IPS-ATDR2KV-30mA	2KV	30mA	60W
17	IPS-ATDR2KV-50mA	2KV	50mA	100W
18	IPS-ATDR2KV-75mA	2KV	75mA	150W
19	IPS-ATDR2KV-150mA	2KV	150mA	300W
20	IPS-ATDR2KV-300mA	2KV	300mA	600W
21	IPS-ATDR2KV-600mA	2KV	600mA	1200W

IPS-ATDR 3KV SERIES-High Voltage Power Supply

3KV Series				
NO	Model	DC OUTPUT VOLTAGE	DC OUTPUT CURRENT	Capacity
24	IPS-ATDR3KV-3.33mA	3KV	3.33mA	10W
25	IPS-ATDR3KV-10mA	3KV	10mA	30W
26	IPS-ATDR3KV-20mA	3KV	20mA	60W
27	IPS-ATDR3KV-33.3mA	3KV	33.3mA	100W
28	IPS-ATDR3KV-50mA	3KV	50mA	150W
29	IPS-ATDR3KV-100mA	3KV	100mA	300W
30	IPS-ATDR3KV-200mA	3KV	200mA	600W
31	IPS-ATDR3KV-400mA	3KV	400mA	1200W

IPS-ATDR 6KV SERIES-High Voltage Power Supply

6KV Series				
NO	Model	DC OUTPUT VOLTAGE	DC OUTPUT CURRENT	Capacity
34	IPS-ATDR6KV-1.67mA	6KV	1.67mA	10W
35	IPS-ATDR6KV-5mA	6KV	5mA	30W
36	IPS-ATDR6KV-10mA	6KV	10mA	60W
37	IPS-ATDR6KV-16.7mA	6KV	16.7mA	100W
38	IPS-ATDR6KV-25mA	6KV	25mA	150W
39	IPS-ATDR6KV-50mA	6KV	50mA	300W
40	IPS-ATDR6KV-100mA	6KV	100mA	600W
41	IPS-ATDR6KV-200mA	6KV	200mA	1200W

IPS-ATDR 8KV SERIES-High Voltage Power Supply

8KV Series				
NO	Model	DC OUTPUT VOLTAGE	DC OUTPUT CURRENT	Capacity
44	IPS-ATDR8KV-1.25mA	8KV	1.25mA	10W
45	IPS-ATDR8KV-3.75mA	8KV	3.75mA	30W
46	IPS-ATDR8KV-7.5mA	8KV	7.5mA	60W
47	IPS-ATDR8KV-12.5mA	8KV	12.5mA	100W
48	IPS-ATDR8KV-18.8mA	8KV	18.8mA	150W
49	IPS-ATDR8KV-37.5mA	8KV	37.5mA	300W
50	IPS-ATDR8KV-75mA	8KV	75mA	600W
51	IPS-ATDR8KV-150mA	8KV	150mA	1200W

IPS-ATDR 10KV SERIES-High Voltage Power Supply

10KV Series				
NO	Model	DC OUTPUT VOLTAGE	DC OUTPUT CURRENT	Capacity
54	IPS-ATDR10KV-1mA	10KV	1mA	10W
55	IPS-ATDR10KV-3mA	10KV	3mA	30W
56	IPS-ATDR10KV-6mA	10KV	6mA	60W
57	IPS-ATDR10KV-10mA	10KV	10mA	100W
58	IPS-ATDR10KV-15mA	10KV	15mA	150W
59	IPS-ATDR10KV-30mA	10KV	30mA	300W
60	IPS-ATDR10KV-60mA	10KV	60mA	600W
61	IPS-ATDR10KV-120mA	10KV	120mA	1200W

IPS-ATDR 15KV SERIES-High Voltage Power Supply

15KV Series				
NO	Model	DC OUTPUT VOLTAGE	DC OUTPUT CURRENT	Capacity
64	IPS-ATDR15KV-0.67mA	15KV	0.67mA	10W
65	IPS-ATDR15KV-2mA	15KV	2mA	30W
66	IPS-ATDR15KV-4mA	15KV	4mA	60W
67	IPS-ATDR15KV-6.67mA	15KV	6.67mA	100W
68	IPS-ATDR15KV-10mA	15KV	10mA	150W
69	IPS-ATDR15KV-20mA	15KV	20mA	300W
70	IPS-ATDR15KV-40mA	15KV	40mA	600W
71	IPS-ATDR15KV-80mA	15KV	80mA	1200W

IPS-ATDR 20KV SERIES-High Voltage Power Supply

20KV Series				
NO	Model	DC OUTPUT VOLTAGE	DC OUTPUT CURRENT	Capacity
74	IPS-ATDR20KV-0.5mA	20KV	0.5mA	10W
75	IPS-ATDR20KV-1.5mA	20KV	1.5mA	30W
76	IPS-ATDR20KV-3mA	20KV	3mA	60W
77	IPS-ATDR20KV-5mA	20KV	5mA	100W
78	IPS-ATDR20KV-7.5mA	20KV	7.5mA	150W
79	IPS-ATDR20KV-15mA	20KV	15mA	300W
80	IPS-ATDR20KV-30mA	20KV	30mA	600W
81	IPS-ATDR20KV-60mA	20KV	60mA	1200W

IPS-ATDR 30KV SERIES-High Voltage Power Supply

30KV Series				
NO	Model	DC OUTPUT VOLTAGE	DC OUTPUT CURRENT	Capacity
84	IPS-ATDR30KV-0.33mA	30KV	0.33mA	10W
85	IPS-ATDR30KV-1mA	30KV	1mA	30W
86	IPS-ATDR30KV-2mA	30KV	2mA	60W
87	IPS-ATDR30KV-3.33mA	30KV	3.33mA	100W
88	IPS-ATDR30KV-5mA	30KV	5mA	150W
89	IPS-ATDR30KV-10mA	30KV	10mA	300W
90	IPS-ATDR30KV-20mA	30KV	20mA	600W
91	IPS-ATDR30KV-40mA	30KV	40mA	1200W

IPS-ATDR 40KV SERIES-High Voltage Power Supply

40KV Series				
NO	Model	DC OUTPUT VOLTAGE	DC OUTPUT CURRENT	Capacity
94	IPS-ATDR40KV-0.25mA	40KV	0.25mA	10W
95	IPS-ATDR40KV-0.75mA	40KV	0.75mA	30W
96	IPS-ATDR40KV-1.5mA	40KV	1.5mA	60W
97	IPS-ATDR40KV-2.5mA	40KV	2.5mA	100W
98	IPS-ATDR40KV-3.75mA	40KV	3.75mA	150W
99	IPS-ATDR40KV-7.5mA	40KV	7.5mA	300W
100	IPS-ATDR40KV-15mA	40KV	15mA	600W
101	IPS-ATDR40KV-30mA	40KV	30mA	1200W

IPS-ATDR 50KV SERIES-High Voltage Power Supply

50KV Series				
NO	Model	DC OUTPUT VOLTAGE	DC OUTPUT CURRENT	Capacity
104	IPS-ATDR50KV-0.6mA	50KV	0.6mA	30W
105	IPS-ATDR50KV-1.2mA	50KV	1.2mA	60W
106	IPS-ATDR50KV-2mA	50KV	2mA	100W
107	IPS-ATDR50KV-3mA	50KV	3mA	150W
108	IPS-ATDR50KV-6mA	50KV	6mA	300W
109	IPS-ATDR50KV-12mA	50KV	12mA	600W
110	IPS-ATDR50KV-24mA	50KV	24mA	1200W

IPS-ATDR 60KV SERIES-High Voltage Power Supply

60KV Series				
NO	Model	DC OUTPUT VOLTAGE	DC OUTPUT CURRENT	Capacity
113	IPS-ATDR60KV-0.17mA	60KV	0.17mA	10W
114	IPS-ATDR60KV-0.5mA	60KV	0.5A	30W
115	IPS-ATDR60KV-1mA	60KV	1mA	60W
116	IPS-ATDR60KV-1.67mA	60KV	1.67mA	100W
117	IPS-ATDR60KV-2.5mA	60KV	2.5mA	150W
118	IPS-ATDR60KV-5mA	60KV	5mA	300W
119	IPS-ATDR60KV-10mA	60KV	10mA	600W
120	IPS-ATDR60KV-20mA	60KV	20mA	1200W

IPS-ATDR 70KV SERIES-High Voltage Power Supply

70KV Series				
NO	Model	DC OUTPUT VOLTAGE	DC OUTPUT CURRENT	Capacity
123	IPS-ATDR70KV-0.14mA	70KV	0.14mA	10W
124	IPS-ATDR70KV-0.43mA	70KV	0.43mA	30W
125	IPS-ATDR70KV-0.85mA	70KV	0.85mA	60W
126	IPS-ATDR70KV-1.43mA	70KV	1.4.3mA	100W
127	IPS-ATDR70KV-2.14mA	70KV	2.14mA	150W
128	IPS-ATDR70KV-4.29mA	70KV	4.29mA	300W
129	IPS-ATDR70KV-8.57mA	70KV	8.57mA	600W
130	IPS-ATDR70KV-17.1mA	70KV	17.1mA	1200W

IPS-ATDR 80KV SERIES-High Voltage Power Supply

80KV Series				
NO	Model	DC OUTPUT VOLTAGE	DC OUTPUT CURRENT	Capacity
133	IPS-ATDR80KV-0.13mA	80KV	0.13mA	10W
134	IPS-ATDR80KV-0.38mA	80KV	0.38mA	30W
135	IPS-ATDR80KV-0.75mA	80KV	0.75mA	60W
136	IPS-ATDR80KV-1.25mA	80KV	1.25mA	100W
137	IPS-ATDR80KV-1.88mA	80KV	1.88mA	150W
138	IPS-ATDR80KV-3.75mA	80KV	3.75mA	300W
139	IPS-ATDR80KV-7.5mA	80KV	7.5mA	600W
140	IPS-ATDR80KV-15mA	80KV	15mA	1200W

IPS-ATDR 100KV SERIES-High Voltage Power Supply

100KV Series				
NO	Model	DC OUTPUT VOLTAGE	DC OUTPUT CURRENT	Capacity
143	IPS-ATDR100KV-0.1mA	100KV	0.1mA	10W
144	IPS-ATDR100KV-0.3mA	100KV	0.3mA	30W
145	IPS-ATDR100KV-0.6mA	100KV	0.6mA	60W
146	IPS-ATDR100KV-1mA	100KV	1mA	100W
147	IPS-ATDR100KV-1.5mA	100KV	1.5mA	150W
148	IPS-ATDR100KV-3mA	100KV	3mA	300W
149	IPS-ATDR100KV-6mA	100KV	6mA	600W
150	IPS-ATDR100KV-12mA	100KV	12mA	1200W

IPS-ATDR 120KV SERIES-High Voltage Power Supply

120KV Series				
NO	Model	DC OUTPUT VOLTAGE	DC OUTPUT CURRENT	Capacity
153	IPS-ATDR120KV-0.08mA	120KV	0.05mA	10W
154	IPS-ATDR120KV-0.25mA	120KV	0.25mA	30W
155	IPS-ATDR120KV-0.5mA	120KV	0.5mA	60W
156	IPS-ATDR120KV-0.83mA	120KV	0.83mA	100W
157	IPS-ATDR120KV-1.25mA	120KV	1.25mA	150W
158	IPS-ATDR120KV-2.5mA	120KV	2.5mA	300W
159	IPS-ATDR120KV-5mA	120KV	5mA	600W
160	IPS-ATDR120KV-10mA	120KV	10mA	1200W

IPS-ATDR 130KV SERIES-High Voltage Power Supply

130KV Series				
NO	Model	DC OUTPUT VOLTAGE	DC OUTPUT CURRENT	Capacity
163	IPS-ATDR130KV-0.23mA	130KV	0.23mA	30W
164	IPS-ATDR130KV-0.46mA	130KV	0.46mA	60W
165	IPS-ATDR130KV-0.77mA	130KV	0.77mA	100W
166	IPS-ATDR130KV-1.15mA	130KV	1.15mA	150W
167	IPS-ATDR130KV-2.31mA	130KV	2.31mA	300W
168	IPS-ATDR130KV-4.6mA	130KV	4.6mA	600W
169	IPS-ATDR130KV-9.2mA	130KV	9.2mA	1200W

IPS-RTSERIES-Rectifier

Reference Picture



IPS-RTSERIES-Rectifier

Rectifier(AC CONVERTER)-(High Frequency Converter)-IDEALPLUSING

NO	Input Voltage VAC	OUTPUT Voltage VDC	Output Current AMPS	NW/GW KG
220VAC Input 24VDC 30A 40A 50A Output				
#1	220VAC	24VDC	30A	8.5KG/11KG
#2	220VAC	24VDC	40A	8.5KG/11KG
#3	220VAC	24VDC	50A	8.5KG/11KG
220VAC Input 48VDC 10A 20A 30A 40A 50A Output				
#4	220VAC	48VDC	10A	8.5KG/11KG
#5	220VAC	48VDC	20A	8.5KG/11KG
#6	220VAC	48VDC	30A	8.5KG/11KG
#7	220VAC	48VDC	40A	8.5KG/11KG
#8	220VAC	48VDC	50A	8.5KG/11KG
220VAC Input 110VDC 5A 10A 20A Output				
#9	220VAC	110VDC	5A	8.5KG/11KG
#10	220VAC	110VDC	10A	8.5KG/11KG
#11	220VAC	110VDC	20A	8.5KG/11KG
220VAC Input 220VDC 5A 10A Output				
#12	220VAC	220VDC	5A	8.5KG/11KG
#13	220VAC	220VDC	10A	8.5KG/11KG

IPS-RS SERIES-Rectifier

Reference Picture			
2U			
3U			
4U			

IPS-RS SERIES-Rectifier

IDEALPLUSING-Quotation-IPS-RS Rectifier System

NO	Model Name	Input-VAC	OUTPUT-VDC	Output-AMPS	Size (MM)	NW/GW (KG)
24VDC 70A~490A Rectifier System						
#1	IPS-RS2470	Single phase 220VAC	24VDC	70A	2U-482*410*88	17KG/19KG
#2	IPS-RS24140	Single phase 220VAC	24VDC	140A	2U-482*410*88	21KG/23KG
#3	IPS-RS24210	Single phase 220VAC	24VDC	210A	2U-482*410*88	25KG/28KG
#4	IPS-RS24280	Single phase 220VAC	24VDC	280A	3U-482*410*132	30KG/33KG
#5	IPS-RS24350	Single phase 220VAC	24VDC	350A	4U-482*410*176	36KG/39KG
#6	IPS-RS24420	Single phase 220VAC	24VDC	420A	4U-482*410*176	40KG/43KG
#7	IPS-RS24490	Single phase 220VAC	24VDC	490A	4U-482*410*176	44KG/47KG
48VDC 50A~350A Rectifier System						
#8	IPS-RS4850	Single phase 220VAC	48VDC	50A	2U-482*410*88	17KG/19KG
#9	IPS-RS48100	Single phase 220VAC	48VDC	100A	2U-482*410*88	21KG/23KG
#10	IPS-RS48150	Single phase 220VAC	48VDC	150A	2U-482*410*88	25KG/28KG
#11	IPS-RS48200	Single phase 220VAC	48VDC	200A	3U-482*410*132	30KG/33KG
#12	IPS-RS48250	Single phase 220VAC	48VDC	250A	4U-482*410*176	36KG/39KG
#13	IPS-RS48300	Single phase 220VAC	48VDC	300A	4U-482*410*176	40KG/43KG
#14	IPS-RS48350	Single phase 220VAC	48VDC	350A	4U-482*410*176	44KG/47KG

IPS-RS SERIES-Rectifier

110VDC 20A~140A Rectifier System

#15	IPS-RS11020	Single phase 220VAC	110VDC	20A	2U-482*410*88	17KG/19KG
#16	IPS-RS11040	Single phase 220VAC	110VDC	40A	2U-482*410*88	21KG/23KG
#17	IPS-RS11060	Single phase 220VAC	110VDC	60A	2U-482*410*88	25KG/28KG
#18	IPS-RS11080	Single phase 220VAC	110VDC	80A	3U-482*410*132	30KG/33KG
#19	IPS-RS110100	Single phase 220VAC	110VDC	100A	4U-482*410*176	36KG/39KG
#20	IPS-RS110120	Single phase 220VAC	110VDC	120A	4U-482*410*176	40KG/43KG
#21	IPS-RS110140	Single phase 220VAC	110VDC	140A	4U-482*410*176	44KG/47KG

220VDC 10A~70A Rectifier System

#22	IPS-RS22010	Single phase 220VAC	220VDC	10A	2U-482*410*88	17KG/19KG
#23	IPS-RS22020	Single phase 220VAC	220VDC	20	2U-482*410*88	21KG/23KG
#24	IPS-RS22030	Single phase 220VAC	220VDC	30A	2U-482*410*88	25KG/28KG
#25	IPS-RS22040	Single phase 220VAC	220VDC	40A	3U-482*410*132	30KG/33KG
#26	IPS-RS22050	Single phase 220VAC	220VDC	50A	4U-482*410*176	36KG/39KG
#27	IPS-RS22060	Single phase 220VAC	220VDC	60A	4U-482*410*176	40KG/43KG
#28	IPS-RS22070	Single phase 220VAC	220VDC	70A	4U-482*410*176	44KG/47KG

Switching Mode DC Power Supply

20~4000W

**Contact us now if you can
not find the mach one!**

Reference Picture

85*58*32(MM)

S-36W-12V



110*78*36(MM)

S-60W-12V



158*58*42(MM)

S-100W-12V



198*98*42(MM)

S-120W-12V



200*110*50(MM)

S-250W-12V



215*115*50(MM)

S-360W-12V



240-124-65(MM)



240-124-75(MM)



291*132*68(MM)



285*185*70(MM)



315*208*73(MM)



268*130*40(MM)



280*140*65(MM)



294*185*65(MM)



294*185*65(MM)



265*145*65(MM)



NO	Model	Size(MM)	Net Weight (G)	Input Voltage (V)	Output Voltage(V)	Output Current(A)	Power (W)
IPS-SPSC-Series(25~1500W)							
#1	IPS-SPSC5-40	200*110*490	650G	110VAC or 220VAC	5VDC	40A	200W
#2	IPS-SPSC5-60	214*113*49	950G	110VAC or 220VAC	5VDC	60A	300W
#3	IPS-SPSC12-2	85*58*35	144G	110VAC or 220VAC	12VDC	2A	25W
#4	IPS-SPSC12-3.2	85*58*35	144G	110VAC or 220VAC	12VDC	3.2A	38W
#5	IPS-SPSC12-5	110*78*37	230G	110VAC or 220VAC	12VDC	5A	60W
#6	IPS-SPSC12-8.3	160*100*40	485G	110VAC or 220VAC	12VDC	8.3A	100W
#7	IPS-SPSC12-10	160*100*40	485G	110VAC or 220VAC	12VDC	10A	120W
#8	IPS-SPSC12-12.5	200*100*40	750G	110VAC or 220VAC	12VDC	12.5A	150W
#9	IPS-SPSC12-15	200*100*40	750G	110VAC or 220VAC	12VDC	15A	180W
#10	IPS-SPSC12-16.5	200*100*40	750G	110VAC or 220VAC	12VDC	16.5A	200W
#11	IPS-SPSC12-20	200*110*50	800G	110VAC or 220VAC	12VDC	20A	250W
#12	IPS-SPSC12-25	200*110*50	800G	110VAC or 220VAC	12VDC	25A	300W
#13	IPS-SPSC12-30	215*115*50	900G	110VAC or 220VAC	12VDC	30A	360W
#14	IPS-SPSC12-33.3	215*115*50	900G	110VAC or 220VAC	12VDC	33.3A	400W
#15	IPS-SPSC12-40	220*115*60	900G	110VAC or 220VAC	12VDC	40A	500W

#16	IPS-SPSC12-50	220*115*60	900G	110VAC or 220VAC	12VDC	50A	600W
#17	IPS-SPSC12-60	241*125*65	1200G	110VAC or 220VAC	12VDC	60A	720W
#18	IPS-SPSC12-70	241*125*65	1300G	110VAC or 220VAC	12VDC	70A	840W
#19	IPS-SPSC12-80	241*125*65	1350G	110VAC or 220VAC	12VDC	80A	960W
#20	IPS-SPSC12-100	241*125*65	1500G	110VAC or 220VAC	12VDC	100A	1200W
#21	IPS-SPSC12-125	241*125*65	1600G	110VAC or 220VAC	12VDC	125A	1500W
#22	IPS-SPSC24-1	85*58*35	144G	110VAC or 220VAC	24VDC	1A	25W
#23	IPS-SPSC24-1.5	85*58*35	144G	110VAC or 220VAC	24VDC	1.5A	35W
#24	IPS-SPSC24-2	110*78*35	226.5G	110VAC or 220VAC	24VDC	2A	50W
#25	IPS-SPSC24-3	159*98*42	380G	110VAC or 220VAC	24VDC	3A	72W
#26	IPS-SPSC24-2.5	110*78*35	380G	110VAC or 220VAC	24VDC	2.5A	60W
#27	IPS-SPSC24-5	160*100*40	485G	110VAC or 220VAC	24VDC	5A	120W
#28	IPS-SPSC24-6.25	200*100*40	750G	110VAC or 220VAC	24VDC	6.25A	150W
#29	IPS-SPSC24-8.3	200*100*40	750G	110VAC or 220VAC	24VDC	8.3A	200W
#30	IPS-SPSC24-10	200*110*50	750G	110VAC or 220VAC	24VDC	10A	250W

#31	IPS-SPSC24-12.5	200*110*50	800G	110VAC or 220VAC	24VDC	12.5A	300W
#32	IPS-SPSC24-15	215*115*50	900G	110VAC or 220VAC	24VDC	15A	360W
#33	IPS-SPSC24-16.5	215*115*50	900G	110VAC or 220VAC	24VDC	16.5A	400W
#34	IPS-SPSC24-20	215*115*50	900G	110VAC or 220VAC	24VDC	20A	500W
#35	IPS-SPSC24-25	220*115*60	900G	110VAC or 220VAC	24VDC	25A	600W
#36	IPS-SPSC24-30	241*125*65	1200G	110VAC or 220VAC	24VDC	30A	720W
#37	IPS-SPSC24-35	241*125*65	1300G	110VAC or 220VAC	24VDC	35A	840W
#38	IPS-SPSC24-40	241*125*65	1350G	110VAC or 220VAC	24VDC	40A	960W
#39	IPS-SPSC24-50	241*125*65	1650G	110VAC or 220VAC	24VDC	50A	1200W
#40	IPS-SPSC36-10	215*115*50	900G	110VAC or 220VAC	36VDC	10A	360W
#41	IPS-SPSC36-11	215*115*50	900G	110VAC or 220VAC	36VDC	11A	400W
#42	IPS-SPSC36-27	241*125*65	1700G	110VAC or 220VAC	36VDC	27A	972W
#43	IPS-SPSC36-33	241*125*65	1800G	110VAC or 220VAC	36VDC	33A	1188W
#44	IPS-SPSC36-41	241*125*75	2100G	110VAC or 220VAC	36VDC	41A	1476W
#45	IPS-SPSC48-7.5	215*115*50	900G	110VAC or 220VAC	48VDC	7.5A	360W

#46	IPS-SPSC48-8.3	215*115*50	900G	110VAC or 220VAC	48VDC	8.3A	400W
#47	IPS-SPSC48-10	215*115*50	900G	110VAC or 220VAC	48VDC	10A	500W
#48	IPS-SPSC48-15	241*125*65	1200G	110VAC or 220VAC	48VDC	15A	720W
#49	IPS-SPSC48-20	241*125*65	1350G	110VAC or 220VAC	48VDC	20A	960W
#50	IPS-SPSC48-25	241*125*65	1800G	110VAC or 220VAC	48VDC	25A	1200W
#51	IPS-SPSC48-31	241*125*75	2100G	110VAC or 220VAC	48VDC	31A	1488W
#52	IPS-SPSC60-20	241*125*65	1800G	110VAC or 220VAC	60VDC	20A	1200W
#53	IPS-SPSC60-25	241*125*75	2100G	110VAC or 220VAC	60VDC	25A	1500W
#54	IPS-SPSC80-18	241*125*75	2100G	110VAC or 220VAC	80VDC	18A	1440W

IPS-SPS-Series-150W							
NO	Model	Size(MM)	Net Weight (G)	Input Voltage (V)	Output Voltage(V)	Output Current(A)	Power (W)
#55	IPS-SP12-12.5	200*98*42	526.5G	110VAC or 220VAC	0-12VDC	12.5A	150W
#56	IPS-SP24-6.3	200*98*42	526.5G	110VAC or 220VAC	0-24VDC	6.3A	150W
#57	IPS-SP36-4.2	200*98*42	526.5G	110VAC or 220VAC	0-36VDC	4.2A	150W
#58	IPS-SP48-3.1	200*98*42	526.5G	110VAC or 220VAC	0-48VDC	3.1A	150W
#59	IPS-SP60-2.5	200*98*42	526.5G	110VAC or 220VAC	0-60VDC	2.5A	150W
#60	IPS-SP90-1.7	200*98*42	526.5G	110VAC or 220VAC	0-90VDC	1.7A	150W
#61	IPS-SP100-1.5	200*98*42	526.5G	110VAC or 220VAC	0-100VDC	1.5A	150W
#62	IPS-SP110-1.4	200*98*42	526.5G	110VAC or 220VAC	0-110VDC	1.4A	150W
#63	IPS-SP150-1	200*98*42	526.5G	110VAC or 220VAC	0-150VDC	1A	150W

IPS-SPS-Series-200W							
NO	Model	Size(MM)	Net Weight (G)	Input Voltage (V)	Output Voltage(V)	Output Current(A)	Power (W)
#64	IPS-SP5-40	200*98*42	582.6G	110VAC or 220VAC	0-5VDC	40A	200w
#65	IPS-SP12-16.7	200*98*42	582.6G	110VAC or 220VAC	0-12VDC	16.7A	200w
#66	IPS-SP24-8.3	200*98*42	582.6G	110VAC or 220VAC	0-24VDC	8.3A	200w
#67	IPS-SP36-5.6	200*98*42	582.6G	110VAC or 220VAC	0-36VDC	5.6A	200w
#68	IPS-SP48-4.2	200*98*42	582.6G	110VAC or 220VAC	0-48VDC	4.2A	200w
#69	IPS-SP60-3.3	200*98*42	582.6G	110VAC or 220VAC	0-60VDC	3.3A	200w
#70	IPS-SP90-2.2	200*98*42	582.6G	110VAC or 220VAC	0-90VDC	2.2A	200w
#71	IPS-SP110-1.8	200*98*42	582.6G	110VAC or 220VAC	0-110VDC	1.8A	200w
#72	IPS-SP150-1.3	200*98*42	582.6G	110VAC or 220VAC	0-150VDC	1.3A	200w
#73	IPS-SP200-1	200*98*42	582.6G	110VAC or 220VAC	0-200VDC	1A	200w
#74	IPS-SP220-0.9	200*98*42	582.6G	110VAC or 220VAC	0-220VDC	0.9A	200w

IPS-SPS-Series-240W							
NO	Model	Size(MM)	Net Weight (G)	Input Voltage (V)	Output Voltage(V)	Output Current(A)	Power (W)
#75	IPS-SP5-48	200*98*42	582.6G	110VAC or 220VAC	0-5VDC	48A	240W
#76	IPS-SP12-20	200*98*42	582.6G	110VAC or 220VAC	0-12VDC	20A	240W
#77	IPS-SP24-10	200*98*42	582.6G	110VAC or 220VAC	0-24VDC	10A	240W
#78	IPS-SP36-6.7	200*98*42	582.6G	110VAC or 220VAC	0-36VDC	6.7A	240W
#79	IPS-SP48-5	200*98*42	582.6G	110VAC or 220VAC	0-48VDC	5A	240W
#80	IPS-SP60-4	200*98*42	582.6G	110VAC or 220VAC	0-60VDC	4A	240W
#81	IPS-SP80-3	200*98*42	582.6G	110VAC or 220VAC	0-80VDC	3A	240W
#82	IPS-SP100-2.4	200*98*42	582.6G	110VAC or 220VAC	0-100VDC	2.4A	240W
#83	IPS-SP120-2	200*98*42	582.6G	110VAC or 220VAC	0-120VDC	2A	240W
#84	IPS-SP150-1.6	200*98*42	582.6G	110VAC or 220VAC	0-150VDC	1.6A	240W
#85	IPS-SP180-1.3	200*98*42	582.6G	110VAC or 220VAC	0-180VDC	1.3A	240W
#86	IPS-SP2001.2	200*98*42	582.6G	110VAC or 220VAC	0-200VDC	1.2A	240W
#87	IPS-SP220-1.1	200*98*42	582.6G	110VAC or 220VAC	0-220VDC	1.1A	240W
#88	IPS-SP240-1	200*98*42	582.6G	110VAC or 220VAC	0-240VDC	1A	240W

IPS-SPS-Series-360W							
NO	Model	Size(MM)	Net Weight (G)	Input Voltage (V)	Output Voltage(V)	Output Current(A)	Power (W)
#89	IPS-SP12-30	215*115*50	889.1	110VAC or 220VAC	0-12VDC	30A	360W
#90	IPS-SP24-15	215*115*50	889.1	110VAC or 220VAC	0-24VDC	15A	360W
#91	IPS-SP36-10	215*115*50	889.1	110VAC or 220VAC	0-36VDC	10A	360W
#92	IPS-SP48-7.5	215*115*50	889.1	110VAC or 220VAC	0-48VDC	7.5A	360W
#93	IPS-SP60-6	215*115*50	889.1	110VAC or 220VAC	0-60VDC	6A	360W
#94	IPS-SP70-1.5	215*115*50	889.1	110VAC or 220VAC	0-70VDC	5.1A	360W
#95	IPS-SP90-4	215*115*50	889.1	110VAC or 220VAC	0-90VDC	4A	360W
#96	IPS-SP110-3.3	215*115*50	889.1	110VAC or 220VAC	0-110VDC	3.3A	360W
#97	IPS-SP150-2.4	215*115*50	889.1	110VAC or 220VAC	0-150VDC	2.4A	360W
#98	IPS-SP200-1.8	215*115*50	889.1	110VAC or 220VAC	0-200VDC	1.8A	360W
#99	IPS-SP220-1.6	215*115*50	889.1	110VAC or 220VAC	0-220VDC	1.6A	360W
#100	IPS-SP250-1.4	215*115*50	889.1	110VAC or 220VAC	0-250VDC	1.4A	360W
#101	IPS-SP300-1.2	215*115*50	889.1	110VAC or 220VAC	0-300VDC	1.2A	360W
#102	IPS-SP330-1.1	215*115*50	889.1	110VAC or 220VAC	0-330VDC	1.1A	360W

IPS-SPS-Series-400W							
NO	Model	Size(MM)	Net Weight (G)	Input Voltage (V)	Output Voltage(V)	Output Current(A)	Power (W)
#103	IPS-SP12-33.3	215*115*50	889.1	110VAC or 220VAC	0-12VDC	33.3A	400W
#104	IPS-SP24-16.7	215*115*50	889.1	110VAC or 220VAC	0-24VDC	16.7A	400W
#105	IPS-SP36-11.1	215*115*50	889.1	110VAC or 220VAC	0-36VDC	11.1A	400W
#106	IPS-SP48-8.3	215*115*50	889.1	110VAC or 220VAC	0-48VDC	8.3A	400W
#107	IPS-SP60-6.7	215*115*50	889.1	110VAC or 220VAC	0-60VDC	6.7A	400W
#108	IPS-SP90-4.4	215*115*50	889.1	110VAC or 220VAC	0-90VDC	4.4A	400W
#109	IPS-SP110-3.6	215*115*50	889.1	110VAC or 220VAC	0-110VDC	3.6A	400W
#110	IPS-SP150-2.7	215*115*50	889.1	110VAC or 220VAC	0-150VDC	2.7A	400W
#111	IPS-SP200-2	215*115*50	889.1	110VAC or 220VAC	0-200VDC	2A	400W
#112	IPS-SP220-1.82	215*115*50	889.1	110VAC or 220VAC	0-220VDC	1.82A	400W
#113	IPS-SP240-1.68	215*115*50	889.1	110VAC or 220VAC	0-240VDC	1.68A	400W
#114	IPS-SP260-1.54	215*115*50	889.1	110VAC or 220VAC	0-260VDC	1.54A	400W
#115	IPS-SP280-1.43	215*115*50	889.1	110VAC or 220VAC	0-280VDC	1.43A	400W
#116	IPS-SP300-1.33	215*115*50	889.1	110VAC or 220VAC	0-300VDC	1.33A	400W
#117	IPS-SP330-1.21	215*115*50	889.1	110VAC or 220VAC	0-330VDC	1.21A	400W

IPS-SPS-Series-500W							
NO	Model	Size(MM)	Net Weight (G)	Input Voltage (V)	Output Voltage(V)	Output Current(A)	Power (W)
#118	IPS-SP12-41.7	215*115*50	889.1	110VAC or 220VAC	0-12VDC	41.7A	500W
#119	IPS-SP24-20.8	215*115*50	889.1	110VAC or 220VAC	0-24VDC	20.8A	500W
#120	IPS-SP36-13.9	215*115*50	889.1	110VAC or 220VAC	0-36VDC	13.9A	500W
#121	IPS-SP48-10.4	215*115*50	889.1	110VAC or 220VAC	0-48VDC	10.4A	500W
#122	IPS-SP60-8.3	215*115*50	889.1	110VAC or 220VAC	0-60VDC	8.3A	500W
#123	IPS-SP70-7.1	215*115*50	889.1	110VAC or 220VAC	0-70VDC	7.1A	500W
#124	IPS-SP90-5.6	215*115*50	889.1	110VAC or 220VAC	0-90VDC	5.6A	500W
#125	IPS-SP110-4.5	215*115*50	889.1	110VAC or 220VAC	0-110VDC	4.5A	500W
#126	IPS-SP150-3.3	215*115*50	889.1	110VAC or 220VAC	0-150VDC	3.3A	500W
#127	IPS-SP200-2.5	215*115*50	889.1	110VAC or 220VAC	0-200VDC	2.5A	500W
#128	IPS-SP220-2.3	215*115*50	889.1	110VAC or 220VAC	0-220VDC	2.3A	500W
#129	IPS-SP250-2	215*115*50	889.1	110VAC or 220VAC	0-250VDC	2A	500W
#130	IPS-SP300-1.7	215*115*50	889.1	110VAC or 220VAC	0-300VDC	1.7A	500W
#131	IPS-SP330-1.5	215*115*50	889.1	110VAC or 220VAC	0-330VDC	1.5A	500W

IPS-SPS-Series-600W							
NO	Model	Size(MM)	Net Weight (G)	Input Voltage (V)	Output Voltage(V)	Output Current(A)	Power (W)
#132	IPS-SP12-50	215*115*50	889.1	110VAC or 220VAC	0-12VDC	50A	600W
#133	IPS-SP24-25	215*115*50	889.1	110VAC or 220VAC	0-24VDC	25A	600W
#134	IPS-SP48-12.5	215*115*50	889.1	110VAC or 220VAC	0-48VDC	12.5A	600W
#135	IPS-SP60-10	215*115*50	889.1	110VAC or 220VAC	0-60VDC	10A	600W
#136	IPS-SP90-6.7	215*115*50	889.1	110VAC or 220VAC	0-90VDC	6.7A	600W
#137	IPS-SP110-5.5	215*115*50	889.1	110VAC or 220VAC	0-110VDC	5.5A	600W
#138	IPS-SP150-4	215*115*50	889.1	110VAC or 220VAC	0-150VDC	4A	600W
#139	IPS-SP200-3	215*115*50	889.1	110VAC or 220VAC	0-200VDC	3A	600W
#140	IPS-SP220-2.72	215*115*50	889.1	110VAC or 220VAC	0-220VDC	2.72A	600W
#141	IPS-SP250-2.4	215*115*50	889.1	110VAC or 220VAC	0-250VDC	2.4A	600W
#142	IPS-SP300-2	215*115*50	889.1	110VAC or 220VAC	0-300VDC	2A	600W
#143	IPS-SP330-1.82	215*115*50	889.1	110VAC or 220VAC	0-330VDC	1.82A	600W

IPS-SPS-Series-720W							
NO	Model	Size(MM)	Net Weight (G)	Input Voltage (V)	Output Voltage(V)	Output Current(A)	Power (W)
#144	IPS-SP12-60	262*105*65	1287.9	110VAC or 220VAC	0-12VDC	60A	720W
#145	IPS-SP24-30	262*105*65	1287.9	110VAC or 220VAC	0-24VDC	30A	720W
#146	IPS-SP48-20	262*105*65	1287.9	110VAC or 220VAC	0-48VDC	20A	720W
#147	IPS-SP60-15	262*105*65	1287.9	110VAC or 220VAC	0-60VDC	15A	720W
#148	IPS-SP70-10.3	262*105*65	1287.9	110VAC or 220VAC	0-70VDC	10.3A	720W
#149	IPS-SP90-8	262*105*65	1287.9	110VAC or 220VAC	0-90VDC	8A	720W
#150	IPS-SP110-6.5	262*105*65	1287.9	110VAC or 220VAC	0-110VDC	6.5A	720W
#151	IPS-SP130-5.6	262*105*65	1287.9	110VAC or 220VAC	0-130VDC	5.6A	720W

IPS-SPS-Series-1000W

NO	Model	Size(MM)	Net Weight (G)	Input Voltage (V)	Output Voltage(V)	Output Current(A)	Power (W)
#152	IPS-SP12-83.3	241*125*65	1544.3	110VAC or 220VAC	0-12VDC	83.3A	1000W
#153	IPS-SP24-42	241*125*65	1544.3	110VAC or 220VAC	0-24VDC	42A	1000W
#154	IPS-SP48-21	241*125*65	1544.3	110VAC or 220VAC	0-48VDC	21A	1000W
#155	IPS-SP60-16.7	241*125*65	1544.3	110VAC or 220VAC	0-60VDC	16.7A	1000W
#156	IPS-SP150-6.7	241*125*65	1544.3	110VAC or 220VAC	0-150VDC	6.7A	1000W
#157	IPS-SP200-5	241*125*65	1544.3	110VAC or 220VAC	0-200Vdc	5A	1000W
#158	IPS-SP220-4.5	241*125*65	1544.3	110VAC or 220VAC	0-220Vdc	4.5A	1000W
#159	IPS-SP250-4	241*125*65	1544.3	110VAC or 220VAC	0-250Vdc	4A	1000W
#160	IPS-SP300-3.3	241*125*65	1544.3	110VAC or 220VAC	0-300Vdc	3.3A	1000W
#161	IPS-SP400-2.5	241*125*65	1544.3	110VAC or 220VAC	0-400Vdc	2.5A	1000W
#162	IPS-SP500-2	241*125*65	1544.3	110VAC or 220VAC	0-500Vdc	2A	1000W
#163	IPS-SP600-1.7	241*125*65	1544.3	110VAC or 220VAC	0-600Vdc	1.7A	1000W
#164	IPS-SP700-1.43	241*125*65	1544.3	110VAC or 220VAC	0-700VDC	1.43A	1000W
#165	IPS-SP800-1.25	241*125*65	1544.3	110VAC or 220VAC	0-800VDC	1.25A	1000W
#166	IPS-SP900-1.11	241*125*65	1544.3	110VAC or 220VAC	0-900VDC	1.11A	1000W
#167	IPS-SP1000-1	241*125*65	1544.3	110VAC or 220VAC	0-1000VDC	1A	1000W

IPS-SPS-Series-1200W							
NO	Model	Size(MM)	Net Weight (G)	Input Voltage (V)	Output Voltage(V)	Output Current(A)	Power (W)
#168	IPS-SP12-100	241*125*65	1544.3	110VAC or 220VAC	0-12VDC	100A	1200W
#169	IPS-SP24-50	241*125*65	1544.3	110VAC or 220VAC	0-24VDC	50A	1200W
#170	IPS-SP36-33.3	241*125*65	1544.3	110VAC or 220VAC	0-36VDC	33.3A	1200W
#171	IPS-SP48-25	241*125*65	1544.3	110VAC or 220VAC	0-48VDC	25A	1200W
#172	IPS-SP60-20	241*125*65	1544.3	110VAC or 220VAC	0-60VDC	20A	1200W
#173	IPS-SP100-12	241*125*65	1544.3	110VAC or 220VAC	0-100VDC	12A	1200W
#174	IPS-SP150-8	241*125*65	1544.3	110VAC or 220VAC	0-150VDC	8A	1200W
#175	IPS-SP200-6	241*125*65	1544.3	110VAC or 220VAC	0-200VDC	6A	1200W
#176	IPS-SP300-4	241*125*65	1544.3	110VAC or 220VAC	0-300VDC	4A	1200W
#177	IPS-SP400-3	241*125*65	1544.3	110VAC or 220VAC	0-400VDC	3A	1200W
#178	IPS-SP500-2.4	241*125*65	1544.3	110VAC or 220VAC	0-500VDC	2.4A	1200W
#179	IPS-SP600-2	241*125*65	1544.3	110VAC or 220VAC	0-600VDC	2A	1200W
#180	IPS-SP700-1.7	241*125*65	1544.3	110VAC or 220VAC	0-700VDC	1.7A	1200W
#181	IPS-SP800-1.5	241*125*65	1544.3	110VAC or 220VAC	0-800VDC	1.5A	1200W
#182	IPS-SP1000-1.2	241*125*65	1544.3	110VAC or 220VAC	0-1000VDC	1.2A	1200W

PFC TYPE-1000W							
NO	Model	Size(MM)	Net Weight (G)	Input Voltage (V)	Output Voltage(V)	Output Current(A)	Power (W)
#183	IPS-PFC1000-24	268*130*40	1400	110VAC or 220VAC	0~24V	41.6A	1000W
#184	IPS-PFC1000-36	268*130*40	1400	110VAC or 220VAC	0~36V	27.7A	1000W
#185	IPS-PFC1000-48	268*130*40	1400	110VAC or 220VAC	0~48V	20.8A	1000W
#186	IPS-PFC1000-60	268*130*40	1400	110VAC or 220VAC	0~60V	16.6A	1000W
#187	IPS-PFC1000-72	268*130*40	1400	110VAC or 220VAC	0~72V	13.8A	1000W
#188	IPS-PFC1000-110	268*130*40	1400	110VAC or 220VAC	0~110V	9.09A	1000W
#189	IPS-PFC1000-150	268*130*40	1400	110VAC or 220VAC	0~150V	6.66A	1000W

IPS-SPT Series-2000W							
#190	IPS-SPT20-100	291*132*68	3500	110VAC or 220VAC	0~20V	0~100A	2000W
#191	IPS-SPT25-80	291*132*68	3500	110VAC or 220VAC	0~25V	0~80A	2000W
#192	IPS-SPT40-50	291*132*68	3500	110VAC or 220VAC	0~40V	0~50A	2000W
#193	IPS-SPT50-40	291*132*68	3500	110VAC or 220VAC	0~50V	0~40A	2000W
#194	IPS-SPT80-25	291*132*68	3500	110VAC or 220VAC	0~80V	0~25A	2000W
#195	IPS-SPT100-20	291*132*68	3500	110VAC or 220VAC	0~100V	0~20A	2000W
#196	IPS-SPT125-16	291*132*68	3500	110VAC or 220VAC	0~125V	0~16A	2000W
#197	IPS-SPT160-12.5	291*132*68	3500	110VAC or 220VAC	0~160V	0~12.5A	2000W
#198	IPS-SPT200-10	291*132*68	3500	110VAC or 220VAC	0~200V	0~10A	2000W
#199	IPS-SPT250-8	291*132*68	3500	110VAC or 220VAC	0~250V	0~8A	2000W

PFC TYPE-2000W							
NO	Model	Size(MM)	Net Weight (G)	Input Voltage (V)	Output Voltage(V)	Output Current(A)	Power (W)
#200	IPS-PFC2000-24	280*140*65	2300	110VAC or 220VAC	0~24V	83.33A	2000W
#201	IPS-PFC2000-36	280*140*65	2300	110VAC or 220VAC	0~36V	55.55A	2000W
#202	IPS-PFC2000-48	280*140*65	2300	110VAC or 220VAC	0~48V	41.66A	2000W
#203	IPS-PFC2000-60	280*140*65	2300	110VAC or 220VAC	0~60V	33.33A	2000W
#204	IPS-PFC2000-110	280*140*65	2300	110VAC or 220VAC	0~110V	18.18A	2000W
#205	IPS-PFC2000-150	280*140*65	2300	110VAC or 220VAC	0~150V	13.33A	2000W

IPS-SPT Series-2500W

#206	IPS-SPT12-208	315*200*70	4000	110VAC or 220VAC	0~12V	0~208A	2500W
#207	IPS-SPT24-104	285*185*70	4000	110VAC or 220VAC	0~24V	0~104A	2500W
#208	IPS-SPT25-100	285*185*70	4000	110VAC or 220VAC	0~25V	0~100A	2500W
#209	IPS-SPT36-69	285*185*70	4000	110VAC or 220VAC	0~36V	0~69A	2500W
#210	IPS-SPT48-52	285*185*70	4000	110VAC or 220VAC	0~48V	0~52A	2500W
#211	IPS-SPT50-50	285*185*70	4000	110VAC or 220VAC	0~50V	0~50A	2500W
#212	IPS-SPT100-25	285*185*70	4000	110VAC or 220VAC	0~100V	0~25A	2500W
#213	IPS-SPT250-10	285*185*70	4000	110VAC or 220VAC	0~250V	0~100A	2500W

IPS-SPT Series-3000W							
#214	IPS-SPT12-250	285*185*70	4500	110VAC or 220VAC	0~12V	0~250A	3000W
#215	IPS-SPT15-200	285*185*70	4500	110VAC or 220VAC	0~15V	0~200A	3000W
#216	IPS-SPT20-150	285*185*70	4500	110VAC or 220VAC	0~20V	0~150A	3000W
#217	IPS-SPT24-125	285*185*70	4500	110VAC or 220VAC	0~24V	0~125A	3000W
#218	IPS-SPT25-120	285*185*70	4500	110VAC or 220VAC	0~25V	0~120A	3000W
#219	IPS-SPT30-100	285*185*70	4500	110VAC or 220VAC	0~30V	0~100A	3000W
#220	IPS-SPT50-60	285*185*70	4500	110VAC or 220VAC	0~50V	0~60A	3000W
#221	IPS-SPT60-50	285*185*70	4500	110VAC or 220VAC	0~60V	0~50A	3000W
#222	IPS-SPT75-40	285*185*70	4500	110VAC or 220VAC	0~75V	0~40A	3000W
#223	IPS-SPT100-30	285*185*70	4500	110VAC or 220VAC	0~100V	0~30A	3000W
#224	IPS-SPT120-25	285*185*70	4500	110VAC or 220VAC	0~120V	0~25A	3000W
#225	IPS-SPT125-24	285*185*70	4500	110VAC or 220VAC	0~125V	0~24A	3000W
#226	IPS-SPT200-15	285*185*70	4500	110VAC or 220VAC	0~200V	0~15A	3000W
#227	IPS-SPT240-12.5	285*185*70	4500	110VAC or 220VAC	0~240V	0~12.5A	3000W
#228	IPS-SPT250-12	285*185*70	4500	110VAC or 220VAC	0~250V	0~12A	3000W
#229	IPS-SPT300-10	285*185*70	4500	110VAC or 220VAC	0~300V	0~10A	3000W

IPS-SPT Series-3500W							
#230	IPS-SPT10-350	315*208*73	5500	110VAC or 220VAC	0~10V	0~350A	3500W
#231	IPS-SPT14-291	315*208*73	5500	110VAC or 220VAC	0~12V	0~291A	3500W
#232	IPS-SPT14-250	315*208*73	5500	110VAC or 220VAC	0~14V	0~250A	3500W
#233	IPS-SPT20-175	315*208*73	5500	110VAC or 220VAC	0~20V	0~175A	3500W
#234	IPS-SPT24-145	315*208*73	5500	110VAC or 220VAC	0~24V	0~145A	3500W
#235	IPS-SPT35-100	315*208*73	5500	110VAC or 220VAC	0~35V	0~100A	3500W
#236	IPS-SPT36-97	315*208*73	5500	110VAC or 220VAC	0~36V	0~97A	3500W
#237	IPS-SPT48-145	315*208*73	5500	110VAC or 220VAC	0~48V	0~72A	3500W
#238	IPS-SPT50-70	315*208*73	5500	110VAC or 220VAC	0~50V	0~70A	3500W
#239	IPS-SPT70-50	315*208*73	5500	110VAC or 220VAC	0~70V	0~50A	3500W
#240	IPS-SPT100-35	315*208*73	5500	110VAC or 220VAC	0~100V	0~35A	3500W

IPS-SPT Series-4000W							
#241	IPS-SPT13.3-300	315*208*73	6000	110VAC or 220VAC	0~13.3V	0~300A	4000W
#242	IPS-SPT16-250	315*208*73	6000	110VAC or 220VAC	0~16V	0~250A	4000W
#243	IPS-SPT20-200	315*208*73	6000	110VAC or 220VAC	0~20V	0~200A	4000W
#244	IPS-SPT24-166	315*208*73	6000	110VAC or 220VAC	0~24V	0~166A	4000W
#245	IPS-SPT25-160	315*208*73	6000	110VAC or 220VAC	0~25V	0~160A	4000W
#246	IPS-SPT36-111	315*208*73	6000	110VAC or 220VAC	0~36V	0~111A	4000W
#247	IPS-SPT40-100	315*208*73	6000	110VAC or 220VAC	0~40V	0~100A	4000W
#248	IPS-SPT48-83	315*208*73	6000	110VAC or 220VAC	0~48V	0~83A	4000W
#249	IPS-SPT50-80	315*208*73	6000	110VAC or 220VAC	0~50V	0~80A	4000W
#250	IPS-SPT80-50	315*208*73	6000	110VAC or 220VAC	0~80V	0~50A	4000W
#251	IPS-SPT100-40	315*208*73	6000	110VAC or 220VAC	0~100V	0~40A	4000W
#252	IPS-SPT160-25	315*208*73	6000	110VAC or 220VAC	0~160V	0~25A	4000W
#253	IPS-SPT200-20	315*208*73	6000	110VAC or 220VAC	0~200V	0~20A	4000W
#254	IPS-SPT250-16	315*208*73	6000	110VAC or 220VAC	0~250V	0~16A	4000W
#255	IPS-SPT400-10	315*208*73	6000	110VAC or 220VAC	0~400V	0~10A	4000W

Battery Charger

Non Waterproof Battery Charger

Waterproof Battery Charger

12V Non Waterproof Battery Charger

NO	Model	Size(MM)	Net Weight (KG)	Input Voltage (V)		Output Voltage(V)	Battery Type	Full voltage(V)	Output Current(A)
#1	IPS-BC12-2	135*90*50	0.8	100-132VAC	200-240VAC	12VDC	Lithium	12.6V/16.8V	2A
#2							LiFePO4	14.6V	
#3							lead Acid	14.7V	
#4	IPS-BC12-3	135*90*50	0.8	100-132VAC	200-240VAC	12VDC	Lithium	12.6V/16.8V	3A
#5							LiFePO4	14.6V	
#6							lead Acid	14.7V	
#7	IPS-BC12-4	135*90*50	0.8	100-132VAC	200-240VAC	12VDC	Lithium	12.6V/16.8V	4A
#8							LiFePO4	14.6V	
#9							lead Acid	14.7V	
#10	IPS-BC12-5	135*90*50	0.8	100-132VAC	200-240VAC	12VDC	Lithium	12.6V/16.8V	5A
#11							LiFePO4	14.6V	
#12							lead Acid	14.7V	
#13	IPS-BC12-6	135*90*50	1	100-132VAC	200-240VAC	12VDC	Lithium	12.6V/16.8V	6A
#14							LiFePO4	14.6V	
#15							lead Acid	14.7V	

12V Non Waterproof Battery Charger

#16	IPS-BC12-7	135*90*50	1	100-132VAC	200-240VAC	12VDC	Lithium	12.6V/16.8V	7A
#17							LiFePO4	14.6V	
#18							lead Acid	14.7V	
#19	IPS-BC12-8	135*90*50	1	100-132VAC	200-240VAC	12VDC	Lithium	12.6V/16.8V	8A
#20							LiFePO4	14.6V	
#21							lead Acid	14.7V	
#22	IPS-BC12-9	135*90*50	1	100-132VAC	200-240VAC	12VDC	Lithium	12.6V/16.8V	9A
#23							LiFePO4	14.6V	
#24							lead Acid	14.7V	
#25	IPS-BC12-10	135*90*50	1	100-132VAC	200-240VAC	12VDC	Lithium	12.6V/16.8V	10A
#26							LiFePO4	14.6V	
#27							lead Acid	14.7V	
#28	IPS-BC12-11	135*90*50	1	100-132VAC	200-240VAC	12VDC	Lithium	12.6V/16.8V	11A
#29							LiFePO4	14.6V	
#30							lead Acid	14.7V	
#31	IPS-BC12-12	135*90*50	1	100-132VAC	200-240VAC	12VDC	Lithium	12.6V/16.8V	12A
#32							LiFePO4	14.6V	
#33							lead Acid	14.7V	

12V Non Waterproof Battery Charger

#34	IPS-BC12-13	135*90*50	1	100-132VAC	200-240VAC	12VDC	Lithium	12.6V/16.8V	13A
#35							LiFePO4	14.6V	
#36							lead Acid	14.7V	
#37	IPS-BC12-14	135*90*50	1	100-132VAC	200-240VAC	12VDC	Lithium	12.6V/16.8V	14A
#38							LiFePO4	14.6V	
#39							lead Acid	14.7V	
#40	IPS-BC12-15	135*90*50	1	100-132VAC	200-240VAC	12VDC	Lithium	12.6V/16.8V	15A
#41							LiFePO4	14.6V	
#42							lead Acid	14.7V	
#43	IPS-BC12-16	173*90*51	1.2	100-132VAC	200-240VAC	12VDC	Lithium	12.6V/16.8V	16A
#44							LiFePO4	14.6V	
#45							lead Acid	14.7V	
#46	IPS-BC12-17	173*90*51	1.2	100-132VAC	200-240VAC	12VDC	Lithium	12.6V/16.8V	17A
#47							LiFePO4	14.6V	
#48							lead Acid	14.7V	
#49	IPS-BC12-18	173*90*51	1.2	100-132VAC	200-240VAC	12VDC	Lithium	12.6V/16.8V	18A
#50							LiFePO4	14.6V	
#51							lead Acid	14.7V	
#52	IPS-BC12-19	173*90*51	1.2	100-132VAC	200-240VAC	12VDC	Lithium	12.6V/16.8V	19A
#53							LiFePO4	14.6V	
#54							lead Acid	14.7V	

Non Waterproof Battery Charger

#55	IPS-BC12-20	173*90*51	1.2	100-132VAC	200-240VAC	12VDC	Lithium	12.6V/16.8V	20A
#56							LiFePO4	14.6V	
#57							lead Acid	14.7V	
#58	IPS-BC12-25	173*90*63	1.4	100-132VAC	200-240VAC	12VDC	Lithium	12.6V/16.8V	25A
#59							LiFePO4	14.6V	
#60							lead Acid	14.7V	
#61	IPS-BC12-35	220*120*70	2	100-132VAC	200-240V AC	12VDC	Lithium	12.6V/16.8V	35A
#62	IPS-BC12-40	220*120*70	2	100-132VAC	200-240V AC	12VDC	Lithium	12.6V/16.8V	40A
#63							LiFePO4	14.6V	
#64							lead Acid	14.7V	
#65	IPS-BC12-40	260*158*92	4	100-132VAC	/	12VDC	Lithium	12.6V/16.8V	40A
#66							LiFePO4	14.6V	
#67							lead Acid	14.7V	
#68	IPS-BC12-50	260*158*92	4	/	200-240VAC	12VDC	Lithium	12.6V/16.8V	50A
#69							LiFePO4	14.6V	
#70							lead Acid	14.7V	

24V Non Waterproof Battery Charger

NO	Model	Size(MM)	Net Weight (KG)	Input Voltage (V)		Output Voltage(V)	Battery Type	Full voltage(V)	Output Current(A)
#71	IPS-BC24-2	135*90*50	0.8	100-132VAC	200-240VAC	24VDC	Lithium	25.2V/29.4V	2A
#72							LiFePO4	29.2V	
#73							lead Acid	29.4V	
#74	IPS-BC24-3	135*90*50	0.8	100-132VAC	200-240VAC	24VDC	Lithium	25.2V/29.4V	3A
#75							LiFePO4	29.2V	
#76							lead Acid	29.4V	
#77	IPS-BC24-4	135*90*50	0.8	100-132VAC	200-240VAC	24VDC	Lithium	25.2V/29.4V	4A
#78							LiFePO4	29.2V	
#79							lead Acid	29.4V	
#80	IPS-BC24-5	135*90*50	0.8	100-132VAC	200-240VAC	24VDC	Lithium	25.2V/29.4V	5A
#81							LiFePO4	29.2V	
#82							lead Acid	29.4V	
#83	IPS-BC24-6	135*90*50	1	100-132VAC	200-240VAC	24VDC	Lithium	25.2V/29.4V	6A
#84							LiFePO4	29.2V	
#85							lead Acid	29.4V	

24V Non Waterproof Battery Charger

#86	IPS-BC24-7	135*90*50	1	100-132VAC	200-240VAC	24VDC	Lithium	25.2V/29.4V	7A
#87							LiFePO4	29.2V	
#88							lead Acid	29.4V	
#89	IPS-BC24-8	135*90*50	1	100-132VAC	200-240VAC	24VDC	Lithium	25.2V/29.4V	8A
#90							LiFePO4	29.2V	
#91							lead Acid	29.4V	
#92	IPS-BC24-9	135*90*50	1	100-132VAC	200-240VAC	24VDC	Lithium	25.2V/29.4V	9A
#93							LiFePO4	29.2V	
#94							lead Acid	29.4V	
#95	IPS-BC24-10	135*90*50	1	/	200-240VAC	24VDC	Lithium	25.2V/29.4V	10A
#96							LiFePO4	29.2V	
#97							lead Acid	29.4V	
#98	IPS-BC24-11	173*90*51	1.2	100-132VAC	200-240VAC	24VDC	Lithium	25.2V/29.4V	11A
#99							LiFePO4	29.2V	
#100							lead Acid	29.4V	
#101	IPS-BC24-12	173*90*51	1.2	100-132VAC	200-240VAC	24VDC	Lithium	25.2V/29.4V	12A
#102							LiFePO4	29.2V	
#103							lead Acid	29.4V	
#104	IPS-BC24-13	173*90*51	1.2	100-132VAC	200-240VAC	24VDC	Lithium	25.2V/29.4V	13A
#105							LiFePO4	29.2V	
#106							lead Acid	29.4V	

Non Waterproof Battery Charger

#107	IPS-BC24-14	173*90*51	1.2	100-132VAC	200-240VAC	24VDC	Lithium	25.2V/29.4V	14A
#108							LiFePO4	29.2V	
#109							lead Acid	29.4V	
#110	IPS-BC24-15	173*90*51	1.2	100-132VAC	200-240VAC	24VDC	Lithium	25.2V/29.4V	15A
#111							LiFePO4	29.2V	
#112							lead Acid	29.4V	
#113	IPS-BC24-18	173*90*63	1.4	100-132VAC	200-240VAC	24VDC	Lithium	25.2V/29.4V	18A
#114							LiFePO4	29.2V	
#115							lead Acid	29.4V	
#116	IPS-BC24-22	220*120*70	2	100-132VAC	/	24VDC	Lithium	25.2V/29.4V	22A
#117	IPS-BC24-25	220*120*70	2	/	200-240VAC	24VDC	Lithium	25.2V/29.4V	25A
#118	IPS-BC24-30	220*120*70	2	100-132VAC	200-240VAC	24VDC	Lithium	25.2V/29.4V	30A
#119							LiFePO4	29.2V	
#120							lead Acid	29.4V	
#121	IPS-BC24-40	260*158*92	4	100-132VAC	/	24VDC	Lithium	25.2V/29.4V	30A
#122							LiFePO4	29.2V	
#123							lead Acid	29.4V	
#124	IPS-BC24-50	260*158*92	4	/	200-240VAC	24VDC	Lithium	25.2V/29.4V	50A
#125							LiFePO4	29.2V	
#126							lead Acid	29.4V	

36V Non Waterproof Battery Charger

NO	Model	Size(MM)	Net Weight (KG)	Input Voltage (V)		Output Voltage(V)	Battery Type	Full voltage(V)	Output Current(A)
#127	IPS-BC36-2.5	135*90*50	0.8	100-132VAC	200-240VAC	36VDC	Lithium	42V	2.5A
#128							LiFePO4	42V	
#129							lead Acid	44.1V	
#130	IPS-BC36-3	135*90*50	0.8	100-132VAC	200-240VAC	36VDC	Lithium	42V	3A
#131							LiFePO4	42V	
#132							lead Acid	44.1V	
#133	IPS-BC36-4	135*90*50	0.8	100-132VAC	200-240VAC	36VDC	Lithium	42V	4A
#134							LiFePO4	42V	
#135							lead Acid	44.1V	
#136	IPS-BC36-5	135*90*50	1	100-132VAC	200-240VAC	36VDC	Lithium	42V	5A
#137							LiFePO4	42V	
#138							lead Acid	44.1V	
#139	IPS-BC36-6	135*90*50	1	100-132VAC	200-240VAC	36VDC	Lithium	42V	6A
#140							LiFePO4	42V	
#141							lead Acid	44.1V	

36V Non Waterproof Battery Charger

#142	IPS-BC36-7	173*90*51	1.2	100-132VAC	200-240VAC	36VDC	Lithium	42V	7A
#143							LiFePO4	42V	
#144							lead Acid	44.1V	
#145	IPS-BC36-8	173*90*51	1.2	100-132VAC	200-240VAC	36VDC	Lithium	42V	8A
#146							LiFePO4	42V	
#147							lead Acid	44.1V	
#148	IPS-BC36-9	173*90*51	1.2	100-132VAC	200-240VAC	36VDC	Lithium	42V	9A
#149							LiFePO4	42V	
#150							lead Acid	44.1V	
#151	IPS-BC36-10	173*90*51	1.2	100-132VAC	200-240VAC	36VDC	Lithium	42V	10A
#152							LiFePO4	42V	
#153							lead Acid	44.1V	
#154	IPS-BC36-12	173*90*63	1.4	100-132VAC	/	36VDC	Lithium	42V	12A
#155							LiFePO4	42V	
#156							lead Acid	44.1V	
#157	IPS-BC36-13	173*90*63	1.4	/	200-240VAC	36VDC	Lithium	42V	10A
#158							LiFePO4	42V	
#159							lead Acid	44.1V	

36V Non Waterproof Battery Charger

#160	IPS-BC36-18	220*120*70	2	100-132VAC	/	36VDC	Lithium	42V	18A
#161	IPS-BC36-20	220*120*70	2	/	200-240VAC	36VDC	Lithium	42V	20A
#162	IPS-BC36-22	220*120*70	2	100-132VAC	/	36VDC	Lithium	42V	22A
#163							LiFePO4	42V	
#164							lead Acid	44.1V	
#165	IPS-BC36-25	220*120*70	2	/	200-240VAC	36VDC	Lithium	42V	25A
#166							LiFePO4	42V	
#167							lead Acid	44.1V	
#168	IPS-BC36-30	260*158*92	4	100-132VAC	/	36VDC	Lithium	42V	30A
#169							LiFePO4	42V	
#170							lead Acid	44.1V	
#171	IPS-BC36-40	260*158*92	4	/	200-240VAC	36VDC	Lithium	42V	40A
#172							LiFePO4	42V	
#173							lead Acid	44.1V	

48V Non Waterproof Battery Charger

NO	Model	Size(MM)	Net Weight (KG)	Input Voltage (V)		Output Voltage(V)	Battery Type	Full voltage(V)	Output Current(A)
#174	IPS-BC48-2	135*90*50	0.8	100-132VAC	200-240VAC	48VDC	Lithium	54.6V/58.8V	2A
#175							LiFePO4	58.4V	
#176							lead Acid	58.8V	
#177	IPS-BC48-2.5	135*90*50	0.8	100-132VAC	200-240VAC	48VDC	Lithium	54.6V/58.8V	2.5A
#178							LiFePO4	58.4V	
#179							lead Acid	58.8V	
#180	IPS-BC48-3	135*90*50	0.8	100-132VAC	200-240VAC	48VDC	Lithium	54.6V/58.8V	3A
#181							LiFePO4	58.4V	
#182							lead Acid	58.8V	
#183	IPS-BC48-3.5	135*90*50	1	100-132VAC	200-240VAC	48VDC	Lithium	54.6V/58.8V	3.5A
#184							LiFePO4	58.4V	
#185							lead Acid	58.8V	
#186	IPS-BC48-4	135*90*50	1	100-132VAV	200-240VAV	48VDC	Lithium	54.6V/58.8V	4A
#187							LiFePO4	58.4V	
#188							lead Acid	58.8V	

48V Non Waterproof Battery Charger

#189	IPS-BC48-4.5	135*90*50	1	100-132VAC	/	48VDC	Lithium	54.6V/58.8V	4.5A
#190							LiFePO4	58.4V	
#191							lead Acid	58.8V	
#192	IPS-BC48-5	135*90*50	1	/	200-240VAC	48VDC	Lithium	54.6V/58.8V	5A
#193							LiFePO4	58.4V	
#194							lead Acid	58.8V	
#195	IPS-BC48-7.5	173*90*51	1.2	100-132VAC	/	48VDC	Lithium	54.6V/58.8V	7.5A
#196							LiFePO4	58.4V	
#197							lead Acid	58.8V	
#198	IPS-BC48-8	173*90*51	1.2	/	200-240VAC	48VDC	Lithium	54.6V/58.8V	8A
#199							LiFePO4	58.4V	
#200							lead Acid	58.8V	
#201	IPS-BC48-9	173*90*63	1.4	100-132VAC	/	48VDC	Lithium	54.6V/58.8V	9A
#202							LiFePO4	58.4V	
#203							lead Acid	58.8V	
#204	IPS-BC48-10	173*90*63	1.4	/	200-240VAC	48VDC	Lithium	54.6V/58.8V	10A
#205							LiFePO4	58.4V	
#206							lead Acid	58.8V	

48V Non Waterproof Battery Charger

#207	IPS-BC48-13	220*120*70	2	100-132VAC	/	48VDC	Lithium	54.6V/58.8V	13A
#208	IPS-BC48-18	220*120*70	2	/	200-240VAC	48VDC	Lithium	54.6V/58.8V	18A
#209	IPS-BC48-18	220*120*70	2	100-132VAC	/	48VDC	Lithium	54.6V/58.8V	18A
#210							LiFePO4	58.4V	
#211							lead Acid	58.8V	
#212	IPS-BC48-20	220*120*70	2	/	200-240VAC	48VDC	Lithium	54.6V/58.8V	20A
#213							LiFePO4	58.4V	
#214							lead Acid	58.8V	
#215	IPS-BC48-20	260*158*92	4	100-132VAC	/	48VDC	Lithium	54.6V/58.8V	20A
#216							LiFePO4	58.4V	
#217							lead Acid	58.8V	
#218	IPS-BC48-30	260*158*92	4	/	200-240VAC	48VDC	Lithium	54.6V/58.8V	30A
#219							LiFePO4	58.4V	
#220							lead Acid	58.8V	

60V Non Waterproof Battery Charger

NO	Model	Size(MM)	Net Weight (KG)	Input Voltage (V)		Output Voltage(V)	Battery Type	Full voltage(V)	Output Current(A)
#221	IPS-BC60-1.5	135*90*50	0.8	100-132VAC	200-240VAC	60VDC	Lithium	63V/67.2V/71.4V	1.5A
#222							LiFePO4	73V	
#223							lead Acid	73.5V	
#224	IPS-BC60-2	135*90*50	0.8	100-132VAC	200-240VAC	60VDC	Lithium	63V/67.2V/71.4V	2A
#225							LiFePO4	73V	
#226							lead Acid	73.5V	
#227	IPS-BC60-2.5	135*90*50	1	100-132VAC	200-240VAC	60VDC	Lithium	63V/67.2V/71.4V	2.5A
#228							LiFePO4	73V	
#229							lead Acid	73.5V	
#230	IPS-BC60-3	135*90*50	1	100-132VAC	200-240VAC	60VDC	Lithium	63V/67.2V/71.4V	3A
#231							LiFePO4	73V	
#232							lead Acid	73.5V	
#233	IPS-BC60-3.5	135*90*50	1	100-132VAC	200-240VAC	60VDC	Lithium	63V/67.2V/71.4V	3.5A
#234							LiFePO4	73V	
#235							lead Acid	73.5V	

60V Non Waterproof Battery Charger

#236	IPS-BC60-4	135*90*50	1	/	200-240VAC	60VDC	Lithium	63V/67.2V/71.4V	4A
#237							LiFePO4	73V	
#238							lead Acid	73.5V	
#239	IPS-BC60-6	173*90*51	1.2	100-132VAC	200-240VAC	60VDC	Lithium	63V/67.2V/71.4V	6A
#240							LiFePO4	73V	
#241							lead Acid	73.5V	
#242	IPS-BC60-7.5	173*90*63	1.4	/	200-240VAC	60VDC	Lithium	63V/67.2V/71.4V	7.5A
#243							LiFePO4	73V	
#244							lead Acid	73.5V	
#245	IPS-BC60-8	173*90*63	1.4	100-132VAC	/	60VDC	Lithium	63V/67.2V/71.4V	8A
#246							LiFePO4	73V	
#247							lead Acid	73.5V	
#248	IPS-BC60-10	173*90*63	1.4	/	200-240VAC	60VDC	Lithium	63V/67.2V/71.4V	10A
#249							LiFePO4	73V	
#250							lead Acid	73.5V	
#251	IPS-BC60-10	220*120*70	2	100-132VAC	/	60VDC	Lithium	63V/67.2V/71.4V	10A
#252	IPS-BC60-12	220*120*70	2	/	200-240VAC	60VDC	Lithium	63V/67.2V/71.4V	12A

60V Non Waterproof Battery Charger

#253	IPS-BC60-13	220*120*70	2	100-132VAC	/	60VDC	Lithium	63V/67.2V/71.4V	13A
#254							LiFePO4	73V	
#255							lead Acid	73.5V	
#256	IPS-BC60-15	220*120*70	2	/	200-240VAC	60VDC	Lithium	63V/67.2V/71.4V	15A
#257							LiFePO4	73V	
#258							lead Acid	73.5V	
#259	IPS-BC60-15	260*158*92	4	100-132VAC	/	60VDC	Lithium	63V/67.2V/71.4V	15A
#260							LiFePO4	73V	
#261							lead Acid	73.5V	
#262	IPS-BC60-27	260*158*92	4	/	200-240VAC	60VDC	Lithium	63V/67.2V/71.4V	27A
#263							LiFePO4	73V	
#264							lead Acid	73.5V	

72V Non Waterproof Battery Charger

NO	Model	Size(MM)	Net Weight (KG)	Input Voltage (V)		Output Voltage(V)	Battery Type	Full voltage(V)	Output Current(A)
#265	IPS-BC72-3	135*90*50	1	100-132VAC	/	72VDC	Lithium	84V	3A
#266							LiFePO4	87.6V	
#267							lead Acid	88.2V	
#268	IPS-BC72-3.5	135*90*50	1	/	200-240VAC	72VDC	Lithium	84V	3.5A
#269							LiFePO4	87.6V	
#270							lead Acid	88.2V	
#271	IPS-BC72-5	173*90*51	1.2	100-132VAC	200-240VAC	72VDC	Lithium	84V	5A
#272							LiFePO4	87.6V	
#273							lead Acid	88.2V	
#274	IPS-BC72-6	173*90*63	1.4	100-132VAC	/	72VDC	Lithium	84V	6A
#275							LiFePO4	87.6V	
#276							lead Acid	88.2V	

72V Non Waterproof Battery Charger

#280	IPS-BC72-8	173*90*63	1.4	/	200-240VAC	72VDC	Lithium	84V	8A
#281							LiFePO4	87.6V	
#282							lead Acid	88.2V	
#283	IPS-BC72-9	220*120*70	2	100-132VAC	/	72VDC	Lithium	84V	9A
#284	IPS-BC72-10	220*120*70	2	/	200-240VAC	72VDC	Lithium	84V	10A
#285	IPS-BC72-11	220*120*70	2	100-132VAC	/	72VDC	Lithium	84V	11A
#286							LiFePO4	87.6V	
#287							lead Acid	88.2V	
#288	IPS-BC72-12	260*158*92	4	100-132VAC	/	72VDC	Lithium	84V	12A
#289							LiFePO4	87.6V	
#290							lead Acid	88.2V	
#291	IPS-BC72-13	220*120*70	2	/	200-240VAC	72VDC	Lithium	84V	13A
#292							LiFePO4	87.6V	
#293							lead Acid	88.2V	
#294	IPS-BC72-22	260*158*92	4	/	200-240VAC	72VDC	Lithium	84V	22A
#295							LiFePO4	87.6V	
#296							lead Acid	88.2V	

3. Pure Sine Wave inverter

Pure Sine Wave inverter

Civil Type

19inch Rack Mount Type

Solar Inverter With Charger

Civil Pure Sine Wave inverter

300~5000W

**Contact us now if you can
not find the macth one!**

Civil Pure Sine Wave inverter

Reference Picture



Civil Pure Sine Wave inverter

Item NO	Model	DC Input Voltage(VDC)	AC Output Voltage(VAC)	Capacity(W)	Inverter Size (L*W*H)MM	NW(KG)	GW(KG)
3	IPS-PI300-112	12VDC	110VAC	300W	181*110*56(MM)	1.2KG	1.6KG
4	IPS-PI300-124	24VDC	110VAC	300W	181*110*56(MM)	1.2KG	1.6KG
5	IPS-PI300-148	48VDC	110VAC	300W	181*110*56(MM)	1.2KG	1.6KG
6	IPS-PI300-160	60VDC	110VAC	300W	181*110*56(MM)	1.2KG	1.6KG
7	IPS-PI300-172	72VDC	110VAC	300W	181*110*56(MM)	1.2KG	1.6KG
8	IPS-PI300-184	84VDC	110VAC	300W	181*110*56(MM)	1.2KG	1.6KG
9	IPS-PI300-212	12VDC	220VAC	300W	181*110*56(MM)	1.2KG	1.6KG
10	IPS-PI300-224	24VDC	220VAC	300W	181*110*56(MM)	1.2KG	1.6KG
11	IPS-PI300-248	48VDC	220VAC	300W	181*110*56(MM)	1.2KG	1.6KG
12	IPS-PI300-260	60VDC	220VAC	300W	181*110*56(MM)	1.2KG	1.6KG
13	IPS-PI300-272	72VDC	220VAC	300W	181*110*56(MM)	1.2KG	1.6KG
14	IPS-PI300-284	84VDC	220VAC	300W	181*110*56(MM)	1.2KG	1.6KG
15	IPS-PI600-112	12VDC	110VAC	600W	218*173*76(MM)	2.1KG	2.5KG
16	IPS-PI600-124	24VDC	110VAC	600W	218*173*76(MM)	2.1KG	2.5KG
17	IPS-PI600-148	48VDC	110VAC	600W	218*173*76(MM)	2.1KG	2.5KG
18	IPS-PI600-160	60VDC	110VAC	600W	218*173*76(MM)	2.1KG	2.5KG
19	IPS-PI600-172	72VDC	110VAC	600W	218*173*76(MM)	2.1KG	2.5KG

Civil Pure Sine Wave inverter

20	IPS-PI600-184	84VDC	110VAC	600W	218*173*76(MM)	2.1KG	2.5KG
21	IPS-PI600-212	12VDC	220VAC	600W	218*173*76(MM)	2.1KG	2.5KG
22	IPS-PI600-224	24VDC	220VAC	600W	218*173*76(MM)	2.1KG	2.5KG
23	IPS-PI600-248	48VDC	220VAC	600W	218*173*76(MM)	2.1KG	2.5KG
24	IPS-PI600-260	60VDC	220VAC	600W	218*173*76(MM)	2.1KG	2.5KG
25	IPS-PI600-272	72VDC	220VAC	600W	218*173*76(MM)	2.1KG	2.5KG
26	IPS-PI600-284	84VDC	220VAC	600W	218*173*76(MM)	2.1KG	2.5KG
27	IPS-PI1000-112	12VDC	110VAC	1000W	310*173*76(MM)	3.4KG	4.1KG
28	IPS-PI1000-124	24VDC	110VAC	1000W	310*173*76(MM)	3.4KG	4.1KG
29	IPS-PI1000-136	36VDC	110VAC	1000W	310*173*76(MM)	3.4KG	4.1KG
30	IPS-PI1000-148	48VDC	110VAC	1000W	310*173*76(MM)	3.4KG	4.1KG
31	IPS-PI1000-160	60VDC	110VAC	1000W	310*173*76(MM)	3.4KG	4.1KG
32	IPS-PI1000-172	72VDC	110VAC	1000W	310*173*76(MM)	3.4KG	4.1KG
33	IPS-PI1000-184	84VDC	110VAC	1000W	310*173*76(MM)	3.4KG	4.1KG
34	IPS-PI1000-212	12VDC	220VAC	1000W	310*173*76(MM)	3.4KG	4.1KG
35	IPS-PI1000-224	24VDC	220VAC	1000W	310*173*76(MM)	3.4KG	4.1KG
36	IPS-PI1000-236	36VDC	220VAC	1000W	310*173*76(MM)	3.4KG	4.1KG
37	IPS-PI1000-248	48VDC	220VAC	1000W	310*173*76(MM)	3.4KG	4.1KG

Civil Pure Sine Wave inverter

38	IPS-PI1000-260	60VDC	220VAC	1000W	310*173*76(MM)	3.4KG	4.1KG
39	IPS-PI1000-272	72VDC	220VAC	1000W	310*173*76(MM)	3.4KG	4.1KG
40	IPS-PI1000-284	84VDC	220VAC	1000W	310*173*76(MM)	3.4KG	4.1KG
41	IPS-PI1500-112	12VDC	110VAC	1500W	360*173*76(MM)	3.6KG	4.4KG
42	IPS-PI1500-124	24VDC	110VAC	1500W	360*173*76(MM)	3.6KG	4.4KG
43	IPS-PI1500-136	36VDC	110VAC	1500W	360*173*76(MM)	3.6KG	4.4KG
44	IPS-PI1500-148	48VDC	110VAC	1500W	360*173*76(MM)	3.6KG	4.4KG
45	IPS-PI1500-160	60VDC	110VAC	1500W	360*173*76(MM)	3.6KG	4.4KG
46	IPS-PI1500-172	72VDC	110VAC	1500W	360*173*76(MM)	3.6KG	4.4KG
47	IPS-PI1500-184	84VDC	110VAC	1500W	360*173*76(MM)	3.6KG	4.4KG
48	IPS-PI1500-212	12VDC	220VAC	1500W	360*173*76(MM)	3.6KG	4.4KG
49	IPS-PI1500-224	24VDC	220VAC	1500W	360*173*76(MM)	3.6KG	4.4KG
50	IPS-PI1500-236	36VDC	220VAC	1500W	360*173*76(MM)	3.6KG	4.4KG
51	IPS-PI1500-248	48VDC	220VAC	1500W	360*173*76(MM)	3.6KG	4.4KG
52	IPS-PI1500-260	60VDC	220VAC	1500W	360*173*76(MM)	3.6KG	4.4KG
53	IPS-PI1500-272	72VDC	220VAC	1500W	360*173*76(MM)	3.6KG	4.4KG
54	IPS-PI1500-284	84VDC	220VAC	1500W	360*173*76(MM)	3.6KG	4.4KG
55	IPS-PI2000-112	12VDC	110VAC	2000W	360*173*76(MM)	4.0KG	4.7KG

Civil Pure Sine Wave inverter

56	IPS-PI2000-124	24VDC	110VAC	2000W	360*173*76(MM)	4.0KG	4.7KG
57	IPS-PI2000-136	36VDC	110VAC	2000W	360*173*76(MM)	4.0KG	4.7KG
58	IPS-PI2000-148	48VDC	110VAC	2000W	360*173*76(MM)	4.0KG	4.7KG
59	IPS-PI2000-160	60VDC	110VAC	2000W	360*173*76(MM)	4.0KG	4.7KG
60	IPS-PI2000-172	72VDC	110VAC	2000W	360*173*76(MM)	4.0KG	4.7KG
61	IPS-PI2000-184	84VDC	110VAC	2000W	360*173*76(MM)	4.0KG	4.7KG
62	IPS-PI2000-212	12VDC	220VAC	2000W	360*173*76(MM)	4.0KG	4.7KG
63	IPS-PI2000-224	24VDC	220VAC	2000W	360*173*76(MM)	4.0KG	4.7KG
64	IPS-PI2000-236	36VDC	220VAC	2000W	360*173*76(MM)	4.0KG	4.7KG
65	IPS-PI2000-248	48VDC	220VAC	2000W	360*173*76(MM)	4.0KG	4.7KG
66	IPS-PI2000-260	60VDC	220VAC	2000W	360*173*76(MM)	4.0KG	4.7KG
67	IPS-PI2000-272	72VDC	220VAC	2000W	360*173*76(MM)	4.0KG	4.7KG
68	IPS-PI2000-284	84VDC	220VAC	2000W	360*173*76(MM)	4.0KG	4.7KG
69	IPS-PI2500-112	12VDC	110VAC	2500W	360*173*76(MM)	4.2KG	5.2KG
70	IPS-PI2500-124	24VDC	110VAC	2500W	360*173*76(MM)	4.2KG	5.2KG
71	IPS-PI2500-136	36VDC	110VAC	2500W	360*173*76(MM)	4.2KG	5.2KG
72	IPS-PI2500-148	48VDC	110VAC	2500W	360*173*76(MM)	4.2KG	5.2KG
73	IPS-PI2500-160	60VDC	110VAC	2500W	360*173*76(MM)	4.2KG	5.2KG

Civil Pure Sine Wave inverter

74	IPS-PI2500-172	72VDC	110VAC	2500W	360*173*76(MM)	4.2KG	5.2KG
75	IPS-PI2500-184	84VDC	110VAC	2500W	360*173*76(MM)	4.2KG	5.2KG
76	IPS-PI2500-212	12VDC	220VAC	2500W	360*173*76(MM)	4.2KG	5.2KG
77	IPS-PI2500-224	24VDC	220VAC	2500W	360*173*76(MM)	4.2KG	5.2KG
78	IPS-PI2500-236	36VDC	220VAC	2500W	360*173*76(MM)	4.2KG	5.2KG
79	IPS-PI2500-248	48VDC	220VAC	2500W	360*173*76(MM)	4.2KG	5.2KG
80	IPS-PI2500-260	60VDC	220VAC	2500W	360*173*76(MM)	4.2KG	5.2KG
81	IPS-PI2500-272	72VDC	220VAC	2500W	360*173*76(MM)	4.2KG	5.2KG
82	IPS-PI2500-284	84VDC	220VAC	2500W	360*173*76(MM)	4.2KG	5.2KG
83	IPS-PI3000-112	12VDC	110VAC	3000W	400*242*88(MM)	7.2KG	8KG
84	IPS-PI3000-124	24VDC	110VAC	3000W	400*242*88(MM)	7.2KG	8KG
85	IPS-PI3000-136	36VDC	110VAC	3000W	400*242*88(MM)	7.2KG	8KG
86	IPS-PI3000-148	48VDC	110VAC	3000W	400*242*88(MM)	7.2KG	8KG
87	IPS-PI3000-160	60VDC	110VAC	3000W	400*242*88(MM)	7.2KG	8KG
88	IPS-PI3000-172	72VDC	110VAC	3000W	400*242*88(MM)	7.2KG	8KG
89	IPS-PI3000-184	84VDC	110VAC	3000W	400*242*88(MM)	7.2KG	8KG
90	IPS-PI3000-212	12VDC	220VAC	3000W	400*242*88(MM)	7.2KG	8KG
91	IPS-PI3000-224	24VDC	220VAC	3000W	400*242*88(MM)	7.2KG	8KG
92	IPS-PI3000-236	36VDC	220VAC	3000W	400*242*88(MM)	7.2KG	8KG

Civil Pure Sine Wave inverter

93	IPS-PI3000-248	48VDC	220VAC	3000W	400*242*88(MM)	7.2KG	8KG
94	IPS-PI3000-260	60VDC	220VAC	3000W	400*242*88(MM)	7.2KG	8KG
95	IPS-PI3000-272	72VDC	220VAC	3000W	400*242*88(MM)	7.2KG	8KG
96	IPS-PI3000-284	84VDC	220VAC	3000W	400*242*88(MM)	7.2KG	8KG
97	IPS-PI3500-112	12VDC	110VAC	3500W	400*242*88(MM)	7.2KG	8KG
98	IPS-PI350-124	24VDC	110VAC	3500W	400*242*88(MM)	7.2KG	8KG
99	IPS-PI3500-136	36VDC	110VAC	3500W	400*242*88(MM)	7.2KG	8KG
100	IPS-PI3500-148	48VDC	110VAC	3500W	400*242*88(MM)	7.2KG	8KG
101	IPS-PI3500-160	60VDC	110VAC	3500W	400*242*88(MM)	7.2KG	8KG
102	IPS-PI3500-172	72VDC	110VAC	3500W	400*242*88(MM)	7.2KG	8KG
103	IPS-PI3500-184	84VDC	110VAC	3500W	400*242*88(MM)	7.2KG	8KG
104	IPS-PI3500-212	12VDC	220VAC	3500W	400*242*88(MM)	7.2KG	8KG
105	IPS-PI3500-224	24VDC	220VAC	3500W	400*242*88(MM)	7.2KG	8KG
106	IPS-PI3500-236	36VDC	220VAC	3500W	400*242*88(MM)	7.2KG	8KG
107	IPS-PI3500-248	48VDC	220VAC	3500W	400*242*88(MM)	7.2KG	8KG
108	IPS-PI3500-260	60VDC	220VAC	3500W	400*242*88(MM)	7.2KG	8KG
109	IPS-PI3500-272	72VDC	220VAC	3500W	400*242*88(MM)	7.2KG	8KG
110	IPS-PI3500-284	84VDC	220VAC	3500W	400*242*88(MM)	7.2KG	8KG

Civil Pure Sine Wave inverter

111	IPS-PI4000-112	12VDC	110VAC	4000W	400*242*88(MM)	7.2KG	8KG
112	IPS-PI4000-124	24VDC	110VAC	4000W	400*242*88(MM)	7.2KG	8KG
113	IPS-PI4000-136	36VDC	110VAC	4000W	400*242*88(MM)	7.2KG	8KG
114	IPS-PI4000-148	48VDC	110VAC	4000W	400*242*88(MM)	7.2KG	8KG
115	IPS-PI4000-160	60VDC	110VAC	4000W	400*242*88(MM)	7.2KG	8KG
116	IPS-PI4000-172	72VDC	110VAC	4000W	400*242*88(MM)	7.2KG	8KG
117	IPS-PI4000-184	84VDC	110VAC	4000W	400*242*88(MM)	7.2KG	8KG
118	IPS-PI4000-212	12VDC	220VAC	4000W	400*242*88(MM)	7.2KG	8KG
119	IPS-PI4000-224	24VDC	220VAC	4000W	400*242*88(MM)	7.2KG	8KG
120	IPS-PI4000-236	36VDC	220VAC	4000W	400*242*88(MM)	7.2KG	8KG
121	IPS-PI4000-248	48VDC	220VAC	4000W	400*242*88(MM)	7.2KG	8KG
122	IPS-PI4000-260	60VDC	220VAC	4000W	400*242*88(MM)	7.2KG	8KG
123	IPS-PI4000-272	72VDC	220VAC	4000W	400*242*88(MM)	7.2KG	8KG
124	IPS-PI4000-284	84VDC	220VAC	4000W	400*242*88(MM)	7.2KG	8KG
125	IPS-PI5000-112	12VDC	110VAC	5000W	420*242*88(MM)	9.5KG	12.0KG
126	IPS-PI5000-124	24VDC	110VAC	5000W	420*242*88(MM)	9.5KG	12.0KG
127	IPS-PI5000-136	36VDC	110VAC	5000W	420*242*88(MM)	9.5KG	12.0KG
128	IPS-PI5000-148	48VDC	110VAC	5000W	420*242*88(MM)	9.5KG	12.0KG

Civil Pure Sine Wave inverter

129	IPS-PI5000-160	60VDC	110VAC	5000W	420*242*88(MM)	9.5KG	12.0KG
130	IPS-PI5000-172	72VDC	110VAC	5000W	420*242*88(MM)	9.5KG	12.0KG
131	IPS-PI5000-184	84VDC	110VAC	5000W	420*242*88(MM)	9.5KG	12.0KG
132	IPS-PI5000-212	12VDC	220VAC	5000W	420*242*88(MM)	9.5KG	12.0KG
133	IPS-PI5000-224	24VDC	220VAC	5000W	420*242*88(MM)	9.5KG	12.0KG
134	IPS-PI5000-236	36VDC	220VAC	5000W	420*242*88(MM)	9.5KG	12.0KG
135	IPS-PI5000-248	48VDC	220VAC	5000W	420*242*88(MM)	9.5KG	12.0KG
136	IPS-PI5000-260	60VDC	220VAC	5000W	420*242*88(MM)	9.5KG	12.0KG
137	IPS-PI5000-272	72VDC	220VAC	5000W	420*242*88(MM)	9.5KG	12.0KG
138	IPS-PI5000-284	84VDC	220VAC	5000W	420*242*88(MM)	9.5KG	12.0KG
139	IPS-PI6000-248	48VDC	220VAC	6000W	420*243*88MM)	11KG	13KG

19inch Rack Mount Type

400~12000W

**Contact us now if you can
not find the mach one!**

24VDC INPUT, 110/120VAC OUTPUT

24VDC INPUT, 110/120VAC OUTPUT POWER INVERTER

NO	Model Name	Input Voltage VDC	Output Voltage VAC	Output Capacity KVA	Machine Size (MM) NW: KG	Package Size (MM) GW: KG
#1	IPS-DTA500-24(1U)	24VDC	110/120VAC	0.5KVA	482*300*44 5KG	520*390*110 7KG
#2	IPS-DTA1000-24(1U)	24VDC	110/120VAC	1KVA	482*300*44 5KG	520*390*110 7KG
#3	IPS-DTA1000-24(2U)	24VDC	110/120VAC	1KVA	482*335*88 8KG	612*478*155 10KG
#4	IPS-DTA2000-24(2U)	24VDC	110/120VAC	2KVA	482*368*88 13KG	612*482*155 15KG
#5	IPS-DTA3000-24(2U)	24VDC	110/120VAC	3KVA	482*368*88 15KG	612*482*155 17KG
#6	IPS-DTA3000-24(2U)	24VDC	110/120VAC	4KVA	482*440*177 25KG	560*550*400 30KG
#7	IPS-DTA5000-24(2U)	24VDC	110/120VAC	5KVA	482*440*177 25KG	560*550*400 30KG

24VDC INPUT, 220/230VAC OUTPUT

24VDC INPUT, 220/230VAC OUTPUT POWER INVERTER						
NO	Model Name	Input Voltage VDC	Output Voltage VAC	Output Capacity KVA	Machine Size (MM) NW: KG	Package Size (MM) GW: KG
#8	IPS-DTA500-24(1U)	24VDC	220/230VAC	0.5KVA	482*300*44 5KG	520*390*110 7KG
#9	IPS-DTA500-24(2U)	24VDC	220/230VAC	0.5KVA	482*335*88 8KG	612*478*155 10KG
#10	IPS-DTA1000-24(1U)	24VDC	220/230VAC	1KVA	482*300*44 5KG	520*390*110 7KG
#11	IPS-DTA1000-24(2U)	24VDC	220/230VAC	1KVA	482*335*88 8KG	612*478*155 10KG
#12	IPS-DTA2000-24(1U)	24VDC	220/230VAC	2KVA	482*300*44 5KG	520*390*110 7KG
#13	IPS-DTA2000-24(2U)	24VDC	220/230VAC	2KVA	482*368*88 13KG	612*482*155 15KG
#14	IPS-DTA3000-24(2U)	24VDC	220/230VAC	3KVA	482*368*88 15KG	612*482*155 17KG
#15	IPS-DTA4000-24(2U)	24VDC	220/230VAC	4KVA	482*440*177 25KG	560*550*400 30KG
#16	IPS-DTA5000-24(2U)	24VDC	220/230VAC	5KVA	482*440*177 27KG	560*550*400 32KG

48VDC INPUT, 110/120VAC OUTPUT

NO	Model Name	Input Voltage VDC	Output Voltage VAC	Output Capacity KVA	Machine Size (MM) NW: KG	Package Size (MM) GW: KG
#17	IPS-DTA500-48(1U)	48VDC	110/120VAC	0.5KVA	482*300*44 5KG	520*390*110 7KG
#18	IPS-DTA1000-48(1U)	48VDC	110/120VAC	1KVA	482*300*44 5KG	520*390*110 7KG
#19	IPS-DTA1000-48(2U)	48VDC	110/120VAC	1KVA	482*335*88 8KG	612*478*155 10KG
#20	IPS-DTA2000-48(2U)	48VDC	110/120VAC	2KVA	482*368*88 13KG	612*482*155 15KG
#21	IPS-DTA3000-48(2U)	48VDC	110/120VAC	3KVA	482*368*88 15KG	612*482*155 17KG
#22	IPS-DTA4000-48(2U)	48VDC	110/120VAC	4KVA	482*440*177 25KG	560*550*400 30KG
#23	IPS-DTA5000-48(2U)	48VDC	110/120VAC	5KVA	482*440*177 27KG	560*550*400 32KG

48VDC INPUT, 220/230VAC OUTPUT

NO	Model Name	Input Voltage VDC	Output Voltage VAC	Output Capacity KVA	Machine Size (MM) NW: KG	Package Size (MM) GW: KG
#24	IPS-DTA500-48(1U)	48VDC	220/230VAC	0.5KVA	482*300*44 5KG	520*390*110 7KG
#25	IPS-DTA1000-48(1U)	48VDC	220/230VAC	1KVA	482*300*44 5KG	520*390*110 7KG
#26	IPS-DTA1000-48(2U)	48VDC	220/230VAC	1KVA	482*335*88 8KG	612*478*155 10KG
#27	IPS-DTA2000-48(1U)	48VDC	220/230VAC	2KVA	482*300*44 5KG	520*390*110 7KG
#28	IPS-DTA2000-48(2U)	48VDC	220/230VAC	2KVA	482*368*88 10KG	612*482*155 12KG
#29	IPS-DTA3000-48(1U)	48VDC	220/230VAC	3KVA	482*300*44 5KG	520*390*110 7KG
#30	IPS-DTA3000-48(2U)	48VDC	220/230VAC	3KVA	482*368*88 10KG	612*482*155 12KG
#31	IPS-DTA4000-48(2U)	48VDC	220/230VAC	4KVA	482*368*88 13KG	612*482*155 15KG
#32	IPS-DTA5000-48(2U)	48VDC	220/230VAC	5KVA	482*368*88 14KG	612*482*155 16KG
#33	IPS-DTA6000-48(2U)	48VDC	220/230VAC	6KVA	482*368*88 15KG	612*482*155 17KG
#34	IPS-DTA8000-48(4U)	48VDC	220/230VAC	8KVA	482*440*177 25KG	560*550*400 30KG
#35	IPS-DTA10000-48(4U)	48VDC	220/230VAC	10KVA	482*440*177 26KG	560*550*400 32KG

110VDC INPUT, 110/120VAC OUTPUT

NO	Model Name	Input Voltage VDC	Output Voltage VAC	Output Capacity KVA	Machine Size (MM) NW: KG	Package Size (MM) GW: KG
#36	IPS-DTA500-110(1U)	110VDC	110/120VAC	0.5KVA	482*300*44 5KG	520*390*110 7KG
#37	IPS-DTA1000-110(1U)	110VDC	110/120VAC	1KVA	482*300*44 5KG	520*390*110 7KG
#38	IPS-DTA1000-110(2U)	110VDC	110/120VAC	1KVA	482*368*88 10KG	612*482*155 12KG
#39	IPS-DTA2000-110(2U)	110VDC	110/120VAC	2KVA	482*368*88 13KG	612*482*155 15KG
#40	IPS-DTA3000-110(2U)	110VDC	110/120VAC	3KVA	482*368*88 13KG	612*482*155 15KG
#41	IPS-DTA4000-110(2U)	110VDC	110/120VAC	4KVA	482*440*177 25KG	560*550*400 30KG
#42	IPS-DTA5000-110(2U)	110VDC	110/120VAC	5KVA	482*440*177 26KG	560*550*400 32KG

110VDC INPUT, 220/230VAC OUTPUT

NO	Model Name	Input Voltage VDC	Output Voltage VAC	Output Capacity KVA	Machine Size (MM) NW: KG	Package Size (MM) GW: KG
#43	IPS-DTA500-110(1U)	110VDC	220/230VAC	0.5KVA	482*300*44 5KG	520*390*110 7KG
#44	IPS-DTA1000-110(1U)	110VDC	220/230VAC	1KVA	482*300*44 5KG	520*390*110 7KG
#45	IPS-DTA1000-110(2U)	110VDC	220/230VAC	1KVA	482*335*88 8KG	612*478*155 10KG
#46	IPS-DTA2000-110(1U)	110VDC	220/230VAC	2KVA	482*300*44 5KG	520*390*110 7KG
#47	IPS-DTA2000-110(2U)	110VDC	220/230VAC	2KVA	482*368*88 10KG	612*482*155 12KG
#48	IPS-DTA3000-110(1U)	110VDC	220/230VAC	3KVA	482*300*44 5KG	520*390*110 7KG
#49	IPS-DTA3000-110(2U)	110VDC	220/230VAC	3KVA	482*368*88 10KG	612*482*155 12KG
#50	IPS-DTA4000-110(2U)	110VDC	220/230VAC	4KVA	482*368*88 13KG	612*482*155 15KG
#51	IPS-DTA5000-110(2U)	110VDC	220/230VAC	5KVA	482*368*88 14KG	612*482*155 16KG
#52	IPS-DTA6000-110(2U)	110VDC	220/230VAC	6KVA	482*368*88 15KG	612*482*155 17KG
#53	IPS-DTA8000-110(4U)	110VDC	220/230VAC	8KVA	482*440*177 24KG	525*544*265 30KG
#54	IPS-DTA10000-110(4U)	110VDC	220/230VAC	10KVA	482*440*177 25KG	560*550*400 32KG
#55	IPS-DTA10000-110(4U)	110VDC	220/230VAC	12KVA	482*440*177 27KG	560*550*400 35KG

220VDC INPUT, 110/120VAC OUTPUT

NO	Model Name	Input Voltage VDC	Output Voltage VAC	Output Capacity KVA	Machine Size (MM) NW: KG	Package Size (MM) GW: KG
#56	IPS-DTA500-220(1U)	220VDC	110/120VAC	0.5KVA	482*300*44 5KG	520*390*110 7KG
#57	IPS-DTA1000-220(1U)	220VDC	110/120VAC	1KVA	482*300*44 5KG	520*390*110 7KG
#58	IPS-DTA1000-220(2U)	220VDC	110/120VAC	1KVA	482*368*88 10KG	612*482*155 12KG
#59	IPS-DTA2000-220(1U)	220VDC	110/120VAC	2KVA	482*368*88 13KG	612*482*155 15KG
#60	IPS-DTA3000-220(2U)	220VDC	110/120VAC	3KVA	482*368*88 13KG	612*482*155 15KG
#61	IPS-DTA4000-220(2U)	220VDC	110/120VAC	4KVA	482*440*177 25KG	560*550*400 30KG
#62	IPS-DTA5000-220(2U)	220VDC	110/120VAC	5KVA	482*440*177 27KG	560*550*400 32KG

220VDC INPUT, 220/230VAC OUTPUT

NO	Model Name	Input Voltage VDC	Output Voltage VAC	Output Capacity KVA	Machine Size (MM) NW: KG	Package Size (MM) GW: KG
#63	IPS-DTA500-220(1U)	220VDC	220/230VAC	0.5KVA	482*300*44 5KG	520*390*110 7KG
#64	IPS-DTA1000-220(1U)	220VDC	220/230VAC	1KVA	482*300*44 5KG	520*390*110 7KG
#65	IPS-DTA1000-220(2U)	220VDC	220/230VAC	1KVA	482*335*88 8KG	612*478*155 10KG
#66	IPS-DTA2000-220(1U)	220VDC	220/230VAC	2KVA	482*300*44 5KG	520*390*110 7KG
#67	IPS-DTA2000-220(2U)	220VDC	220/230VAC	2KVA	482*368*88 10KG	612*482*155 12KG
#68	IPS-DTA3000-220(1U)	220VDC	220/230VAC	3KVA	482*300*44 5KG	520*390*110 7KG
#69	IPS-DTA3000-220(2U)	220VDC	220/230VAC	3KVA	482*368*88 10KG	612*482*155 12KG
#70	IPS-DTA4000-220(2U)	220VDC	220/230VAC	4KVA	482*368*88 13KG	612*482*155 15KG
#71	IPS-DTA5000-220(2U)	220VDC	220/230VAC	5KVA	482*368*88 14KG	612*482*155 16KG
#72	IPS-DTA6000-220(2U)	220VDC	220/230VAC	6KVA	482*368*88 15KG	612*482*155 17KG
#73	IPS-DTA8000-220(4U)	220VDC	220/230VAC	8KVA	482*440*177 23KG	560*550*400 30KG
#74	IPS-DTA10000-220(4U)	220VDC	220/230VAC	10KVA	482*440*177 27KG	560*550*400 32KG
#75	IPS-DTA12000-220(4U)	220VDC	220/230VAC	12KVA	482*440*177 28KG	560*550*400 35KG
#76	IPS-DTA15000-220(4U)	220VDC	220/230VAC	15KVA	482*440*177 30KG	560*550*400 37KG

Solar Inverter With Charger

300~8000W

**Contact us now if you can
not find the macth one!**

Solar Inverter With Charger

Item NO	Model	DC Input Voltage(VDC)	AC Output Voltage(VAC)	Capacity(W)	Inverter Size (L*W*H)MM	NW(KG)	GW(KG)
#1	IPS-FTL300-112	12VDC	110VAC±10%	300W	302*122*188	4.5KG	6KG
#2	IPS-FTL300-124	24VDC	110VAC±10%	300W	302*122*188	4.5KG	6KG
#3	IPS-FTL300-212	12VDC	220VAC±10%	300W	302*122*188	4.5KG	6KG
#4	IPS-FTL300-224	24VDC	220VAC±10%	300W	302*122*188	4.5KG	6KG
#5	IPS-FTL500-112	12VDC	110VAC±10%	500W	302*122*188	6.5KG	7.5KG
#6	IPS-FTL500-124	24VDC	110VAC±10%	500W	302*122*188	6.5KG	7.5KG
#7	IPS-FTL500-212	12VDC	220VAC±10%	500W	302*122*188	6.5KG	7.5KG
#8	IPS-FTL500-224	24VDC	220VAC±10%	500W	302*122*188	6.5KG	7.5KG
#9	IPS-FTL700-124	24VDC	110VAC±10%	700W	302*122*188	7.0KG	8.0KG
#10	IPS-FTL700-224	24VDC	220VAC±10%	700W	302*122*188	7.0KG	8.0KG
#11	IPS-FTL1000-112	12VDC	110VAC±10%	1000W	316*149*215	8.5KG	11KG
#12	IPS-FTL1000-124	24VDC	110VAC±10%	1000W	316*149*215	8.5KG	11KG
#13	IPS-FTL1000-212	12VDC	220VAC±10%	1000W	316*149*215	8.5KG	11KG
#14	IPS-FTL1000-224	24VDC	220VAC±10%	1000W	316*149*215	8.5KG	11KG
#15	IPS-FT1000-112	12VDC	110VAC±10%	1000W	486*247*179	14KG	15.5KG
#16	IPS-FT1000-124	24VDC	110VAC±10%	1000W	486*247*179	14KG	15.5KG
#17	IPS-FT1000-212	12VDC	220VAC±10%	1000W	486*247*179	14KG	15.5KG

Solar Inverter With Charger

#18	IPS-FT1000-224	24VDC	220VAC±10%	1000W	486*247*179	14KG	15.5KG
#19	IPS-FT2000-124	24VDC	110VAC±10%	2000W	486*247*179	17KG	19KG
#20	IPS-FT2000-148	48VDC	110VAC±10%	2000W	486*247*179	17KG	19KG
#21	IPS-FT2000-224	24VDC	220VAC±10%	2000W	486*247*179	17KG	19KG
#22	IPS-FT2000-248	48VDC	220VAC±10%	2000W	486*247*179	17KG	19KG
#23	IPS-FT3000-124	24VDC	110VAC±10%	3000W	555*307*189	19KG	22KG
#24	IPS-FT3000-148	48VDC	110VAC±10%	3000W	555*307*189	19KG	22KG
#25	IPS-FT3000-224	24VDC	220VAC±10%	3000W	555*307*189	19KG	22KG
#26	IPS-FT3000-248	48VDC	220VAC±10%	3000W	555*307*189	19KG	22KG
#27	IPS-FT4000-124	24VDC	110VAC±10%	4000W	555*307*189	25KG	27KG
#28	IPS-FT4000-148	24VDC	110VAC±10%	4000W	555*307*189	25KG	27KG
#29	IPS-FT4000-224	24VDC	220VAC±10%	4000W	555*307*189	25KG	27KG
#30	IPS-FT4000-248	48VDC	220VAC±10%	4000W	555*307*189	25KG	27KG
#31	IPS-FT5000-124	24VDC	110VAC±10%	5000W	555*307*189	29KG	32KG
#32	IPS-FT5000-148	48VDC	110VAC±10%	5000W	555*307*189	29KG	32KG
#33	IPS-FT5000-224	24VDC	220VAC±10%	5000W	555*307*189	29KG	32KG
#34	IPS-FT5000-248	48VDC	220VAC±10%	5000W	555*307*189	29KG	32KG
#35	IPS-FT5000-296	96VDC	220VAC±10%	5000W	555*307*189	29KG	32KG
#36	IPS-FT6000-248	48VDC	220VAC±10%	6000W	555*307*189	32KG	35KG
#37	IPS-FT6000-296	96VDC	220VAC±10%	6000W	555*307*189	32KG	35KG
#38	IPS-FT8000-248	48VDC	220VAC±10%	8000W	653*332*260	50KG	55KG
#39	IPS-FT8000-296	96VDC	220VAC±10%	8000W	653*332*260	50KG	55KG

